SOFT CHLOR PART B- stabilized sodium salt of chlorous acid solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Soft Chlor Part B is formulated to be used as a companion product for Soft Chlor Part A.

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DANGER

Causes severe skin burns and eye damage. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

DIRECTIONS:

IMPORTANT: Do not mix Soft Chlor Part B with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Soft Chlor Part B.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Mix Directions: Measure equal volumes of Soft Chlor Part A and Soft Chlor Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

Pre-Milk Dipping: Fill teat dip cup with properly mixed Soft Chlor Part A and Soft Chlor Part B. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use mixed Soft Chlor Part A and Soft Chlor Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Soft Chlor Part B is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

FIRST AID

IN CASE OF EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

IN CASE OF SKIN CONTACT: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

IF SWALLOWED: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

A&L Laboratories

Soft Chlor™ Part B

Sanitizing Pre/Post Teat Dip

Soft Chlor Part B is formulated to be used as a companion product for Soft Chlor Part A.

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

Stabilized Sodium Salt of Chlorous Acid	0.54%
INERT INGREDIENTS: 99.46%	
TOTAL:	100.00%

NET CONTENTS: 208 L (55 US GAL)

6301571

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States



Soft Chlor™ Part B

Sanitizing Pre/Post Teat Dip Desinfectante previa y posterior al sellado de pezones

Soft Chlor Part B is formulated to be used as a companion product for Soft Chlor Part A.

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

0.54%

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

IMPORTANT: Do not mix Soft Chlor Part B with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Soft Chlor Part B.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any

unused product to the original container.

Mix Directions: Measure equal volumes of Soft Chlor Part A and Soft Chlor Part B into clean containers. Mix until uniform in

Mix Directions: Measure équal volumes of Soft Chlor Part A and Soft Chlor Part B into clean containers. Mix until uniform in color. Mix only the quantily needed for one milking shift and discard the remainder.

Pre-Milk Dipping: Fill teat dip cup with properly mixed Soft Chlor Part A and Soft Chlor Part B. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: immediately after each milking, use mixed Soft Chlor Part A and Soft Chlor Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Soft Chlor Part B is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

DANAER

DANGER

Causes severe skin burns and eye damage. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

FIRST AID
IN CASE OF EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

IN CASE OF SKIN CONTACT: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available.

Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

IF SWALLOWED: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

IF INHALED: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1800 328 0026. If located outside the United States and Canada, call collect 1651 222 5352 (number is in the US).

Soft Chlor Part B está formulado para su uso como producto complementario de Soft Chlor Part A.

Ayuda a evitar la proliferación de organismos que pueden causar mastitis

PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

IMPORTANTE: No mezcle Soft Chlor Part B con agua ni con otros productos, a menos que se específique en las instrucciones de uso. En caso de trasvase desde este recipiente a cualquier otro, este último debe limpiarse previamente a fondo y tener la correspondiente etiquete de Soft Chlor Part B. SI el producto en el aplicador presenta una suciedad notable, deseche el contenido y vuelva a llenarlo con producto sin diluir.

Si el producto en el aplicador presenta una suciedad notable, deseche el contenido y vuelva a llenarlo con producto sin diluir. No reutilice el producto ni vuelva a colocar en el recipiente original el producto que quede sin usar. Instrucciones de mezclado: Mida volúmenes iguales de Soft Chlor Part A y Soft Chlor Part B en recipientes limpios. Mezcle hasta obtener un color uniforme. Mezcle sófo la cantidad necesaria para un turno de ordeño y deseche el resto. Sellado previo al ordeño: Llene el aplicador con una mezcla correcta de Soft Chlor Part A y Soft Chlor Part B. Antes de cada ordeño, sumerja cada pezón por completo en el aplicador con producto. Posteriormente, seque los pezones con toallas descartables para evitar la contaminación de la leche. Sellado posterior al ordeño: Inmediatamente después de cada ordeño, utilice una mezcla sin diluir de Soft Chlor Part A y Soft Chlor Part B. Sumerja cada pezón por completo en el aplicador con producto mezclado. Deje secar al aire. No limpie. Siempre utilice una nueva mezcla de producto sin diluir. No coloque las vacas en lugares con temperaturas bajo cero hasta que el producto esté completamente seco. producto esté completamente seco. PRECAUCIÓN: Soft Chlor Part B no tiene por objeto curar ni ayudar a eliminar el agrietamiento y la irritación de los pezones. Al

igual que con cualquier bactericida, puede producirse irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, consulte con un veterinario para su examen y, de ser necesario, su tratamiento.

Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recompedido.

PELIGRO

Provoca graves quemaduras en la piel y lesiones oculares. Lave la piel minuciosamente después del manejo. Usar guantes/ ropa de protección/ equipo de protección para los ojos/ la cara.

PRIMEROS AUXILIOS EN CASO DE CONTACTO CON LOS CJOS: Enjuague inmediatamente con abundante agua, también debajo de los párpados, por lo menos durante 15 minutos. Quitar las lentés de contacto, cuando estén presentes y pueda hacerse con facilidad. Proseguil con el lavado. Consultar inmediatamente un médico.

EN CASO DE CONTACTO CON LA PIELE Enjuage inmediatamente con mucha agua por lo menos durante 15 minutos. Utilice un jabón suave si es posible. Lavar la ropa antes de reutilizarla. Limpiar a fondo los zapatos antes de reutilizarlos, Consultar inmediatamente un médico.

inmediatamente un médico.
EM CASO DE INGESTIÓN: Enjuague la boca con agua. No provoque vómitos. Nunca debe administrarse nada por la boca a una persona inconsciente. Consultar immediatamente un médico.
EN CASO DE INHALACIÓN: Desplazar al aire libre. Trate sintomáticamente. Consultar un médico si los síntomas aparecen.

LEA LA HOJA DE DATOS DE SEGURIDAD ANTES DE USAR ESTE PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1651 222 5352 (número en los EE.U.U.).

Manufactured by
Ecolab Inc. · 370 Wabasha Street N · St Paul MM 55102-1390 USA · tel: 1 800 392 3392
© 2015 Ecolab USA Inc. · All rights reserved Made in United States

NET CONTENTS: 208 L (55 US GAL)

6301571



SOFT CHLOR PART B

stabilized sodium salt of chlorous acid solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-606
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	5.4 in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-606-17	56800 mL in 1 DRUM		
2	NDC:47593-606-21	208000 mL in 1 DRUM		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/04/2015	

Labeler - Ecolab Inc. (006154611)

Establishment			
Name	Address	ID/FEI	Business Operations
Ecolab Inc.		943879395	manufacture, analysis, api manufacture, pack, repack, label, relabel

Establishment			
Name	Address	ID/FEI	Business Operations
Ecolab Inc.		030841597	manufacture, analysis, api manufacture, pack, repack, label, relabel

Revised: 7/2019 Ecolab Inc.