

MAGNESIUM CITRATE- magnesium citrate liquid

Freds Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each fl oz)

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

laxative products for longer than 1 week unless directed by a doctor.

ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

ask a doctor or pharmacist

presently taking a prescription drug.

When using this product

do not exceed the maximum recommended daily dosage in a 24 hour period.

Stop use and ask a doctor if

you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor

Other information

- **each fluid ounce contains:** magnesium 280 mg, sodium 37 mg
- store between 46-86°F (8-30°C). Do not refrigerate
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

Inactive ingredients

citric acid, flavors, purified water, saccharin sodium, sodium bicarbonate

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Magnesium Citrate

Saline Laxative

Oral Solution

Dye-Free

Sugar-Free

GRAPE FLAVOR

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR

MISSING.

DISTRIBUTED BY: fred's, Inc.

4300 NEW GETWELL RD, MEMPHIS, TN 38118

www.fredsinc.com

Package Label

fred's Pharmacy NDC 55315-327-10

Magnesium Citrate

Saline Laxative
Oral Solution
Dye-Free
Sugar-Free
GRAPE FLAVOR
10 FL OZ (296 mL)

Drug Facts
Active ingredient (in each fl oz) Magnesium citrate 1.745g
Purpose Saline laxative

Uses
■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 1/2 to 6 hours

Warnings
Do not use laxative products for longer than 1 week unless directed by a doctor.
Ask a doctor before use if you have
■ kidney disease ■ a magnesium restricted diet
■ a sodium restricted diet ■ stomach pain, nausea, or vomiting
■ noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

When using this product, do not exceed the maximum recommended daily dosage in a 24 hour period.

Stop use and ask a doctor if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)
Directions
■ drink a full glass (8 ounces) of liquid with each dose
■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor

Other information
■ each fluid ounce contains: magnesium 280 mg, sodium 37 mg
■ store between 46-86°F (8-30°C). Do not refrigerate.
■ protect from excessive heat and freezing
■ discard unused product within 24 hours of opening bottle

Inactive ingredients citric acid, flavor, purified water, saccharin sodium, sodium bicarbonate

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: fred's, Inc.
4300 NEW GETWELL RD, MEMPHIS, TN 38118
www.fredsinc.com

SKU 129979
PLD-A274D
LB005954

100% satisfaction guaranteed
Questions or comments:
1-888-331-FRED (3733)

8 45791 32560 0

TAMPER EVIDENT: DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

FRED'S PHARMACY Magnesium Citrate Dye-Free Grape Flavor

MAGNESIUM CITRATE

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-327
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

WATER (UNII: 059QF0KO0R)

SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-327-10	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/31/2018	12/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	07/31/2018	12/31/2025

Labeler - Freds Inc (005866116)

Revised: 1/2023

Freds Inc