INMUNOPRO- sachharide liquid OKSALUD COLOMBIA S A S

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active Ingredients

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding, ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30 minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST

Saccharide

Uses*

Adjuvant in prevention and treatment of viral and bacterial infections. Defense stimulation

Warnings

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

if pregnant or breastfeeding. ask a health proffesional before use.

Keep out of reach of children.

Directions

Adults: 15 Drops 3 times a day every 30 minutes beefore meals.

Childrens: 5 Drops 3 times a day every 30

minutes before meals.

Other Information

store between 20-25°C (68-77°F) in a dry place out of direct sunlight

Inactive Ingredients

Allium sativum (Eloran essence),
Astragalus membranaceus (Floral essence)
Echinacea angustifolia (Florarl essence)
Oreganum vulgare (Floral essence)
Sambucus nigra (Floral essence)
Vigna radiata (Floral essence)

Questions?

(786) 453- 1395 Mon - Fri. 9am - 5pm EST



Expires 2022

KEEP OUT OF REACH OF CHILDRE IN A COOL PLACE AT A TEMPERATURE BELOW 86°F **ORAL DROPS 30 ML**

INMUNOPRO

sachharide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81701-222
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASTRAGALUS PROPINQUUS ROOT POLYSACCHARIDES (UNII: 71WW2LNL50) (ASTRAGALUS PROPINQUUS ROOT POLYSACCHARIDES - UNII:71WW2LNL50)	ASTRAGALUS PROPINQUUS ROOT POLYSACCHARIDES	7 g in 7 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ALLIUM SATIVUM WHOLE (UNII: IIF21WT8O3)	7 mL in 7 mL	
ECHINACEA ANGUSTIFOLIA ROOT (UNII: D982V7VT3P)	7 mL in 7 mL	
ORIGANUM VULGARE SUBSP. HIRTUM WHOLE (UNII: 38SNL0F81Z)	7 mL in 7 mL	
VIGNA RADIATA WHOLE (UNII: CO450M8A6J)	7 mL in 7 mL	
ASTRAGALUS CANADENSIS ROOT (UNII: 7JS169359F)	7 mL in 7 mL	

SAMBLICUS	NIGRA	FLOWER	(HMH)	07V4DX094T	١
JANDUCUJ	NIGNA	LOWER	(UIVIII.	$0/\sqrt{4}D\Lambda 0341$,

7 mL in 7 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:81701- 222-01	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	03/25/2021	

Marketing Information

Annulling Albana Mannala and an Manua annua ar la		
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	03/25/2021	
	Citation	

Labeler - OKSALUD COLOMBIA S A S (885622207)

Registrant - OKSALUD COLOMBIA S A S (885622207)

EstablishmentNameAddressID/FEIBusiness OperationsOKSALUD COLOMBIA S A S885622207manufacture(81701-222) , label(81701-222)

Revised: 3/2021 OKSALUD COLOMBIA S A S