

**MOTION SICKNESS RELIEF- dimenhydrinate tablet**  
**WinCo Foods, LLC**

-----  
**Winco 44-198**

***Active ingredient (in each tablet)***

Dimenhydrinate 50 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

***Warnings***

**Do not use**

for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

|                                       |  |
|---------------------------------------|--|
| adults and children 12 years and over | 1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor  |
| children 6 to under 12 years          | 1/2 to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor |
| children 2 to under 6 years           | 1/2 tablet every 6-8 hours; do not exceed 1&1/2 tablets in 24 hours, or as directed by a doctor  |

## **Other information**

- **each tablet contains:** calcium 35 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

## **Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

## **Questions?**

Call **1-800-824-1706** Monday - Friday 9am - 4pm MST

## **Principal Display Panel**

**WinCo®**  
FOODS

\*Compare to the active ingredient in DRAMAMINE® Original Formula

## **Motion Sickness Relief**

DIMENHYDRINATE 50 mg / ANTIEMETIC

**12**  
Tablets

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

50844 REV0518B19802 WF1810

**DISTRIBUTED BY:**

WINCO FOODS, LLC, BOISE, ID 83704

\*This product is not manufactured or distributed by  
MEDTECH PRODUCTS INC., distributor of  
DRAMAMINE® Original Formula.

**The Supermarket Low Price Leader®**

**100% SATISFACTION GUARANTEE**

Comments & Questions?

800-824-1706 [www.wincofoods.com](http://www.wincofoods.com)



Prevents Nausea, Vomiting & Dizziness  
for Children & Adults

WinCo  
FOODS

# Motion Sickness Relief

DIMENHYDRINATE 50 mg/ANTIEMETIC

WinCo  
FOODS

# Motion Sickness Relief

DIMENHYDRINATE 50 mg/ANTIEMETIC

\*Compare to the active ingredient  
in DRAMAMINE® Original Formula

12  
Tablets

E77732RZ  
(LEBG302104)



100% SATISFACTION  
GUARANTEE

The Supermarket Low Price Leader®

Comments & Questions?  
800-824-1706 - www.wincofoods.com

B-2150-198-02-R  
REV0518B19802

DISTRIBUTED BY:  
WINCO FOODS, LLC, BOISE, ID 83704  
\*This product is not manufactured or distributed by  
DRAMAMINE® Original Formula.

50844 REV0518B19802 WFI810



0 70552 23016 3

No Print/No Varnish Area  
Lot & Exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING


**Uses** for prevention and treatment of these symptoms associated with motion sickness:  
nausea ■ vomiting ■ dizziness

**Warnings**  
Do not use for children under 2 years of age unless directed by a doctor.  
Ask a doctor before use if you have  
■ a breathing problem such as emphysema or chronic bronchitis  
■ jaundice  
■ difficulty in urination due to enlargement of the prostate gland  
Ask a doctor or pharmacist before use if you are taking  
sedatives or tranquilizers.  
When using this product  
■ marked drowsiness may occur  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ use caution when driving a motor vehicle or operating machinery  
■ avoid alcoholic beverages  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Other information**  
■ each tablet contains: calcium 35 mg  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture  
■ see end flap for expiration date and lot number  
**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Questions?** Call 1-800-824-1706 Monday - Friday  
9am - 4pm MST

|   |  |
|---|--|
| adults and children 12 years and over                                   | as directed by a doctor  |
| 1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or |  |
| children 6 to under 12 years  | 1/2 to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor |
| children 2 to under 6 years   | 1/2 tablet every 6-8 hours; do not exceed 1 1/2 tablets in 24 hours, or as directed by a doctor  |



## Winco 44-198

### MOTION SICKNESS RELIEF

dimenhydrinate tablet

#### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:67091-118 |
| <b>Route of Administration</b> | ORAL           |                           |               |

#### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| <b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M, 8-CHLOROTHEOPHYLLINE - UNII:GE2UA340FM) | DIMENHYDRINATE    | 50 mg    |

#### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)               |          |
| <b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP) |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)          |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                        |          |

#### Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | 2 pieces |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 9mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | 44;198   |
| <b>Contains</b> |       |                     |          |

#### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:67091-118-12 | 2 in 1 CARTON  | 12/01/1992           |                    |
| 1 |                  | 6 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M009                                     | 12/01/1992           |                    |

**Labeler** - WinCo Foods, LLC (056098817)

## Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 038154464 | pack(67091-118)     |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations                      |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(67091-118) , pack(67091-118) |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(67091-118) |

Revised: 9/2025

WinCo Foods, LLC