

**MOTION SICKNESS RELIEF- dimenhydrinate tablet**  
**WinCo Foods, LLC**

-----  
**Winco 44-198**

***Active ingredient (in each tablet)***

Dimenhydrinate 50 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

***Warnings***

**Do not use**

for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

**Directions**

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	1/2 to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	1/2 tablet every 6-8 hours; do not exceed 1 1/2 tablets in 24 hours, or as directed

by a  
doctor

### **Other information**

- **each tablet contains:** calcium 35 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

### **Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

### **Questions?**

Call **1-800-824-1706** Monday - Friday 9am - 4pm MST

### **Principal Display Panel**

**WinCo®**  
**FOODS**

\*Compare to the active ingredient  
in DRAMAMINE® Original Formula

### **Motion Sickness Relief**

DIMENHYDRINATE 50 mg / ANTIEMETIC

**12**  
Tablets

**DISTRIBUTED BY:**  
WINCO FOODS, LLC, BOISE, ID 83704

50844 REV0518A19802 WF1810

\*This product is not manufactured or distributed by  
MEDTECH PRODUCTS INC., distributor of  
DRAMAMINE® Original Formula.

**The Supermarket Low Price Leader®**  
**100% SATISFACTION GUARANTEE**

Comments & Questions?  
800-824-1706 [www.wincofoods.com](http://www.wincofoods.com)

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Prevents Nausea, Vomiting & Dizziness  
for Children & Adults

**WinCo**  
FOODS

# Motion Sickness Relief

DIMENHYDRINATE 50 mg/ANTIEMETIC

**WinCo**  
FOODS

# Motion Sickness Relief

DIMENHYDRINATE 50 mg/ANTIEMETIC

\*Compare to the active ingredient  
in DRAMAMINE® Original Formula

**12**  
Tablets

B  
2  
2  
5  
9

Comments & Questions?  
800-824-1706 • www.wincofoods.com



**100% SATISFACTION**  
GUARANTEE

The Supermarket Low Price Leader®

**DISTRIBUTED BY:**  
WINCO FOODS, LLC, BOISE, ID 83704  
\* This product is not manufactured or distributed by  
MEDTECH PRODUCTS INC., distributor of  
DRAMAMINE® Original Formula.

B-2150-198-02  
RE10518A19802

No Print/No Varnish Area  
Lot & Exp. date

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ avoid alcoholic beverages

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Other information**

■ each tablet contains: calcium 35 mg

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture ■ see end flap for expiration date and lot number

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid


**Questions?** Call 1-800-824-1706 Monday - Friday 9am - 4pm MST

children 2 to under 6 years  
½ tablet every 6-8 hours; do not exceed 1½ tablets in 24 hours, or as directed by a doctor

50844 REV0518A19802 WFF1810



0 70552 23016 3



44-198

## MOTION SICKNESS RELIEF

dimenhydrinate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-118
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M, 8-CHLOROTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;198
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 67091-118			

1	NDC:67091-118-12	2 in 1 CARTON	12/01/1992	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M009		12/01/1992	

**Labeler** - WinCo Foods, LLC (056098817)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(67091-118)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	manufacture(67091-118) , pack(67091-118)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(67091-118)

Revised: 1/2024

WinCo Foods, LLC