

**ANTI-HISTAMINE ALLERGY- diphenhydramine hcl tablet, coated
H E B**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB 44-329

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- use by expiration date on package

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Compare to Benadryl® Allergy ULTRATAB® active ingredient*

NDC 37808-329-78

H-E-B®

ANTIHISTAMINE ALLERGY

For Allergy Relief

Diphenhydramine HCl, 25 mg

ORG051232908

Antihistamine

- Sneezing
- Runny Nose
- Itchy, watery eyes
- Itchy throat

Actual Size

600 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS

BROKEN OR MISSING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®.

50844 ORG101632978 1607

**MADE WITH PRIDE AND CARE FOR
H-E-B®, SAN ANTONIO, TX 78204**

**100%
GUARANTEE**
promise

Compare to Benadryl® Allergy
ULTRATAB® active ingredient*

NDC 37808-329-78



ANTI-HISTAMINE ALLERGY

For Allergy Relief

Diphenhydramine HCl, 25 mg

Antihistamine

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat



ACTUAL SIZE

600 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

DIPHENHYDRAMINE HCl 25 mg TABLETS

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg Antihistamine

Purpose

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
---------------------------------------	----------------

children 6 to under 12 years	1 tablet
------------------------------	----------

children under 6 years	do not use
------------------------	------------

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- use by expiration date on package

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments? 1-800-426-9391

STOP PEELING

100% GUARANTEE
Pharmie

H-E-B
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®. 50844 08G101632978 1607

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204



IMPRINT AREA
LOT NO. & EXP DATE

PEEL HERE FOR MORE DRUG FACTS

ANTI-HISTAMINE ALLERGY

diphenhydramine hcl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-329
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-329-08	2 in 1 CARTON	03/02/1990	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:37808-329-78	600 in 1 BOTTLE; Type 0: Not a Combination Product	03/02/1990	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/02/1990	

Labeler - HEB (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(37808-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(37808-329)

Revised: 6/2017

HE B