

**ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid
Cardinal Health (Leader) 70000**

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

- If taken internally, serious gastric disturbances will result

Flammable, keep away from fire or flame

- **use only in a well-ventilated area; fumes may be toxic**

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first

- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

purified water

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel**Isopropyl Alcohol 70%**

First Aid Antiseptic

WARNING FLAMMABLE | keep away from heat, spark, electrical, fire or flame

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com

Package Label



| | |
|---|----------------------|
| Drug Facts | |
| Active ingredient (by volume) | Purpose |
| Isopropyl alcohol (70% conc.)..... | First aid antiseptic |
| Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns. | |
| Warnings | |
| For external use only. | |
| ■ if taken internally, serious gastric disturbances will result | |
| Flammable, keep away from fire or flame. | |
| ■ use only in a well-ventilated area; fumes may be toxic | |
| Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns. | |
| When using this product | |
| ■ do not get into eyes | |
| ■ do not apply over large areas of the body | |
| ■ do not use longer than one week unless directed by a doctor | |
| Stop use and ask a doctor if condition persists or gets worse. | |
| Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222). | |
| Directions | |
| ■ clean affected area | |
| ■ apply small amount of this product on the area 1-3 times daily | |
| ■ if bandaged, let dry first | |
| ■ may be covered with a sterile bandage | |
| Other information | |
| ■ store at room temperature | |
| ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol | |
| Inactive ingredient purified water | |
| Questions or comments? | |
| Call 1-877-753-3935 Monday-Friday 9AM-5PM EST | |

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.



DISTRIBUTED BY CARDINAL HEALTH
 DUBLIN, OHIO 43017
 www.myleader.com 1-800-200-6313
Essential to Care™ since 1979
 © 2019 Cardinal Health
100% Money Back Guarantee
 Return to place of purchase if not satisfied.

0 96295 13700 2

PLD-A226C LB006573

CIN 5511698

REV. 4/19

LEADER Isopropyl Rubbing Alcohol 70%

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70000-0497 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) | ISOPROPYL ALCOHOL | 70 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:70000-0497-2 | 946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/19/2019 | |
| 2 | NDC:70000-0497-1 | 473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/19/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003 | 04/19/2019 | |

Labeler - Cardinal Health (Leader) 70000 (063997360)

Revised: 10/2023

Cardinal Health (Leader) 70000