

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 13C- octinoxate, octocrylene, titanium dioxide cream
Aekyung Industrial Co., Ltd.

67225-5221 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 13C

Octinoxate 6.50%
Octocrylene 3.00%
Titanium Dioxide 5.12%

Sunscreen

- Helps prevent sunburn.
- If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

- damaged skin or broken skin
- keep out of eyes. Rinse with water to remove.
- if ■ rash occurs.

If swallowed, get medical help or contact poison control center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Protect the product in the container from excessive heat and avoid storing it under direct sun.
 - Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

WATER (AQUA), ETHYLHEXYL METHOXYCINNAMATE, TITANIUM DIOXIDE (NANO), BETULA PLATYPHYLLA JAPONICA JUICE, DIPROPYLENE GLYCOL PENTAERYTHRITYL STEARATE/CAPRATE/CAPRYLATE/ADIPATE, HYDROGENATED POLY(C6-14 OLEFIN), OCTOCRYLENE, PHENYL TRIMETHICONE NIACINAMIDE, EUPHORBIA CERIFERA (CANDELILLA) WAX, DIMETHICONE, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, TRIISOSTEARIN, 1,2-

HEXANEDIOL, DISODODECANE, POLYMETHYLSILSESQUIOXANE, ISODECYL NEOPENTANOATE, PROPANEDIOL, VP/HEXADECENE COPOLYMER, ALUMINUM HYDROXIDE, CETYL PEG/PPG-10/1 DIMETHICONE, SODIUM GLUTAMATE, C30-45 ALKYL METHICONE, STEARIC ACID, P-ANISIC ACID, DIMETHICONE/PEG-10/15 CROSSPOLYMER, C30-45 OLEFIN, GLYCERYL CAPRYLATE, BETULA PLATYPHYLLA JAPONICA BARK EXTRACT, GLYCERIN, TRIETHOXYCAPRYLYLSILANE, PANTHENOL, TOCOPHERYL ACETATE, CERAMIDE NP, METHYL METHACRYLATE CROSSPOLYMER, STEARYL HEPTANOATE, ADENOSINE, SILICA, HYDROLYZED HYALURONIC ACID, POLYHYDROXYSTEARIC ACID, SODIUM HYALURONATE, LACTOBACILLUS FERMENT LYSATE, HAEMATOCOCCUS PLUVIALIS EXTRACT, LINOLEIC ACID, BHT, SODIUM CITRATE, BORON NITRIDE, ASTAXANTHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL, YDROXYHYDROCINNAMATE, TOCOPHEROL, APHANTHOCHECE SACRUM POLYSACCHARIDE, FRAGRANCE (PARFUM), Titanium Dioxide(CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499)

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 13C


CONFIRM SHEET


※기타 작업을 진행할 디자인 또는 색상의 변경에 표기사항을 등분하기 전에 반영할 경우, 표기사항 부분을 1:1 또는 확대하여 남는 공간에 설명하여 제출하시기 바랍니다.

제품명		사이즈(mm)	색상	원단재질 및 코팅 유무	특이 사항 기재란	디자인 개발 담당
AGE20S 시그니처 팩트 (US) 분봉 29입 단상자		105 X 101 X 80 (mm) 도면참조	Black 투명한 White 예칭	투명박막소재 +예칭	특이사항 없음	예칭디자인센터 02인 정성현 Tel. 02 2014 7007
날짜		인쇄 방법	필요사항			
2026. 01. 20		공백 인쇄	LINK			
프로그래밍 버전 및 파일명		링크주소				
단상자 26AGE20S A(나사색)E(US)C(US)분봉 2개입.사		링크주소 링크주소 Tel. 02 2261 0315				

Printing Guide Line

*주의사항 : 반드시 담당자가 확인 후 승인된 후에 인쇄를 진행하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 남겨 주시기 바랍니다. AEKYUNG DESIGN CENTER





CONFIRM SHEET

※본 작업을 진행할 디자인 회사는 상단의 인쇄 및 표지사용 등 문구가 적혀 있는 부분을, 표지사용 부문을 1:1 또는 확대하여 낮은 용도에 선인쇄와 재출력하지 않습니다.

제품명 ACCENT'S SIGNATURE ESSENCE
PACT INTENSE COVER

날짜 2025. 06. 19

프로그래밍 버전 및 최종출판 Illustrator CS 3
단상자 25402000 A1C1J1A1M1B1U1S10C
본용(가림)용

사이즈(mm) 105 X 101 X 64 (mm)
도면장도

인쇄 방법 오픈와 인쇄

인쇄 컬러

- Black
- 투명금
- White
- 색상

원단재질 및 구성 유무
네트용지
+예칭

특이 사항 기재
특이사항 없음

디자인 개발 담당
예경디자인센터

CDR용 144-141 Tel. 02-2014-7048

링크담당
LINK
링크디자인 Tel. 02-2281-0205

Printing Guide Line

*주의사항 : 반드시 담당자가 확인 후 승인 한 것에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 환에 기입하여 주시기 바랍니다.

AEKYUNG DESIGN CENTER



AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 13C

octinoxate, octocrylene, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67225-5221
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	0.42 g in 14 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.7186 g in 14 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.91 g in 14 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TRISOSTEARIN (UNII: 71503RH8KG)	
BETULA PLATYPHYLLA JAPONICA JUICE (UNII: 1B33PG6N4K)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: P0TX083987)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: VL0328HX19)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

ISODODECANE (UNII: A8289P68Y2)
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)
PROPANEDIOL (UNII: 5965N8W85T)
VP/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
SODIUM GLUTAMATE (UNII: W81N5U6R6U)
C30-45 ALKYL METHICONE (UNII: NFX970DSI2)
STEARIC ACID (UNII: 4ELV7Z65AP)
P-ANISIC ACID (UNII: 4SB6Y7DMM3)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
C30-45 OLEFIN (UNII: 6DWD51M008)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
BETULA PLATYPHYLLA JAPONICA BARK (UNII: ZF70YKN0YO)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
GLYCERIN (UNII: PDC6A3C0OX)
PANTHENOL (UNII: WW9CM0067Z)
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)
CERAMIDE NP (UNII: 4370DF050B)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
SILICA (UNII: ETJ7Z6XBU4)
STEARYL HEPTANOATE (UNII: 2M4UGL1NCN)
ADENOSINE (UNII: K72T3FS567)
HYALURONIC ACID (UNII: S270N0TRQY)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
SODIUM HYALURONATE (UNII: YSE9PPT4TH)
LIMOSILACTOBACILLUS FERMENTUM ME-3 (UNII: BQX4W45LG8)
HAEMATOCOCCUS PLUVIALIS (UNII: 31T0FF0472)
LINOLEIC ACID (UNII: 9KJL21T0QJ)
BHT (UNII: 1P9D0Z171K)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
BORON NITRIDE (UNII: 2U4T60A6YD)
ASTAXANTHIN (UNII: 8XPW32PR7I)
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)
TOCOPHEROL (UNII: R0ZB2556P8)
CI 77492 (UNII: EX438O2MRT)
CI 77491 (UNII: 1K09F3G675)
CI 77499 (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67225-5221-2	1 in 1 PACKAGE	08/13/2025	
1	NDC:67225-5221-1	14 g in 1 CASE; Type 0: Not a Combination Product		
2	NDC:67225-5221-3	2 in 1 BOX	01/21/2026	
3	NDC:67225-	14 g in 1 CASE; Type 0: Not a Combination		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/13/2025	

Labeler - Aekyung Industrial Co., Ltd. (690511126)

Establishment

Name	Address	ID/FEI	Business Operations
Aekyung Industrial Co., Ltd.		690511126	manufacture(67225-5221)

Revised: 1/2026

Aekyung Industrial Co., Ltd.