# DIPHENHYDRAMINE HYDROCHLORIDE- diphenhydramine hydrochloride capsule Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

0835 - Walgreen

#### **Drug Facts**

#### Active ingredient (in each capsule)

Diphenhydramine HCI 25 mg

Keep out of reach of children.

#### **Purpose**

**Antihistamine** 

ı	Ic	-	6
L	, 3		- 3

<ul> <li>□ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</li> <li>□ runny nose</li> <li>□ sneezing</li> <li>□ itchy, watery eyes</li> <li>□ itching of the nose or throat</li> <li>□ temporarily relieves these symptoms due to the common cold:</li> <li>□ runny nose</li> <li>□ sneezing</li> </ul>
Do not use
□ to make a child sleepy
$\ \square$ with any other product containing diphenhydramine, even one used on skin
Ask a doctor before use if you have
☐ a breathing problem such as emphysema or chronic bronchitis
□ glaucoma
☐ trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use ifyou are taking sedatives or tranquilizers
When using this product
☐ marked drowsiness may occur
<ul><li>□ avoid alcoholic drinks</li><li>□ alcohol, sedatives and tranquilizers may increase drowsiness</li></ul>
$\ \square$ use caution when driving a motor vehicle or operating machinery
□ excitability may occur, especially in children
If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

$\hfill \Box$ take every 4 to 6 hours, or as directed by a doctor	
$\hfill \Box$ do not take more than 6 doses in 24 hours	
adults and children 12 years of age and over	1 to 2 capsules

adults and children 12 years of age and over	1 to 2 capsules
children 6 to under 12 years of age	1 capsule
children under 6 years of age	do not use

#### Other information

	store in a di	ry place at 15	5° – 30°C	(59° – 86°F)	
П	protect from	m moisturo			

☐ protect from moisture

D&C red #28, FD&C blue #1, FD&C red #40, gelatin, lactose and starch

#### Questions or comments?

1-800-925-4733

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co. PRODUCT OF JAPAN

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING OR IF RED BAND AROUND CAPSULE IS BROKEN OR MISSING

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl®

Walgreens

Compare to the active ingredient in Benadryl® Allergy††

NDC 0363-9835-01

Relieves allergy symptoms

Allergy Relief

Diphenhysramine HCl 25 mg / Antihistamine

Relief of runny nose, sneezing, itchy throat & itchy, watery eyes

100 Capsules





**W30RG0821-F** R50435

Relieves allergy symptoms



## **Allergy Relief**

DIPHENHYDRAMINE HCI 25 mg / ANTIHISTAMINE

 Relief of runny nose, sneezing, itchy throat & itchy, watery eyes





**ACTUAL SIZE** 

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING OR IF RED BAND AROUND CAPSULE IS BROKEN OR MISSING

<sup>†</sup>Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. <sup>††</sup>This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl<sup>®</sup>.



Questions or comments? 1-800-925-4733

donsts bns esotos

Inactive ingredients D&C red #28, FD&C blue #1, FD&C red #40, gelatin,

■ protect from moisture

Other information = store in a dry place at 15° - 30°C (59° - 86°F)

more than 6 doses in 24 hours
sdults and children 12 years of age and over 1 to 2 capsules
children 6 to under 12 years of age 1 to 2 capsule
do not use

Directions = take eveny 4 to 6 hours, or as directed by a doctor = do not take

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are isking sedatives or tranquilizers

When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks
■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving
the pregnant or breast-feeding, ask a health professional before use. Keep out of reach
of children. In case of overdose, get medical help or contact a Poison Control Center
of thildren. In case of overdose, get medical help or contact a Poison Control Center
(1-800-222-1222) right away.

Ask a doctor before use if you have 

a breathing problem such as emphysems or chronic bronchits 

glaucoma 

trouble uninsting due to an enlarged prostate gland

securities as a special page use it is not a security and a security as a security and a security

even one used on skin

Do not use **a** to make a child sleepy **a** with any other product containing diphenhydramine.

OSES ■ temporarily relieves these symptoms due to the common cold ■ turny nose ■ snesting
■ temporarily relieves these symptoms due to the common cold ■ turny nose ■ snesting
■ temporarily relieves these symptoms due to the common cold ■ turny nose ■ snesting

#### **DIPHENHYDRAMINE HYDROCHLORIDE**

diphenhydramine hydrochloride capsule

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-9835

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
,	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients	
Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: 08232NY3SJ)	

<b>Product C</b>	haracteristics		
Color	pink (Half Pink & Half Clear with white powder inside)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	CPC;835
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9835- 01	1 in 1 CARTON	09/07/2021	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-9835- 06	365 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2021	
3	NDC:0363-9835- 02	600 in 1 BOTTLE; Type 0: Not a Combination Product	05/05/2022	

Mandatina Fad
Marketing End Date

### Labeler - Walgreen Company (008965063)

Revised: 4/2022 Walgreen Company