

ACT TOTAL CARE ANTICAVITY FLUORIDE ICY CLEAN MINT- sodium fluoride mouthwash
Chattem, Inc.

ACT Total Care Anticavity Fluoride Mouthwash Icy Clean Mint

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters into cap (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients

water, alcohol (11%), sorbitol, poloxamer 407, propylene glycol, sodium benzoate, flavor, sodium phosphate, cetylpyridinium chloride, polysorbate 20, sodium saccharin, disodium phosphate, calcium disodium EDTA, blue 1 (283-004)


www.actfluoride.com

PRINCIPAL DISPLAY PANEL

**#1 DENTIST RECOMMENDED
FLUORIDE BRAND**

**ACT®
TOTAL CARE
ANTICAVITY FLUORIDE
MOUTHWASH**

**ICY CLEAN MINT
Sodium Fluoride 0.05%
18 fl oz (532 mL)**



ACT ANTICAVITY FLUORIDE MOUTHWASH

Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion)	Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters into cap (10 mL mark on inside of cap); do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients water, alcohol (11%), sorbitol, poloxamer 407, propylene glycol, sodium benzoate, flavor, sodium phosphate, cetylpyridinium chloride, polysorbate 20, sodium saccharin, disodium phosphate, calcium disodium EDTA, blue 1

283-004
Learn more at www.ACTFLUORIDE.com

SANOFI

Dist. by Chatterm, Inc., a Sanofi Company
P.O. Box 2219, Chattanooga, TN 37409 USA
† among mouth rinses
U.S. Patent 0591,159 ©2018 Chatterm, Inc.

0 41167 09650 5 0170124-01

ACT TOTAL CARE ANTICAVITY FLUORIDE ICY CLEAN MINT

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0965
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) FLUORIDE ION 0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	
SORBITOL (UNII: 506T60A25R)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color	blue	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0965-0	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2009	
2	NDC:41167-0965-3	88 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2009	01/08/2018

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/01/2009	

Labeler - Chattem, Inc. (003336013)