ASAFORTIDA- asafortida pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ASAFOETIDA 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

ASAFOETIDA 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ASAFOE-TIDA 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

mann Labs Inc. 1940 Fourth St. San Rafael, o

ASAFOETIDA 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ASAFOE-TIDA 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea Keep out of reach of children Directions: Take 5 pellets orally once

sucrose 00000

Inactive ingredients:

ASAFOETIDA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ASAFOE-TIDA 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea Keep out of reach of children Directions: Take 5 pellets orally once

sucrose 00000

Inactive ingredients:

ASAFOETIDA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ASAFOE-TIDA 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

ASAFOETIDA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ASAFOE-TIDA **1M**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

ASAFOETIDA 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ASAFOE-TIDA 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

ASAFOETIDA 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ASAFOETIDA 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ASAFOETIDA 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ASAFOETIDA LM 1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as diarrhea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

ASAFORTIDA

asafortida pellet

_					•			
D	ro	a		• 1	nt	Orn	n a	tion.
г	ıv	ш	uС	LI		UI I	нa	tion

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source) NDC:63545-264

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	1 [hp_M]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

F	Packaging					
#	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 264-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021			
2	NDC:63545- 264-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021			
3	NDC:63545- 264-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021			
4	NDC:63545- 264-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021			

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	04/01/2021				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

ASAFORTIDA

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-267			
Route of Administration	ORAL					

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	12 [hp_C]				

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 267-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021			
2	NDC:63545- 267-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021			
3	NDC:63545- 267-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		04/01/2021			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-260	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	30 [hp_C]		

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	3mm			
Flavor Imprint Code						
Contains	Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 260-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021		
2	NDC:63545- 260-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021		
3	NDC:63545- 260-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021		
4	NDC:63545- 260-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/01/2021		

Product Information				
Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-262				
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength	
ı	ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	200 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	

Flavor	Imprint Code	
Contains		

Packaging					
	# I	Item Code	Package Description	Marketing Start Date	Marketing End Date
		IDC:63545- 62-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021	
2		IDC:63545- 62-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	
		IDC:63545- 62-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	
	4	IDC:63545- 62-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021	

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
unapproved homeopathic		04/01/2021		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-261	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	ASAFETIDA	100 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 261-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021		
2	NDC:63545- 261-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021		
3	NDC:63545- 261-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021		
4	NDC:63545- 261-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021		

	Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
	04/01/2021			
		Citation Date		

asafortida pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-257

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1) ASAFETIDA 6 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Pac	

Item Code Package Description Marketing Start Date Marketing End

1	NDC:63545- 257-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021	
2	NDC:63545- 257-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	
3	NDC:63545- 257-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	

ing Start Marketing End ate Date
1
į

asafortida pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-263

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII: W9FZA51AS1)

ASAFETIDA (UNII: W9FZA51AS1) ASAFETIDA 500 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

	rackaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63545- 263-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021				
2	NDC:63545- 263-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a 04/01/2021 Combination Product					
3	NDC:63545- 263-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/01/2021		
		04/01/2021		

asafortida pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-266

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII: W9FZA51AS1)

ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII: W9FZA51AS1)

ASAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII: W9FZA51AS1)

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:63545- 266-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved		04/01/2021	

asafortida pellet

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASAFETIDA (LINII) MAGEZASIASI) (ASAFETIDA LINII) MAGEZASIASI)	AS AFETIDA	10 [hp M]

SAFETIDA (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)

ASAFETIDA

ASAFETIDA

10 [hp_M]

Inactive Ingredients

Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 265-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021	
2	NDC:63545- 265-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	
3	NDC:63545- 265-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/01/2021	
4	NDC:63545- 265-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/01/2021	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved homeopathic		04/01/2021	

Registrant - Hahnemann Laboratories, Inc. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-257, 63545-267, 63545-260, 63545-261, 63545-262, 63545-263, 63545-264, 63545-265, 63545-266)

Revised: 4/2021 Hahnemann Laboratories, Inc.