

CLE DE PEAU BEAUTE THE FOUNDATION N O50 TAN OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N I10 VERY LIGHT IVORY- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O10 LIGHT OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O20 LIGHT MEDIUM OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O30 MEDIUM OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O40 LIGHT TAN OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O60 DEEP TAN OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O80 DEEP OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N O100 RICH DEEP OCHER- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N B10 LIGHT BEIGE- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N B20 LIGHT MEDIUM BEIGE- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N B30 MEDIUM BEIGE- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N B40 LIGHT TAN BEIGE- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N B50 TAN BEIGE- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE THE FOUNDATION N BF10 LIGHT BUFF- octinoxate and titanium dioxide emulsion
SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

clé de peau BEAUTÉ THE FOUNDATION N

Drug Facts

Active ingredients	Purpose
Octinoxate 3.9%	Sunscreen
Titanium Dioxide 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER■DIMETHICONE■BUTYLENE GLYCOL■GLYCERIN■CETYL
ETHYLHEXANOATE■CETYL PEG/PPG-10/1 DIMETHICONE■NEOPENTYL GLYCOL
DIHEPTANOATE■DIPHENYLSILOXY PHENYL TRIMETHICONE■TREHALOSE■TOCOPHERYL
ACETATE■ARGANIA SPINOSA KERNEL OIL■SODIUM HYALURONATE■SODIUM
DILAURAMIDOGLUTAMIDE LYSINE■MAGNESIUM CHLORIDE■PISTACIA LENTISCUS
(MASTIC) GUM■GLYCINE■PEG/PPG-14/7 DIMETHYL ETHER■BUPLEURUM FALCATUM
ROOT EXTRACT■ZANTHOXYLUM PIPERITUM PEEL EXTRACT■THYMUS SERPYLLUM
EXTRACT■SODIUM ACETYLATED HYALURONATE■ROSA ROXBURGHII FRUIT
EXTRACT■ANGELICA ACUTILOBA ROOT EXTRACT■HYDROLYZED CONCHIOLIN
PROTEIN■HYDROLYZED SILK■PERILLA OCYMOIDES LEAF EXTRACT■DEXTRIN
PALMITATE■PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE■ALUMINUM
HYDROXIDE■STEARIC ACID■TRISODIUM
EDTA■HYDROXYPROPYLCELLULOSE■PALMITIC ACID■DIMETHYLACRYLAMIDE/SODIUM
ACRYLOYLDIMETHYLTAURATE CROSSPOLYMER■ALCOHOL■DISTEARYLDIMONIUM
CHLORIDE■TRIETHOXYCAPRYLYLSILANE■SYNTHETIC FLUORPHLOGOPITE■BARIUM
SULFATE■CAPRYLIC/CAPRIC TRIGLYCERIDE■ISOPROPYL
ALCOHOL■BHT■SILICA■THEANINE■PHENOXYETHANOL■CHLOROPHENESIN■FRAGRANCE■TITANIUM
DIOXIDE■IRON OXIDES■

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O50 Tan Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22

SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O50

TAN OCHER
GLO. 18725



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>

clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- **NON-COMEDOGENIC. DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - I10 Very Light Ivory

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM


SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

THE FOUNDATION N



I10
VERY LIGHT IVORY
GLO. 18732



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>



<http://cpb1982.com/I8732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O10 Light Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O10

LIGHT OCHER
GLO. 18733



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakesis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O20 Light Medium Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM


SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

THE FOUNDATION N



O20
LIGHT MEDIUM OCHER
GLO. 18734



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakesis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER · DIMETHICONE · BUTYLENE GLYCOL · GLYCERIN · CETYL ETHYLHEXANOATE · CETYL PEG/PPG-10/1 DIMETHICONE · NEOPENTYL GLYCOL DIHEPTANOATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · TREHALOSE · TOCOPHERYL ACETATE · ARGANIA SPINOSA KERNEL OIL · SODIUM HYALURONATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · PISTACIA LENTISCU (MASTIC) GUM · GLYCINE · PEG/PPG-14/7 DIMETHYL ETHER · BUPLEURUM FALCATUM ROOT EXTRACT · ZANTHOXYLUM PIPERITUM PEEL EXTRACT · THYMUS SERPYLLUM EXTRACT · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · ANGELICA ACUTILOBA ROOT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · PERILLA OCYMOIDES LEAF EXTRACT · DEXTRIN PALMITATE · PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · ALUMINUM HYDROXIDE · STEARIC ACID · TRISODIUM EDTA · HYDROXYPROPYLCELLULOSE · PALMITIC ACID · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER · ALCOHOL · DISTEARYLDIMONIUM CHLORIDE · TRIETHOXYCAPRYLYLSILANE · SYNTHETIC FLUORPHLOGOPITE · BARIUM SULFATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · ISOPROPYL ALCOHOL · BHT · SILICA · THEANINE · PHENOXYETHANOL · CHLORPHENESIN · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O30 Medium Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O30

MEDIUM OCHER
GLO. 18735



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O40 Light Tan Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O40

LIGHT TAN OCHER
GLO. 18736



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O60 Deep Tan Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O 60

DEEP TAN OCHER
GLO. 18737



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O80 Deep Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O 80

DEEP OCHER
GLO. 18738



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakesis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER · DIMETHICONE · BUTYLENE GLYCOL · GLYCERIN · CETYL ETHYLHEXANOATE · CETYL PEG/PPG-10/1 DIMETHICONE · NEOPENTYL GLYCOL DIHEPTANOATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · TREHALOSE · TOCOPHERYL ACETATE · ARGANIA SPINOSA KERNEL OIL · SODIUM HYALURONATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · PISTACIA LENTISCU (MASTIC) GUM · GLYCINE · PEG/PPG-14/7 DIMETHYL ETHER · BUPLEURUM FALCATUM ROOT EXTRACT · ZANTHOXYLUM PIPERITUM PEEL EXTRACT · THYMUS SERPYLLUM EXTRACT · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · ANGELICA ACUTILOBA ROOT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · PERILLA OCYMOIDES LEAF EXTRACT · DEXTRIN PALMITATE · PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · ALUMINUM HYDROXIDE · STEARIC ACID · TRISODIUM EDTA · HYDROXYPROPYLCELLULOSE · PALMITIC ACID · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER · ALCOHOL · DISTEARYLDIMONIUM CHLORIDE · TRIETHOXYCAPRYLYLSILANE · SYNTHETIC FLUORPHLOGOPITE · BARIUM SULFATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · ISOPROPYL ALCOHOL · BHT · SILICA · THEANINE · PHENOXYETHANOL · CHLORPHENESIN · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - O100 Rich Deep Ocher

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



O 100

RICH DEEP OCHER
GLO. 18739



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

Drug Facts (continued)

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakesis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE • LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - B10 Light Beige

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



B10

LIGHT BEIGE
GLO. 18741



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - B20 Light Medium Beige

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM


SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

THE FOUNDATION N



B20
LIGHT MEDIUM BEIGE
GLO. 18742



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)
Other Information
■protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

<M101824-811>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakesis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - B30 Medium Beige

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



B30

MEDIUM BEIGE
GLO. 18743



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER · DIMETHICONE · BUTYLENE GLYCOL · GLYCERIN · CETYL ETHYLHEXANOATE · CETYL PEG/PPG-10/1 DIMETHICONE · NEOPENTYL GLYCOL DIHEPTANOATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · TREHALOSE · TOCOPHERYL ACETATE · ARGANIA SPINOSA KERNEL OIL · SODIUM HYALURONATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · PISTACIA LENTISCU (MASTIC) GUM · GLYCINE · PEG/PPG-14/7 DIMETHYL ETHER · BUPLEURUM FALCATUM ROOT EXTRACT · ZANTHOXYLUM PIPERITUM PEEL EXTRACT · THYMUS SERPYLLUM EXTRACT · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · ANGELICA ACUTILOBA ROOT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · PERILLA OCYMOIDES LEAF EXTRACT · DEXTRIN PALMITATE · PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · ALUMINUM HYDROXIDE · STEARIC ACID · TRISODIUM EDTA · HYDROXYPROPYLCELLULOSE · PALMITIC ACID · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER · ALCOHOL · DISTEARYLDIMONIUM CHLORIDE · TRIETHOXYCAPRYLYLSILANE · SYNTHETIC FLUORPHLOGOPITE · BARIUM SULFATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · ISOPROPYL ALCOHOL · BHT · SILICA · THEANINE · PHENOXYETHANOL · CHLORPHENESIN · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - B40 Light Tan Beige

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



B40

LIGHT TAN BEIGE
GLO. 18744



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-811>

clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- **NON-COMEDOGENIC. DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • NEOPENTYL GLYCOL DIHEPTANOATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • ARGANIA SPINOSA KERNEL OIL • SODIUM HYALURONATE • SODIUM DILAURAMIDOGlutAMIDE LYSINE • MAGNESIUM CHLORIDE • PISTACIA LENTISCU (MASTIC) GUM • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • BUPLEURUM FALCATUM ROOT EXTRACT • ZANTHOXYLUM PIPERITUM PEEL EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYPROPYLCELLULOSE • PALMITIC ACID • DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER • ALCOHOL-DISTEARYLDIMONIUM CHLORIDE • TRIETHOXYCAPRYLYLSILANE • SYNTHETIC FLUORPHLOGOPITE • BARIUM SULFATE • CAPRYLIC/CAPRIC TRIGLYCERIDE • ISOPROPYL ALCOHOL • BHT • SILICA • THEANINE • PHENOXYETHANOL • CHLORPHENESIN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - B50 Tan Beige

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



B 50

TAN BEIGE
GLO. 18745



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakasis Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER · DIMETHICONE · BUTYLENE GLYCOL · GLYCERIN · CETYL ETHYLHEXANOATE · CETYL PEG/PPG-10/1 DIMETHICONE · NEOPENTYL GLYCOL DIHEPTANOATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · TREHALOSE · TOCOPHERYL ACETATE · ARGANIA SPINOSA KERNEL OIL · SODIUM HYALURONATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · PISTACIA LENTISCU (MASTIC) GUM · GLYCINE · PEG/PPG-14/7 DIMETHYL ETHER · BUPLEURUM FALCATUM ROOT EXTRACT · ZANTHOXYLUM PIPERITUM PEEL EXTRACT · THYMUS SERPYLLUM EXTRACT · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · ANGELICA ACUTILOBA ROOT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · PERILLA OCYMOIDES LEAF EXTRACT · DEXTRIN PALMITATE · PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · ALUMINUM HYDROXIDE · STEARIC ACID · TRISODIUM EDTA · HYDROXYPROPYLCELLULOSE · PALMITIC ACID · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER · ALCOHOL · DISTEARYLDIMONIUM CHLORIDE · TRIETHOXYCAPRYLYLSILANE · SYNTHETIC FLUORPHLOGOPITE · BARIUM SULFATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · ISOPROPYL ALCOHOL · BHT · SILICA · THEANINE · PHENOXYETHANOL · CHLORPHENESIN · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · ▶



18725-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 28 mL Bottle Box - BF10 Light Buff

clé de peau

BEAUTÉ

THE FOUNDATION N

BROAD SPECTRUM

SPF 22
SUNSCREEN


28mL NET WT. 1 OZ.

THE FOUNDATION N



BF10

LIGHT BUFF
GLO. 18750



Pull up the packaging inside to the direction of the arrow to take out the tray, spatula, and container.



clé de peau
BEAUTÉ

THE FOUNDATION N
BROAD SPECTRUM
SPF 22
SUNSCREEN

28mL NET WT. 1 OZ.

Drug Facts (continued)

Other Information

■protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M101824-81>



<http://cpb1982.com/18732CP>
See our website
for more information.



CLÉ DE PEAU
BEAUTÉ
THE FOUNDATION N

Define your most radiant, most colorful life.

An ultra-luxurious foundation that optimizes skin's naturalness for a radiantly youthful new beauty that reveals a new dimension of skin, and provides a feeling of sheer delight.

- The **Blur Perfection Technology EX** helps enhance "skin looks firmer" by optimizing the effect of light to blur skin concerns, even the skin's surface and provide it with a lustrous finish.
- Formulated with **Precious Lakales Complex**, our exclusive ingredient, it improves the appearance of firmness and elasticity in the skin.
- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER · DIMETHICONE · BUTYLENE GLYCOL · GLYCERIN · CETYL ETHYLHEXANOATE · CETYL PEG/PPG-10/1 DIMETHICONE · NEOPENTYL GLYCOL DIHEPTANOATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · TREHALOSE · TOCOPHERYL ACETATE · ARGANIA SPINOSA KERNEL OIL · SODIUM HYALURONATE · SODIUM DILAURAMIDOGlutAMIDE · LYSINE · MAGNESIUM CHLORIDE · PISTACIA LENTISCU (MASTIC) GUM · GLYCINE · PEG/PPG-14/7 DIMETHYL ETHER · BUPLEURUM FALCATUM ROOT EXTRACT · ZANTHOXYLUM PIPERITUM PEEL EXTRACT · THYMUS SERPYLLUM EXTRACT · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · ANGELICA ACUTILOBA ROOT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · PERILLA OCYMOIDES LEAF EXTRACT · DEXTRIN PALMITATE · PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · ALUMINUM HYDROXIDE · STEARIC ACID · TRISODIUM EDTA · HYDROXYPROPYLCELLULOSE · PALMITIC ACID · DIMETHYLACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLAURATE CROSSPOLYMER · ALCOHOL · DISTEARYLDIMONIUM CHLORIDE · TRIETHOXYCAPRYLYLSILANE · SYNTHETIC FLUORPHLOGOPITE · BARIUM SULFATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · ISOPROPYL ALCOHOL · BHT · SILICA · THEANINE · PHENOXYETHANOL · CHLORPHENESIN · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · ▶



18725-40-5040
AAA

CLE DE PEAU BEAUTE THE FOUNDATION N O50 TAN OCHER

octinoxate and titanium dioxide emulsion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:58411-839

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
THEANINE (UNII: 8021PR16QO)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-839-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N 110 VERY LIGHT IVORY
 octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-840
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-840-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N O10 LIGHT OCHER

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-841
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
THEANINE (UNII: 8021PR16QO)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-841-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N O20 LIGHT MEDIUM OCHER

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-842
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C00X)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-842-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N O30 MEDIUM OCHER

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-843
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C00X)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	

FERRIC OXIDE RED (UNII: 1K09F3G675)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CHLORPHENESIN (UNII: I670DAL4SZ)
EDETATE TRISODIUM (UNII: 420IP921MB)
ARGAN OIL (UNII: 4V59G5UW9X)
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)
PALMITIC ACID (UNII: 2V16EO95H1)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TREHALOSE (UNII: B8WCK70T7I)
ALCOHOL (UNII: 3K9958V90M)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-843-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N O40 LIGHT TAN OCHER

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-844
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C00X)	
CETYL ETHYLHEXANOATE (UNII: 134647VMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
THEANINE (UNII: 8021PR16QO)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	

SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)				
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)				
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)				
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-844-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part352	04/01/2022		

CLE DE PEAU BEAUTE THE FOUNDATION N 060 DEEP TAN OCHER

octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-845
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
GLYCERIN (UNII: PDC6A3C00X)			
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)			
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
CHLORPHENESIN (UNII: I670DAL4SZ)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
ARGAN OIL (UNII: 4V59G5UW9X)			

HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)
PALMITIC ACID (UNII: 2V16EO95H1)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TREHALOSE (UNII: B8WCK70T7I)
ALCOHOL (UNII: 3K9958V90M)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-845-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N O80 DEEP OCHER

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-846
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

--	--	--	--

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K0OR)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
THEANINE (UNII: 8021PR16QO)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 58411			

1	NDC:58411-846-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N O100 RICH DEEP OCHER			
octinoxate and titanium dioxide emulsion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-847
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
GLYCERIN (UNII: PDC6A3C0OX)			
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)			
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
CHLORPHENESIN (UNII: I670DAL4SZ)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
ARGAN OIL (UNII: 4V59G5UW9X)			
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)			
PALMITIC ACID (UNII: 2V16EO95H1)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
TREHALOSE (UNII: B8WCK70T7I)			
ALCOHOL (UNII: 3K9958V90M)			
HYALURONATE SODIUM (UNII: YSE9PPT4TH)			
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)			
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)			

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BIARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-847-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N B10 LIGHT BEIGE

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-848
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0K00R)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C00X)
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CHLORPHENESIN (UNII: I670DAL4SZ)
EDETATE TRISODIUM (UNII: 420IP921MB)
ARGAN OIL (UNII: 4V59G5UW9X)
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)
PALMITIC ACID (UNII: 2V16EO95H1)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TREHALOSE (UNII: B8WCK70T7I)
ALCOHOL (UNII: 3K9958V90M)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-848-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**CLE DE PEAU BEAUTE THE FOUNDATION N B20 LIGHT MEDIUM
BEIGE**

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-849
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)	
GLYCINE (UNII: TE7660XO1C)	

PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-849-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N B30 MEDIUM BEIGE

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-850
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C00X)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CHLORPHENESIN (UNII: I670DAL4SZ)
EDETATE TRISODIUM (UNII: 420IP921MB)
ARGAN OIL (UNII: 4V59G5UW9X)
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)
PALMITIC ACID (UNII: 2V16EO95H1)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TREHALOSE (UNII: B8WCK70T7I)
ALCOHOL (UNII: 3K9958V90M)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-850-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N B40 LIGHT TAN BEIGE

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-851
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL
Inactive Ingredients			
	Ingredient Name	Strength	
	WATER (UNII: 059QF0KOOR)		
	DIMETHICONE (UNII: 92RU3N3Y1O)		
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	CETYL ETHYLHEXANOATE (UNII: 134647WMX4)		
	NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)		
	FERRIC OXIDE RED (UNII: 1K09F3G675)		
	DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)		
	PHENOXYETHANOL (UNII: HIE492ZZ3T)		
	PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)		
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
	STEARIC ACID (UNII: 4ELV7Z65AP)		
	CHLORPHENESIN (UNII: I670DAL4SZ)		
	EDETATE TRISODIUM (UNII: 420IP921MB)		
	ARGAN OIL (UNII: 4V59G5UW9X)		
	HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)		
	PALMITIC ACID (UNII: 2V16EO95H1)		
	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
	TREHALOSE (UNII: B8WCK70T7I)		
	ALCOHOL (UNII: 3K9958V90M)		
	HYALURONATE SODIUM (UNII: YSE9PPT4TH)		
	DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)		
	SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)		
	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
	BARIUM SULFATE (UNII: 25BB7EKE2E)		
	MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)		
	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
	MAGNESIUM CHLORIDE (UNII: 02F3473H9O)		
	ISOPROPYL ALCOHOL (UNII: ND2M416302)		
	BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
	PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)		
	GLYCINE (UNII: TE7660XO1C)		
	PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	THEANINE (UNII: 8021PR16QO)		
	BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)		
	ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)		
	THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)		
	SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
	ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)		
	ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)		
	PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-851-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N B50 TAN BEIGE			
octinoxate and titanium dioxide emulsion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-852
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KOOR)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
GLYCERIN (UNII: PDC6A3C0OX)			
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)			
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
CHLORPHENESIN (UNII: I670DAL4SZ)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
ARGAN OIL (UNII: 4V59G5UW9X)			
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)			
PALMITIC ACID (UNII: 2V16EO95H1)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
TREHALOSE (UNII: B8WCK70T7I)			

ALCOHOL (UNII: 3K9958V90M)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
THEANINE (UNII: 8021PR16QO)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-852-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

CLE DE PEAU BEAUTE THE FOUNDATION N BF10 LIGHT BUFF

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-853
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1092 mg in 28 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	924 mg in 28 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KOOR)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ARGAN OIL (UNII: 4V59G5UW9X)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
PALMITIC ACID (UNII: 2V16EO95H1)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ALCOHOL (UNII: 3K9958V90M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SODIUM DILAURAMIDOGlutAMIDE LYSINE (UNII: MNJ7VPT2R5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PISTACIA LENTISCUS RESIN (UNII: 7446H202QW)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
THEANINE (UNII: 8021PR16QO)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-853-50	1 in 1 BOX	04/01/2022	
1		28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2022	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 5/2022

SHISEIDO AMERICAS CORPORATION