THE ORGANIC PHARMACY CELLULAR PROTECTION SUNSCREEN SPF 30- titanium dioxide and zinc oxide cream

THE ORGANIC PHARMACY CELLULAR PROTECTION SUNSCREEN SPF 50- titanium dioxide and zinc oxide cream

The organic pharmacy Limited

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

The Organic Pharmacy-Cellular Protection Sunscreen SPF 30 & SPF 50

Carton.DrugFactsSPF50

Active ingredients

Zinc Oxide 12.5%

Titanium Dioxide 1%

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison contorl Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long sleeve shirts, pants, hats and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Aloe Barbadensis Leaf Juice, Caprylic/Capric Triglyceride, Alcohol, Aqua, Glycerin, Behenyl Alcohol, Cetearyl Alcohol, Glyceryl Stearate, Butyrospermum Parkii Butter, Calendula Officinalis Extract, Helianthus Annuus Seed Oil, Rosa Canina Fruit Oil, Phospholipids, Parfum, Xanthan Gum, Citrus Grandis Seed Extract, Lactic Acid, Glycine Soja Sterols, Silica, Tocopherol

Other information

protect this product from excessive heat and direct sun

Questions or comments?

UK-0844-800-8399

US-310-272-7275

Made with 59% Organic Ingredients:

Ingredients:

*Aloe Barbadensis Leaf Juice, Zinc Oxide, Caprylic/Capric Triglyceride, *Alcohol, Aqua (Water), *Glycerin, Behenyl Alcohol, Cetearyl Alcohol, Glyceryl Stearate, *Butyrospermum Parkii (Shea) Butter, *Calendula Officinalis Extract, *Helianthus Annuus (Sunflower) Seed Oil, *Rosa Canina (Rose Hip) Fruit Oil, Titanium Dioxide, Phospholipids, Parfum (Fragrance), Xanthan Gum, Citrus Grandis (Grapefruit) Seed Extract, Lactic Acid, Glycine Soja (Soybean) Sterols, Silica, Tocopherol, Limonene, Linalool, Hexyl Cinnamal, Geraniol, Citral, Eugenol *Denotes organically produced ingredient

Directions:

Drug Facts

Active Ingredients Zinc Oxide 12.5% Titanium Dioxide 1%

Purpose Sunscreen

- · if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- · apply liberally 15 minutes before sun exposure
- · reapply:
- · after swimming or sweating
- · immediately after towel drying
- at least every 2 hours
- · Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- · wear long-sleeve shirts, pants, hats, and sunglasses
- · children under 6 months: Ask a doctor

Inactive ingredients

Aloe Barbadensis Leaf Juice, Caprylic/Capric Triglyceride, Alcohol, Aqua, Glycerin, Behenyl Alcohol, Cetearyl Alcohol, Glyceryl Stearate, Butyrospermum Parkii Butter, Calendula Officinalis Extract, Helianthus Annuus Seed Oil, Rosa Canina Fruit Oil, Phospholipids, Parfum, Xanthan Gum, Citrus Grandis Seed Extract, Lactic Acid, Glycine Soja Sterols, Silica, Tocopherol

Other information

· protect this product from excessive heat and direct sun

Questions or comments?

UK - 0844-800-8399

US - 310-272-7275

Crème Solaire Protection Hydratant SPF 50

À appliquer avant l'exposition au soleil. Réappliquer après la baignade.

Zellschutz Sun-Screen SPF 50

Var Augentzon der Haut zur Conne auftragen



Vor Aussetzert der Haut zur Sohlie auftragen. Nach dem Schwimmen erneut auftragen.

Protezione Solare Cellulare Fattore 50

Applicare prima dell'esposizione al sole. Applicare nuovamente dopo avere nuotato.

Carton.PrincipalDisplayPanelSPF50

Cellular Protection Sunscreen High Protection UVA & UVB Broad spectrum SPF 50 SPF50

Protect & Hydrate

With Marigold, Rose Hip & Shea Butter



Cellular Protection Sunscreen

High Protection UVA & UVB Broad Spectrum SPF 50



Our Promise

The first pharmacy dedicated to all things **organic**.





Pharmaceutical and medicinal quality herbs.

Cutting edge research and vitamin extracts.



Exceptional



CartonSPF30.DrugFacts

Active ingredients

Zinc Oxide 10 %

Titanium Dioxide 1%

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison contorl Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after swimming or sweating

- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long sleeve shirts, pants, hats and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Aloe Barbadensis Leaf Juice, Aqua, Caprylic/Capric Triglyceride, Alcohol, Glycerin, Behenyl Alcohol, Cetearyl Alcohol, Glyceryl Stearate, Butyrospermum Parkii Butter, Calendula Officinalis Extract, Helianthus Annuus Seed Oil, Rosa Canina Fruit Oil, Phospholipids, Parfum, Xanthan Gum, Citrus Grandis Seed Extract, Lactic Acid, Glycine Soja Sterols, Silica, Tocopherol

Other information

• protect this product from excessive heat and direct sun

Questions or comments? UK-0844-800-8399 US-310-272-7275

Made with 59% Organic Ingredients:

Ingredients:

*Aloe Barbadensis Leaf Juice, Aqua
(Water), Zinc Oxide, Caprylic/Capric
Triglyceride, *Alcohol, *Glycerin, Behenyl
Alcohol, Cetearyl Alcohol, Glyceryl
Stearate, *Butyrospermum Parkii (Shea)
Butter, *Calendula Officinalis Extract,
*Helianthus Annuus (Sunflower) Seed Oil,
*Rosa Canina (Rose Hip) Fruit Oil,
Titanium Dioxide, Phospholipids, Parfum
(Fragrance), Xanthan Gum, Citrus Grandis
(Grapefruit) Seed Extract, Lactic Acid,
Glycine Soja (Soybean) Sterols, Silica,

Tocopherol, Limonene, Linalool, Hexyl

Directions:

Drug Facts

Active Ingredients
Zinc Oxide 10%
Titanium Dioxide 1%

Purpose Sunscreen

Uses

- · helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- · reapply:
- · after swimming or sweating
- immediately after towel drying
- · at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk
 of skin cancer and early skin aging. To decrease this risk, regularly use
 a sunscreen with a broad spectrum SPF of 15 or higher and other sun
 protection measures including:
- · limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- · children under 6 months: Ask a doctor

Cinnamal, Geraniol, Citral, Eugenol
*Denotes organically produced ingredient

100 ML 3.4 FL 0Z.

London W3 0AF Made in UK

www.theorganicpharmacy.com

Inactive ingredients

Aloe Barbadensis Leaf Juice, Aqua, Caprylic/Capric Triglyceride, Alcohol, Glycerin, Behenyl Alcohol, Cetearyl Alcohol, Glyceryl Stearate, Butyrospermum Parkii Butter, Calendula Officinalis Extract, Helianthus Annuus Seed Oil, Rosa Canina Fruit Oil, Phospholipids, Parfum, Xanthan Gum, Citrus Grandis Seed Extract, Lactic Acid, Glycine Soja Sterols, Silica, Tocopherol

Other information

· protect this product from excessive heat and direct sun

Questions or comments?

UK - 0844-800-8399 US - 310-272-7275

Crème Solaire Protection Hydratant SPF 30

À appliquer avant l'exposition au soleil. Réappliquer après la baignade.

Zellschutz Sun-Screen SPF 30


Vor Aussetzen der Haut zur Sonne auftragen. Nach dem Schwimmen erneut auftragen.

Protezione Solare Cellulare Fattore 30

Applicare prima dell'esposizione al sole. Applicare nuovamente dopo avere nuotato.

Carton.PrincipalDisplayPanelSPF30

Cellular Protection Sunscreen
High Protection UVA & UVB
Broad spectrum SPF 30
SPF30
Protect & Hydrate
With Marigold, Rose Hip & Shea Butter



THE ORGANIC PHARMACY CELLULAR PROTECTION SUNSCREEN SPF 30

titanium dioxide and zinc oxide cream

N OTC DRUG Ite	tem Code (Source)	NDC:69303-630
CAL		
	-	nem coue (course)

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	1.0000 g in 100 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10.0000 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	40.0000 g in 100 g		
WATER (UNII: 059QF0KO0R)	12.7760 g in 100 g		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	10.0000 g in 100 g		
ALCOHOL (UNII: 3K9958V90M)	10.0000 g in 100 g		
GLYCERIN (UNII: PDC6A3C0OX)	5.0760 g in 100 g		
DOCOSANOL (UNII: 9G10E216XY)	2.1150 g in 100 g		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	2.0000 g in 100 g		
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)	1.5750 g in 100 g		
SHEA BUTTER (UNII: K49 155WL9 Y)	1.0000 g in 100 g		
CALENDULA OFFICINALIS FLOWER (UNII: POM7O4Y7YD)	1.0000 g in 100 g		
SUNFLOWER OIL (UNII: 3W1JG795YI)	1.0000 g in 100 g		
ROSA CANINA FRUIT O IL (UNII: CR7307M3QZ)	1.0000 g in 100 g		
OMEGA-3 FATTY ACIDS (UNII: 71M78END5S)	0.6750 g in 100 g		
XANTHAN GUM (UNII: TTV12P4NEE)	0.2000 g in 100 g		
LACTIC ACID (UNII: 33X04XA5AT)	0.1800 g in 100 g		
SOY STEROL (UNII: PL360EPO9J)	0.1350 g in 100 g		
CITRUS MAXIMA SEED (UNII: 083X55C543)	0.1180 g in 100 g		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	0.1000 g in 100 g		
TOCOPHEROL (UNII: R0ZB2556P8)	0.0500 g in 100 g		

]	Packaging				
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69303- 630-01	1 in 1 CARTON	07/15/2014		
1	L	150 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	07/15/2014		

THE ORGANIC PHARMACY CELLULAR PROTECTION SUNSCREEN SPF 50

titanium dioxide and zinc oxide cream

l	Product Information			
l	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69303-650

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	1.0000 g in 100 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	12.5000 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	40.0000 g in 100 g		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	12.5000 g in 100 g		
ALCOHOL (UNII: 3K9958V90M)	10.0000 g in 100 g		
WATER (UNII: 059QF0KO0R)	7.7760 g in 100 g		
GLYCERIN (UNII: PDC6A3C0OX)	5.0760 g in 100 g		
DOCOSANOL (UNII: 9G10E216XY)	2.1150 g in 100 g		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	2.0000 g in 100 g		
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)	1.5750 g in 100 g		
SHEA BUTTER (UNII: K49 155WL9 Y)	1.0000 g in 100 g		
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	1.0000 g in 100 g		
SUNFLOWER OIL (UNII: 3W1JG795YI)	1.0000 g in 100 g		
ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)	1.0000 g in 100 g		
OMEGA-3 FATTY ACIDS (UNII: 71M78END5S)	0.6750 g in 100 g		
XANTHAN GUM (UNII: TTV12P4NEE)	0.2000 g in 100 g		
LACTIC ACID (UNII: 33X04XA5AT)	0.1800 g in 100 g		
SOY STEROL (UNII: PL360EPO9J)	0.1350 g in 100 g		
CITRUS MAXIMA SEED (UNII: 083X55C543)	0.1180 g in 100 g		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	0.1000 g in 100 g		
TOCOPHEROL (UNII: R0ZB2556P8)	0.0500 g in 100 g		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:69303- 650-01	1 in 1 CARTON	07/15/2014	
1		150 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	07/15/2014		

$oldsymbol{Labeler}$ - The organic pharmacy Limited (220198688)

Registrant - The organic pharmacy Limited (220198688)

Establishment				
Name	Address	ID/FEI	Business Operations	
The Organic Pharmacy Limited		220198688	manufacture(69303-630, 69303-650)	

Revised: 7/2018 The organic pharmacy Limited