

LANCOME PARIS RENERGIE LIFT MULTIACTION ULTRA FIRMING AND DARK SPOT CORRECTING MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN-avobenzone, homosalate, octisalate and octocrylene lotion
L'Oreal USA Products Inc

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 5%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, dimethicone, silica, PEG-100 stearate, glyceryl stearate, glycolic acid, guanosine, cyathea medullaris leaf extract, t-butyl alcohol, dicaprylyl carbonate, mica, tocopherol, ascorbyl glycoside, sodium hydroxide, sodium hyaluronate, hydrolyzed linseed extract, sodium benzoate, sodium levulinate, stearic acid, phenoxyethanol, steareth-100, phenylethyl resorcinol, palmitic acid, ammonium polyacryloyldimethyl taurate, dimethicone/vinyl dimethicone crosspolymer, limonene, xanthan gum, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, benzyl alcohol, tin oxide, cinnamic acid, leontopodium alpinum extract, caprylyl glycol, myristic acid, geraniol, disodium EDTA, titanium dioxide, retinyl palmitate, citric acid, potassium sorbate, levulinic acid, glyceryl acrylate, fragrance

Questions or comments?

1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)

Drug Facts

Active ingredients Purpose

Avobenzone 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Drug Facts (continued)

Other information

- protect the product in this container from excessive heat and direct sun


Inactive ingredients water, glycerin, dimethicone, silica, PEG-100 stearate, glyceryl stearate, glycolic acid, guanosine, cyathea medullaris leaf extract, t-butyl alcohol, dicaprylyl carbonate, mica, tocopherol, ascorbyl glucoside, sodium hydroxide, sodium hyaluronate, hydrolyzed linseed extract, sodium benzoate, sodium lauryl sulfate, stearic acid, phenoxyethanol, steareth-100, phenylethyl resorcinol, palmitic acid, ammonium polyacryloyldimethyl taurate, dimethicone/vinyl dimethicone crosspolymer, limonene, xanthan gum, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, benzyl alcohol, tin oxide, cinnamic acid, leontopodium alpinum extract, caprylyl glycol, myristic acid, geraniol, disodium EDTA, titanium dioxide, retinyl palmitate, citric acid, potassium sorbate, levulinic acid, glyceryl caprylate, fragrance

Questions or comments?

1-800-LANCOME
(1-800-526-2663) Monday - Friday
(9 a.m. - 5 p.m. EST)

B204834/1

761490 1



NEW

RÉNERGIE LIFT
MULTI-ACTION
ULTRA
SUNSCREEN
BROAD SPECTRUM SPF 30

FIRMING AND DARK SPOT
CORRECTING MOISTURIZER
FACE, NECK, DÉCOLLETÉ - ALL SKIN TYPES

e 50 ml 1.69 FL. OZ.

For 25 years, Rénergie has been Lancôme's best-selling anti-aging face cream that firms, lifts and tightens skin. Lancôme now introduces an oil-free moisturizer that helps target the multiple signs of aging. Formulated with linen extract, known for its capacity to grow even in the most extreme conditions - this lotion helps to visibly lift, firm, and improve the elasticity of your skin. In addition, the appearance of skin tone irregularities is diminished and the look of dark spots is visibly reduced. **Discover a lightweight texture that fits to all skin types:** it delicately melts after application for more beautiful, younger-looking skin. Apply morning, face, neck and décolleté.

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS
LANCÔME PARIS
14 rue Royale 75008 PARIS
LANCÔME, LUXURY PRODUCTS LLC,
10 HUDSON YARDS, NEW YORK, NY 10001
IMP. BY LANCÔME CANADA,
MONTRÉAL, H4T 1K5
TSA 75000 93684 ST. QUEN CEDEX FR
Made in France



Drug Facts

Active ingredients Purpose

Avobenzone 3%Sunscreen
 Homosalate 5%Sunscreen
 Octisalate 5%Sunscreen
 Octocrylene 7%Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Drug Facts (continued)

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, glycerin, dimethicone, silica, PEG-100 stearate, glyceryl stearate, glycolic acid, guanosine, cyathea medullaris leaf extract, t-butyl alcohol, dicaprylyl carbonate, mica, tocopherol, ascorbyl glucoside, sodium hydroxide, sodium hyaluronate, hydrolyzed linseed extract, sodium benzoate, sodium lauryl sulfate, stearic acid, phenoxyethanol, steareth-100, phenylethyl resorcinol, palmitic acid, ammonium polyacryloyldimethyl taurate, dimethicone/vinyl dimethicone crosspolymer, limonene, xanthan gum, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, benzyl alcohol, tin oxide, cinnamic acid, leontopodium alpinum extract, caprylyl glycol, myristic acid, geraniol, disodium EDTA, titanium dioxide, retinyl palmitate, citric acid, potassium sorbate, levulinic acid, glyceryl caprylate, fragrance

Questions or comments?
 1-800-LANCOME
 (1-800-526-2663) Monday - Friday
 (9 a.m. - 5 p.m. EST)

B204834/1 761490 1

3614271807687

NEW

RÉNERGIE LIFT MULTI-ACTION ULTRA

SUNSCREEN BROAD SPECTRUM SPF 30

FIRMING AND DARK SPOT CORRECTING MOISTURIZER
 FACE, NECK, DÉCOLLETÉ - ALL SKIN TYPES

e 50 ml 1.69 FL. OZ.

LANCÔME PARIS

For 25 years, Rénergie has been Lancôme's best-selling anti-aging face cream that firms, lifts and tightens skin. Lancôme now introduces an oil-free moisturizer that helps target the multiple signs of aging. Formulated with linen extract, known for its capacity to grow even in the most extreme conditions - this lotion helps to visibly lift, firm, and improve the elasticity of your skin. In addition, the appearance of skin tone irregularities is diminished and the look of dark spots is visibly reduced.

Discover a lightweight texture that fits to all skin types: it delicately melts after application for more beautiful, younger-looking skin. Apply morning, face, neck and décolleté.

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS
 LANCÔME PARIS
 14 rue Royale 75008 PARIS
 LANCÔME, LUXURY PRODUCTS LLC,
 10 HUDSON YARDS, NEW YORK, NY 10001
 IMP. BY LANCÔME CANADA,
 MONTRÉAL, H4T 1K5
 TSA 7500093684 ST. QUEN CEDEX FR
 Made in France

LANCÔME PARIS

Lancome.com

L7483 90

12 M

LANCÔME PARIS RÉNERGIE LIFT MULTI-ACTION ULTRA FIRMING AND DARK SPOT CORRECTING MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-768
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg	in 1 mL

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
GUANOSINE (UNII: 12133JR80S)	
CYATHEA MEDULLARIS LEAF (UNII: G65ROR2RKA)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LEVULINATE (UNII: VK44E1MQU8)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARETH-100 (UNII: 4OH5W9UM87)	
PHENYLETHYL RESORCINOL (UNII: G37UFG162O)	
PALMITIC ACID (UNII: 2V16EO95H1)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
CINNAMIC ACID (UNII: U14A832J8D)	
LEONTOPODIUM NIVALE SUBSP. ALPINUM ROOT (UNII: SDW6SS1K6I)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MYRISTIC ACID (UNII: 0I3V7S25AW)	
GERANIOL (UNII: L837108USY)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
LEVULINIC ACID (UNII: RYX5QG61EI)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-768-01	1 in 1 CARTON	09/01/2017	09/01/2017
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49967-768-02	1 in 1 CARTON	09/01/2017	09/01/2017
2		5 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:49967-768-03	1.5 mL in 1 PACKET; Type 0: Not a Combination Product	09/01/2017	09/01/2017
4	NDC:49967-768-04	1 in 1 CARTON	09/01/2017	09/01/2017
4		75 mL in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:49967-768-05	1 in 1 CARTON	09/01/2017	
5		15 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		09/01/2017	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	manufacture(49967-768) , pack(49967-768)

Revised: 12/2023

L'Oreal USA Products Inc