

**GUAIFENESIN- guaifenesin tablet, extended release**  
**KROGER COMPANY**

-----  
**GUAIFENESIN EXTENDED-RELEASE TABLETS, 1200 mg 14ct and 28ct**

***Drug Facts***

**Active ingredient (in each extended-release tablet)**

Guaifenesin 1200 mg

**Purpose**

Expectorant

**Uses**

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**

**Do not use**

- for children under 12 years of age

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.
- children under 12 years of age: do not use

**Other information**

- **Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.**
- store between 20-25°C (68-77°F)

**Inactive ingredients**

carbomer homopolymer type B; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

**Questions or comments?****1-800-632-6900**

You may also report side effects to this phone number.

**DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202****PRINCIPAL DISPLAY PANEL - 1200 mg Tablet Blister Pack Carton**

COMPARE TO the active ingredient of  
MAXIMUM STRENGTH MUCINEX<sup>®</sup>\* See back panel

NDC 30142-703-14

Kroger<sup>®</sup>**OUR PHARMACIST RECOMMENDED**

Maximum Strength

Mucus Relief

ER-Max

Guaifenesin 1200 mg,  
Extended-Release  
Tablets

**EXPECTORANT**

12

**HOUR**

- Relieves  
Chest Congestion
- Thins & Loosens Mucus
- Immediate & Extended Release

actual  
size

**14 EXTENDED-RELEASE  
TABLETS**

Maximum Strength



# Mucus Relief ER-Max

Guaifenesin 1200 mg, Extended-Release Tablets  
EXPECTORANT

COMPARE TO the active ingredient of  
MAXIMUM STRENGTH MUCINEX®\* See back panel

NDC 30142-703-14



Maximum Strength

# Mucus Relief ER-Max

Guaifenesin 1200 mg,  
Extended-Release  
Tablets

EXPECTORANT

- Relieves Chest Congestion
- Thins & Loosens Mucus
- Immediate & Extended Release



actual size



14 EXTENDED-RELEASE TABLETS



Maximum Strength  
**Mucus Relief ER-Max**  
Guaifenesin 1200 mg, Extended-Release Tablets  
EXPECTORANT

Lot No.

Expiration Date:

NON VARNISH



5206708

Maximum Strength

# Mucus Relief ER-Max

Guafenesin 1200 mg, Extended-Release Tablets

EXPECTORANT



## Drug Facts

| Active ingredient<br>(in each extended-release tablet) | Purpose     |
|--|-------------|
| Guafenesin 1200 mg.....                                | Expectorant |

### Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

### Warnings

#### Do not use

- for children under 12 years of age

#### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

#### Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Drug Facts (continued)

### Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.
- children under 12 years of age: do not use

### Other information

- Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.
- store between 20-25°C (68-77°F)

### Inactive ingredients

carbomer homopolymer type B; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

### Questions or comments?

1-800-632-6900

You may also report side effects to this phone number.

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

MADE IN ENGLAND

QUALITY GUARANTEE

800-632-6900

[www.kroger.com](http://www.kroger.com)

\*All trademarks are property of their respective owners. MUCINEX is a registered trademark of RB HEALTH (US) LLC.

R0120




0 41260 38308 3

KEEP THE CARTON. IT CONTAINS IMPORTANT INFORMATION. SEE END PANEL FOR EXPIRATION DATE.



809025

GLUE - NO COATING



# GUAIFENESIN

guaifenesin tablet, extended release

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:30142-703 |
| <b>Route of Administration</b> | ORAL           |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ) | Guaifenesin       | 1200 mg  |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31) |          |
| hypromellose, unspecified (UNII: 3NXW29V3WO)  |          |
| magnesium stearate (UNII: 70097M6B0)  |          |
| microcrystalline cellulose (UNII: OP1R32D61U)                                       |          |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)                            |          |

## Product Characteristics

|                 |       |                     |              |
|-----------------|-------|---------------------|--------------|
| <b>Color</b>    | WHITE | <b>Score</b>        | no score     |
| <b>Shape</b>    | OVAL  | <b>Size</b>         | 22mm         |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | Mxeunic;1200 |
| <b>Contains</b> |       |                     |              |

## Packaging

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:30142-703-14 | 14 in 1 BLISTER PACK; Type 0: Not a Combination Product | 08/21/2017           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA                | NDA021282                                | 08/21/2017           |                    |

**Labeler** - KROGER COMPANY (006999528)

**Establishment**

| Name   | Address | ID/FEI    | Business Operations                         |
|--|---------|-----------|---|
| RECKITT BENCKISER HEALTHCARE INTERNATIONAL LTD |         | 230780363 | MANUFACTURE(30 142-703) , LABEL(30 142-703) |

Revised: 2/2020

KROGER COMPANY