

**MULTI-SYMPTOM COLD- acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl tablet, film coated**  
**Valu Merchandisers Company**

-----

**Best Choice 44-473C**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Chlorpheniramine maleate 2 mg  
Dextromethorphan HBr 10 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Antihistamine  
Cough suppressant  
Nasal decongestant

***Uses***

- temporarily relieves these common cold and flu symptoms:
  - minor aches and pains
  - nasal congestion
  - headache
  - cough
  - sinus congestion and pressure
  - sore throat
  - sneezing and runny nose
- helps clear nasal passages
- relieves cough to help you sleep
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- liver disease
- heart disease
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- diabetes
- a breathing problem such as emphysema or chronic bronchitis
- high blood pressure
- glaucoma
- thyroid disease

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- **do not exceed recommended dosage**
- alcohol, sedatives, and tranquilizers may increase drowsiness
- marked drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - swallow whole - do not crush, chew, or dissolve
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

***Other information***

- **each caplet contains: sodium 3 mg**
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

***Questions or comments?***

**1-800-426-9391**

**Principal Display Panel**

**Best  
Choice®**

**Cold  
Multi-Symptom**

**ACETAMINOPHEN** Pain Reliever/Fever Reducer  
**Chlorpheniramine maleate** Antihistamine  
**Dextromethorphan HBr** Cough Suppressant  
**Phenylephrine HCl** Nasal Decongestant

For relief of:

- Headache
- Fever
- Sore throat
- Runny nose
- Nasal congestion
- Cough

**Pseudoephedrine Free**

**NIGHTTIME**

Actual Size

**24 Cool Caplets**

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

50844      REV0722F47308

**PROUDLY DISTRIBUTED BY:  
ASSOCIATED WHOLESALE GROCERS, INC.  
KANSAS CITY, KANSAS 66106**

**Scan here for more  
product information.  
Call 1-844-292-1112 for  
more product information.**

**Best Choice®**

**100% Guaranteed**

[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

**PARENTS:**

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**Drug Facts**  
**Active ingredients**  
 (in each caplet)  
 Acetaminophen 325 mg... Pain reliever/fever reducer  
 Chlorpheniramine maleate 2 mg... Antihistamine  
 Dextromethorphan HBr 10 mg... Cough suppressant  
 Phenylephrine HCl 5 mg... Nasal decongestant

**Drug Facts**  
**Other information**  
 Each caplet contains: sodium 3 mg  
 ■ **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BUSTER UNIT IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Drug Facts**  
**Other information**  
 ■ **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BUSTER UNIT IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Best Choice®**

# Cold Multi-Symptom

**ACETAMINOPHEN** PAIN RELIEVER/FEVER REDUCER  
**CHLORPHENIRAMINE MALEATE** ANTIHISTAMINE  
**DEXTROMETHORPHAN HBr** COUGH SUPPRESSANT  
**PHENYLEPHRINE HCl** NASAL DECONGESTANT

**For relief of:**

- Headache
- Fever
- Sore throat
- Runny nose
- Nasal congestion
- Cough

**NIGHTTIME**

Actual Size

**24 CAPLETS**

**PSEUDOEPHEDRINE FREE**

**Drug Facts**  
**Other information**  
 ■ **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BUSTER UNIT IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Drug Facts**  
**Other information**  
 ■ **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BUSTER UNIT IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Drug Facts**  
**Other information**  
 ■ **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BUSTER UNIT IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Drug Facts**  
**Other information**  
 ■ **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BUSTER UNIT IS TORN OR BROKEN** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**Best Choice.**  
 100% GuaranAteed  
[www.bestchoiceand.com](http://www.bestchoiceand.com)

REV0722F47308

Scan here for more product information.  
 Call 1-844-292-1112 for more product information.

50844



**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

PROUDLY DISTRIBUTED BY:  
 ASSOCIATED WHOLESALE GROCERS, INC.  
 KANSAS CITY, KANSAS 66106

**Drug Facts** (continued)  
**Questions or comments?** 1-800-426-9391


No print/No varnish  
 Lot & Exp date

BEST CHOICE 62372 0523 LNK



0 70038 62372 4

B-2115-473C-08CMR  
 REV0722F47308



### Best Choice 44-473

## MULTI-SYMPTOM COLD

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-473
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>FD&amp;C BLUE NO. 2 ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>	MENTHOL (Cool Blast)	<b>Imprint Code</b>	44;473
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-473-08	2 in 1 CARTON	07/21/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/21/2005	

**Labeler** - Valu Merchandisers Company (868703513)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63941-473) , pack(63941-473)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63941-473)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(63941-473)