

**IODINE TINCTURE (IODO) FIRST AID ANTISEPTIC- iodine 2% liquid**  
**Germa Products, LLC**

-----  
**Iodine Tincture (IODO)**

**Active Ingredient**

Iodine Tincture 2%

**Purpose**

First aid antiseptic

**Uses**

As a first aid to help prevent skin infection in minor cuts, scrapes and burns

**Warnings**

For external use only

Ask a doctor before use. if you have deep or puncture wounds, animal bites or serious burns. When using this product. do not use in eyes or apply over large areas of the body. do not use longer than 1 week unless directed by a doctor.

Stop use and ask a doctor if condition persists or gets worse

**Ask a Doctor before use if**

If you have deep or puncture wounds, animal bites or serious burns.

**Keep out of reach of children.**

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Clean the affected area, apply a small amount on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

**Other Information**

Product will stain skin and clothing.

**Inactive Ingredients**

Alcohol, sodium iodine, water.

## Questions or Comments

1-305-256-1464

## Principal Display Panel

Iodo Tincture 2%

**GM** NDC 73635-1221-1

**GERMA**  
**IODINE TINCTURE U.S.P.**  
**ODO**  
**FIRST AID ANTISEPTIC**  
FOR EXTERNAL USE ONLY

**CAUTION** **POISON**

Net Wt. 1 Fl. Oz. (30mL)

Distributed by: **Germa Products, LLC**  
13121 SW 122 Avenue, Miami, Florida 33186  
Questions or Comments: 1-305-256-1464, M-F, 9-5 Eastern  
[www.germa.net](http://www.germa.net)

**Drug Facts**

**Active ingredients**  
Iodine tincture 2%      **Purpose**  
First Aid Antiseptic

**Use** ■ as first aid to help prevent skin infection in minor cuts ■ scrapes ■ burns

**Warnings** ■ For external use only

**Ask a doctor before use if** ■ you have deep or puncture wounds, animal bites or serious burns.

**When using this product** ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor.

**Stop use and ask a doctor** ■ if condition persists or gets worse

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first.

**Other information** product will stain skin and clothing.

**Inactive Ingredients** Alcohol, sodium iodine, water.

Made in USA

1 14704 35606 7  
90933 40411  
rev. 03/21

## IODINE TINCTURE (ODO) FIRST AID ANTISEPTIC

iodine 2% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73635-1221
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SODIUM IODIDE</b> (UNII: F5WR8N145C)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73635-1221-1	30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	03/29/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/29/2021	

**Labeler** - Germa Products, LLC (116626935)**Registrant** - Germa Products, LLC (116626935)

Revised: 10/2023

Germa Products, LLC