# FOAMING CHLORHEXIDINE GLUCONATE- chlorhexidine gluconate liquid Protect U Guard, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Active Ingredient**

Chlorhexidine gluconate 4% w/v

### **Purpose**

**Antiseptic** 

#### Uses

Antimicrobial skin cleanser helps reduce bacteria for skin wound and skin cleansing surgical hand scrub healthcare personnel handwash

## Warnings

For external use only.

#### Do Not Use

if you are allergic to chlorhexidine gluconate or any other ingredient(s) in this preparation

as a patient preoperative skin preparation of the head or face in contact with the meninges or in the genital area on wounds involving more than the superficial layers of skin as a general skin cleanser

## When using this product

keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums.

if contact occurs in any of these areas, rinse with cold water right away

### Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

### Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs and lasts 72 hours. These may be signs of a serious condition.

#### **Directions**

use with care in premature infants under 2 months of age. These products may cause irritation or chemical burns.

skin wound and skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly

surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with 5mL of the product with brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.

healthcare personnel handwash. Wet hands with water. Dispense 5 mL of the product into cupped hands. Wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

#### Other Information

May discolor some fabrics. Do not use with bleach.

Store between 20-25° C (68-77° F). Avoid excessive heat.

# **Inactive ingredients:**

Water, lauramine oxide, isopropyl alcohol, gluconolactone.

#### Questions or comments?

1-813-815-0530 or www.protectuguard.com





# Foaming CHLORHEXIDINE SOAP 4%

Fragrance Free



Chlorhexidine Gluconate - 4% w/v Dye-Free

18 fl oz (530 ml)

Active Ingredient Purpos Chlorhexidine gluconate 4% w/v	Stop use and ask a doctor if ia irritation, sensitization, or allergic reaction occurs and		
Uses • Antimicrobial skin cleanser helps reduce bacter • for skin wound and skin cleansing	ia irritation, sensitization, or allergic reaction occurs and		
	Stop use and ask a doctor if		
surgical hand scrub     healthcare personnel handwash	Directions  • use with care in premature infants or infants under 2 months of age. These products may cause infration or chemical burns.  • sink wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.  • surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with 5 mil. of the product with bush. Rinse thoroughly under running water. Repeat. Day thoroughly.  • healthcare personnel handwash. Wet hands with water. Suppeat. Wet hands some simple of the product into cusped hands. Wash in a wiscome namen for 15 seconds. Rinse and for Wash in a wiscome namen for 15 seconds. Rinse and for Wash in a wiscome same for 15 seconds. Rinse and for Wash in a wiscome same for 15 seconds. Rinse and for Wash in a wiscome same for 15 seconds. Rinse and for which is a wiscome same for 15 seconds. Rinse and for which wash in a wiscome same for 15 seconds. Rinse and for which washed to the same for 15 seconds. Rinse and for which washed to the same for 15 seconds. Rinse and for which washed to the same for 15 seconds. Rinse and for which washed to the same for 15 seconds. Rinse and for which washed to the same for 15 seconds. Rinse and for the same for 15 seconds. Rinse and the same for 15 seconds.		
Warnings For external use only.			
Do Not Use  If you are allegic to chlorhesidine gluconate or any other ingredient(s) in this preparation as a patient preoperative skin preparation of the head of face in contact with the meninges or in the genital area on wounds involving more than the superficial layers of kin as a general skin cleanser			
When using this product  • keep out of eyes, ears, and mouth. May cause serious	thoroughly.		

• keep out of eyes, ears, and mouth. hay cause senue and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle earthrough perforated earthrums.

• if contact occurs in any of these areas, rinse with cold water right away

• Do not inhale or ingest.

Laundering Information: Chlorhexidine skin cleansers will cause stains when used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

## **FOAMING CHLORHEXIDINE GLUCONATE**

chlorhexidine gluconate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71788-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII: R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 g in 100 mL		

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
GLUCONOLACTONE (UNII: WQ29KQ9POT)				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71788- 016-80	24 in 1 CARTON	04/13/2021	
1	NDC:71788- 016-70	100 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:71788- 016-20	4 in 1 CARTON	04/13/2021	
2	NDC:71788- 016-10	1000 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
3	NDC:71788- 016-60	12 in 1 CARTON	04/13/2021	
3	NDC:71788- 016-50	530 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part349	04/13/2021	

# Labeler - Protect U Guard, LLC (080070945)

Establishment			
Name	Address	ID/FEI	Business Operations
Protect U Guard, LLC		080070945	manufacture(71788-016), pack(71788-016), repack(71788-016)

Revised: 4/2021 Protect U Guard, LLC