

# **NIGHTTIME COLD AND COUGH- diphenhydramine hcl liquid**

## **KinderFarms, LLC**

-----

### **Drug Facts**

#### **Active ingredients (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

#### **Purposes**

Antihistamine/

Cough suppressant

#### **Uses**

temporarily relieves:

- sneezing
- runny nose
- itchy nose or throat
- itchy, watery eyes due to hay fever or other upper respiratory allergies
- the impulse to cough
- cough to help you get to sleep
- cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritant
- the intensity of coughing

#### **Warnings**

##### **Do not use**

- in a child under 4 years of age
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

##### **Ask a doctor before use if the child has**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- diabetes
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

##### **Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers

## When using this product

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

## Stop use and ask a doctor if

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- adults and children 6 years and over: do not exceed more than 6 doses in any 24-hours unless directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL= milliliter

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
<b>children under 4 years of age</b>	<b>do not use</b>

## Inactive ingredients

Organic agave syrup, non-GMO citric acid, organic natural flavor, purified water

## Other information

- store between 20-25° (68-77°F).
- Do not refrigerate
- protect from light

**QUESTIONS?**  
**Call 424-235-0355**

**Principal Display Panel**

**KIDS'** Ages 6+

**NIGHTTIME**

**COLD & COUGH**

Diphenhydramine HCl 12.5 mg per 5 mL

Antihistamine/Cough Suppressant

Organic Cherry Flavor

DOSING CUP INCLUDED

FL OZ (mL)

TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING

DISTRIBUTED BY: KinderFarms®

Redondo Beach, CA 90277 USA

**Package Label**

Keep outer carton for complete warnings and product information.

**Drug Facts**

**Active ingredient (in each 5 mL)**  
Diphenhydramine HCl 12.5 mg.....Antihistamine/Cough suppressant

**Purposes**  
Antihistamine/Cough suppressant

**Uses** temporarily relieves:  
 ■ sneezing ■ runny nose ■ itching of the nose or throat  
 ■ itchy, watery eyes due to hay fever or other upper respiratory allergies  
 ■ the impulse to cough ■ cough to help you get to sleep  
 ■ cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants  
 ■ the intensity of coughing

**Warnings**  
**Do not use**  
 ■ in a child under 4 years of age  
 ■ with any other product containing diphenhydramine, even one used on skin  
 ■ for the purpose of making your child sleepy

**Ask a doctor before use if you have**  
 ■ glaucoma ■ cough that occurs with too much phlegm (mucus)  
 ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**  
 ■ do not exceed recommended dosage ■ marked drowsiness may occur  
 ■ excitability may occur, especially in children  
 ■ alcohol, sedatives and tranquilizers may increase the drowsiness effect  
 ■ avoid alcoholic beverages  
 ■ use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor** if cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
 ■ adults and children 6 years of age and over: do not exceed more than 6 doses in 24 hours unless directed by a doctor  
 ■ measure only with dosing cup provided. Do not use any other dosing device  
 ■ keep dosing cup with product  
 ■ shake well before using  
 ■ mL = milliliter

**OUR STORY**

We founded **KinderFarms®** to make the clean and effective health products we wanted for our own families available to everyone. By offering values-driven options that are backed by science, and giving back to our communities, we promise to do our part to create a kinder future for every family.

**Jessica Biel**   
Co-founder and Parent

**JOIN US**    
[www.kinderfarms.com](http://www.kinderfarms.com)

**Drug Facts (continued)**

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

**Other information**  
 ■ store between 20-25°C (68-77°F). ■ do not refrigerate.  
 ■ protect from light.

**Inactive ingredients** Organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

**DISTRIBUTED BY: KinderFarms®**  
Redondo Beach, CA 90277 USA  
[kinderfarms.com](http://kinderfarms.com)

**QUESTIONS?**  
hello@kinderfarms.com  
or call 424-235-0355

NO DYES • NO ARTIFICIAL FLAVORS OR SWEETENERS

**KinderMed®**

**KIDS' Ages 6+**  
**NIGHTTIME COLD & COUGH**

Diphenhydramine HCl  
12.5 mg per 5 mL  
Antihistamine/Cough Suppressant

Organic Cherry Flavor 




**5 Ingredients, that's it!**

**REAL MEDICINE**  
Diphenhydramine HCl

**CLEAN INACTIVES**  
Organic Agave Syrup  
Organic Cherry Flavor  
Non-GMO Citric Acid  
Purified Water

   

NO COMMON ALLERGENS:\*\*  
NO DYES OR PARABENS.  
NO ARTIFICIAL FLAVORS.  
NO ARTIFICIAL SWEETENERS.

**TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.**

\*OUR PRODUCT IS FORMULATED WITH AN EFFECTIVE ACTIVE INGREDIENT AND CLEAN INACTIVE INGREDIENTS, MEANING JUST A FEW RECOGNIZABLE INGREDIENTS.  
\*\*NONE OF THE 9 MAJOR FOOD ALLERGENS

DOSING CUP INCLUDED  4 FL OZ (118 mL)

Made in the USA with globally sourced ingredients.



8 50001 80590 2

NDC 82673-191-04  
PLD-A857A FC008884

Lot No.:  
Exp. Date:

## KINDERMED Kids Nighttime Cold & Cough Cherry Flavor

### NIGHTTIME COLD AND COUGH

diphenhydramine hcl liquid

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82673-191
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

#### Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
WATER (UNII: 059QF0KO0R)	

**Product Characteristics**

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82673-191-04	1 in 1 BOX	05/30/2024	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/30/2024	

**Labeler** - KinderFarms, LLC (075458767)

Revised: 3/2024

KinderFarms, LLC