

LISTERINE STRONG TEETH ANTICAVITY FLUORIDE MINT SHIELD- sodium fluoride mouthwash

Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LISTERINE[®] STRONG TEETH ANTICAVITY FLUORIDE MOUTHWASH MINT SHIELD[®]

Drug Facts

Active ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older:
- Use twice a day after brushing your teeth with a toothpaste
- Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- Do not swallow the rinse
- Do not eat or drink for 30 minutes after rinsing
- Supervise children as necessary until capable of using without supervision
- Children under 12 years of age: consult a dentist or doctor

Other information

- Store at room temperature
- Cold weather may temporarily cloud this product

Inactive ingredients

Water, Sorbitol, Alcohol (21.6% v/v), Poloxamer 407, Sodium Lauryl Sulfate, Eucalyptol, Flavor, Methyl Salicylate, Thymol, Phosphoric Acid, Sucralose, Menthol, Disodium Phosphate, Blue 1

Questions?

call toll-free **888-222-0182** or **215-273-8755** (collect). www.listerine.com

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label

ANTICAVITY FLUORIDE MOUTHWASH

LISTERINE®

STRONG TEETH

**IMPORTANT: READ DIRECTIONS FOR PROPER USE
SODIUM FLUORIDE &
ACIDULATED PHOSPAHTE TOPICAL SOLUTION**

**HELPS PROTECT & DEFEND
TEETH AGAINST CAVITIES**

500mL (1.05 Pt)

MINT SHEILD®

**STRENGTHENS TEETH
50% BETTER THAN
BRUSHING ALONE***

*IN A LAB STUDY.

30048182



ANTICAVITY FLUORIDE MOUTHWASH

LISTERINE®

STRONG TEETH

IMPORTANT: READ DIRECTIONS FOR PROPER USE

SODIUM FLUORIDE &
ACIDULATED PHOSPHATE TOPICAL SOLUTION



**HELPS PROTECT & DEFEND
TEETH AGAINST CAVITIES**

30048179

500mL (1.05 Pt)

MINT SHIELD®



Drug Facts

Active ingredient

Purpose



Sodium fluoride 0.02% (0.01% w/v fluoride ion) Anticavity

Use Aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Adults and children 12 years of age and older: • Use twice a day after brushing your teeth with a toothpaste • Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out • Do not swallow the rinse • Do not eat or drink for 30 minutes after rinsing • Supervise children as necessary until capable of using without supervision • Children under 12 years of age: consult a dentist or a doctor

Other information • Store at room temperature • Cold weather may temporarily cloud this product

Inactive ingredients Water, Sorbitol, Alcohol (21.6% v/v), Poloxamer 407, Sodium Lauryl Sulfate, Eucalyptol, Flavor, Methyl Salicylate, Thymol, Phosphoric Acid, Sucralose, Menthol, Disodium Phosphate, Blue 1

Questions? call toll-free 888-222-0182 or 215-273-8755 (collect). www.listerine.com

Do not use if printed band around cap is broken or missing.

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558
©J&JCI 2021




EXP
LOT

TURN
TO OPEN: SQUEEZE the cap and TURN.
TO CLOSE: Turn cap until it locks

The LISTERINE® bottle design is a registered trademark of Johnson & Johnson.



30048475 3



LISTERINE STRONG TEETH ANTICAVITY FLUORIDE MINT SHIELD

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0696
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
ALCOHOL (UNII: 3K9958V90M)	
POLOXAMER 407 (UNII: TUF21VW3M2)	

SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
EUCALYPTOL (UNII: RV6J6604TK)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
THYMOL (UNII: 3J50XA376E)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0696-5	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2021	
2	NDC:69968-0696-1	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part355	01/04/2021	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.