

SOLBAR AVO SPF35- solbar avo spf35 cream
Person and Covey

Solbar Avo SPF35

Indications and use

Helps prevent sunburn. If used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun. Dosage and Administration: Apply liberally and evenly to all sun exposed areas of DRY skin 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating and immediately after towel drying. Apply at least every 2 hours. For children under 6 months, ask a physician.

Purpose

Sunscreen

Keep out of the reach of children

Yes. If swallowed, get medical help or contact a Poison Control Center right away.

Dosage and Administration

Apply liberally and evenly to all sun exposed areas of DRY skin 15 minutes before sun exposure. Reapply after 80 minutes of swimming or sweating and immediately after towel drying. Apply at least every 2 hours. For children under 6 months, ask a physician.

Warnings

For external use only. Do not use on damaged or broken skin. Keep out of eyes. Rinse eyes thoroughly with water to remove. Stop use and ask a physician if rash or irritation develops and lasts. Store away from excessive heat and direct sun.

OTC - ACTIVE INGREDIENT SECTION

Homosalate

Octinoxate

Oxybenzone

Avobenzone

INACTIVE INGREDIENT SECTION

Water

Isobutyl Stearate
 Glycerin
 Benzyl Alcohol
 Simethicone
 Cetyl Phosphate
 Triethanolamine
 Stearic Acid
 Silica
 Carbomer 1342
 Acrylates/C10-30 Alkyl Acrylate Crosspolymer
 Disodium EDTA

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

solbar avo.jpg

Drug Facts

Active Ingredients	Purpose
Homosalate 8.0%	Sunscreen
Octinoxate 7.5%	Sunscreen
Oxybenzone 6.0%	Sunscreen
Avobenzone 3.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally and evenly 15 minutes before sun exposure. Apply to all skin exposed to the sun. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor

Inactive Ingredients Purified Water, Isobutyl Stearate, Glycerin, Benzyl Alcohol, Simethicone, Cetylphosphate, Triethylamine, Stearic Acid, Silica, Carbomer 1342, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA

Other Information • protect the product in this container from excessive heat and direct sun

Glendale, California 91201 1(800)423-2341 www.personandcovey.com 9H

PERSON & COVEY, INC.
 MADE IN THE U.S.A.
 NDC 0096-0687-04
 EST. 1941
 PERSON & COVEY, INC.
SUNSCREEN
 WITH AVOBENZONE
 BROAD SPECTRUM SPF 35
Solbar® Avo
 WATER RESISTANT (80 minutes)
 Cream / Hypoallergenic / Non-Comedogenic / Unscented
 4 fl. oz. (118ml)

SOLBAR AVO SPF35

solbar avo spf35 cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0096-0687
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.08 g in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.075 g in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.06 g in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.03 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOBUTYL STEARATE (UNII: V8DPR6HMX3)	
GLYCERIN (UNII: PDC6A3C0OX)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYL PHOSPHATE (UNII: VT07D6X67O)	
TROLAMINE (UNII: 9O3K93S3TK)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOMER 1342 (UNII: 809Y72KV36)	
(C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0096-0687-04	119 g in 1 BOTTLE; Type 0: Not a Combination Product	06/01/1996	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/1996	

Labeler - Person and Covey (008482473)

Establishment

Name	Address	ID/FEI	Business Operations
Person and Covey		008482473	manufacture(0096-0687)

Revised: 1/2024

Person and Covey