MINERAL SUNSCREEN SPF 50- zinc oxide, titanium dioxide stick WEGMANS FOOD MARKETS INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

WEGMANS MINERAL SUNSCREEN STICK SPF 50

Active ingredients

Titanium Dioxide 7.0%, Zinc Oxide 4.7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- o limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect this product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

beeswax, butyloctyl salicylate, caprylyl glycol, cetyl alcohol, euphorbia cerifera (candelilla) wax, isopropyl palmitate, isostearic acid, neopentyl glycol diethylhexanoate, ozokerite, paraffin, silica

Label



Front

Drug Facts

Active ingredients Titanium Dioxide 7.0% Zinc Oxide 4.7%

Purpose Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use . on damaged or broken skin.

When using this product keep out of eyes. Rinse with

Stop use and ask a doctor if . rash occurs,

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- · apply liberally 15 minutes before sun exposure
- reapply:
 after 80 minutes of swimming or sweating

- immediately after towel drying
 at least every 2 hours
 children under 6 months of age: ask a doctor
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 - · wear long-sleeve shirts, pants, hats, and sunglasses

Other information

protect this product from excessive heat and direct sun may stain or damage some fabrics, materials or surfaces

Inactive ingredients Beeswax, Butyloctyl Salicylate, Caprylyl Glycol, Cetyl Alcohol, Euphorbia Cerifera (Candelilla) Wax, Isopropyl Palmitate, Isostearic Acid, Neopentyl Glycol Diethylhexanoate, Ozokerite, Paraffin, Silica.

Questions or comments? Call 1-800-934-6267 Ext 5920

Distributed By: Wegmans Food Markets, Inc., Rochester, NY 14603

Back

Wegmans

SPECTRUM SPF 50

SUNSCREEN STICK

- Water Resistant (80 Minutes)
- Dermatologist Tested
- · Reef Conscious†: Octinoxate & Oxybenzone Free



Free From: √ Retinyl Palmitate

√ Artificial Colors

√ Animal Testing

√ Mineral Oil √ Phthalates √ Parabens*

Drug Facts

Active ingredients Titanium Dioxide 7.0% Zinc Oxide 4.7%

Purpose Sunscreen

Uses • helps prevent surbum • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Do not use . on damaged or broken skin,

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure

- apply (iberally 15 minutes before sun exposure
 reapply:
 after 80 minutes of swimming or sweating
 immediately after towel drying
 at least every 2 hours
 châtren under 6 months of age: ask a doctor
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 Imit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
 may stain or damage some fabrics, materials or surfaces

Inactive Ingredients
Besswax, Butybocky Salicylate, Caprylyl Glycol, Cetyl Alcohol, Euphorbia Cerifera
(Candellia) Wax, Isopropyl Palmitate, Isostearic Acid, Neopentyl Glycol Diethylinexanostr
Ozokerite, Parafilm, Silica.

Distributed By: Questions?
Wegmans Food Markets, Inc. 1–800-Wegmans (934–6267) Ext 5920
Rochester, NY 14603 9am - 4pm EST weekdays
Visit us at wegmans.com

We guarantee it! The Wagmons For

*Formula is compliant with Hawaii \$82571.

"No parabens separately added to preserve this product







Back Front

Drug Facts

Active ingredients

Titanium Dioxide 7.0% Zinc Oxide 4.7%

Purpose Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Directions

 apply liberally 15 minutes before sun exposure

 reapply:

 after 80 minutes of swimming or sweating

 immediately after towel drying

 at least every 2 hours

 children under 6 months of age: ask a doctor

 sun Protection Measures, Spending time in the sun
 increases your risk of selin capper and acts skin action
- son Protection Measures, Speining time in the son increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

 limit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun may stain or damage some fabrics, materials or surfaces
- Inactive ingredients Beeswax, Butyloctyl Salicylate, Caprylyl Glycol, Cetyl Alcohol, Euphorbia Cerifera (Candellla) Wax, Isopropyl Palmitate, Isostearic Acid, Neopentyl Glycol Diethylhexanoate, Ozokerite, Paraffin, Silica.

Ouestions or comments? Call 1-800-934-6267 Ext 5920

Distributed By: Wegmans Food Markets, Inc., Rochester, NY 14603



MINERAL SUNSCREEN SPF 50

zinc oxide, titanium dioxide stick

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47124-120	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	70 mg in 1 g		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	47 mg in 1 g		

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CANDELILLA WAX (UNII: WL0328HX19)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
CERESIN (UNII: Q1LS2UJO3A)	
WHITE WAX (UNII: 7G1J5DA97F)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
PARAFFIN (UNII: 1900E3H2ZE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

l	Packaging Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:47124- 120-91	1 in 1 BLISTER PACK	10/19/2020			
	NDC:47124- 120-01	13.3 g in 1 CONTAINER; Type 0: Not a Combination Product				

Marketing Information					
rketing End Date					

Labeler - WEGMANS FOOD MARKETS INC (059650069)

Revised: 4/2021 WEGMANS FOOD MARKETS INC