

**BLUE LIZARD ACTIVE SPF 50- zinc oxide spray**  
**Crown Laboratories**

-----  
**Blue Lizard Active SPF 50 Sunscreen Spray**

***Active Ingredients***

Zinc Oxide 24%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

- **For external use only. Contents under pressure. Do not puncture or incinerate.**
- **Flammable:** Keep away from fire or flame.
- **When using this product** • Keep out of eyes. Rinse with water to remove
- Stop use and ask doctor if • Rash or irritation occurs
- **Do not use** • On damaged or broken skin • If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

***Directions***

- **Shake well prior to use.**
- Apply liberally to dry skin 15 minutes before sun exposure
- Hold container 4 to 6 inches from the skin to apply. Rub in. Do not spray directly into face. Spray on hands then apply to face. Rub in.
- Do not apply in windy conditions. • Use in well-ventilated area and avoid inhalation.
- For topical use only • Children under 6 months of age: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun especially from 10 a.m.- 2 p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses
- **Reapply to dry skin:** • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

### **Keep out of reach of children**

### ***Other Information***

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

### ***Inactive Ingredients***

Butyloctyl Salicylate, C9-12 Alkane, Caprylic/Capric Triglyceride, Caprylyl Glycol, Diisopropyl Adipate, Dimethicone Crosspolymer-3, Di-PPG-3 Myristyl Ether Adipate, Dunaliella Salina Extract, Ethylhexyl Palmitate, Fragrance, Haematococcus Pluvialis Extract, Phenoxyethanol, Polyhydroxystearic Acid, Pongamia Glabra Seed Oil, Quaternium-90 Montmorillonite, Quaternium-90 Sepiolite, Tetrafluoropropene, Triethoxycaprylylsilane

### ***Questions?***

Visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com) or call **800.877.8869**

Distributed by Crown Laboratories, Inc., Johnson City, TN 37604

DOT 2Q M5706

### **Blue Lizard Active SPF 50+ Spray 5 oz Label**

TRUSTED BY DERMATOLOGISTS FOR OVER 20 YEARS

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50+

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50+

Water Resistant (80 Minutes)

ACTIVE

tropical scent

mineral sunscreen spray

100% Mineral Active Ingredient

Made with Earth Friendly Propellant

P11906.01

TRUSTED BY DERMATOLOGISTS FOR OVER 20 YEARS

# BLUE LIZARD®

## AUSTRALIAN SUNSCREEN

# 50<sup>+</sup>

UVA / UVB PROTECTION  
BROAD SPECTRUM  
SPF 50+

WATER RESISTANT  
(80 MINUTES)



**ACTIVE** tropical scent  
mineral sunscreen spray

100% MINERAL  
ACTIVE INGREDIENT

MADE WITH EARTH  
FRIENDLY PROPELLANT



Net wt 5 oz (142 g)

Free From: Harmful Airborne Titanium Dioxide  
• Parabens • Gluten • Phthalates • Alcohol

+ ANTIOXIDANT ENRICHED  
+ SKIN NOURISHING BOTANICALS  
+ HYPOALLERGENIC

### Drug Facts

Active Ingredients	Purpose
Zinc Oxide 24%	Sunscreen

**Uses** • Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

• For external use only. Contents under pressure. Do not puncture or incinerate. • Flammable: Keep away from fire or flame. • When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center


**Directions** • Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • Hold container 4 to 6 inches from the skin to apply. Rub in. • Do not spray directly into face. Spray on hands then apply to face. Rub in. • Do not apply in windy conditions. • Use in a well-ventilated area and avoid inhalation. • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. Reapply to dry skin: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

**Other Information** • Protect the product in this container from excessive heat and direct sun • May stain some fabrics

**Inactive Ingredients:** Butylacetyl Salicylate, C9-12 Alkane, Caprylic/Capric Triglyceride, Caprylyl Glycol, Diisopropyl Adipate, Dimethicone Crosspolymer-3, Di-PPG-3 Myristyl Ether Adipate, Dunaliella Salina Extract, Ethylhexyl Palmitate, Fragrance, Haematococcus Pluvialis Extract, Phenoxethanol, Polyhydroxystearic Acid, Pongamia Glabra Seed Oil, Quaternium-90 Montmorillonite, Quaternium-90 Sepiolite, Tetrafluoropropene, Triethoxycaprylsilane

#### Questions?

Visit [www.blueizardsunscreens.com](http://www.blueizardsunscreens.com)  
or call 800.877.8869



CROWN

Distributed by  
Crown Laboratories, Inc.  
Johnson City, TN 37604

P11906.01 DOT 2Q M5706

## BLUE LIZARD ACTIVE SPF 50

zinc oxide spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0316-2082
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	24 mg in 1 g	
<b>Inactive Ingredients</b>				
Ingredient Name			Strength	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
DI-PPG-3 MYRISTYL ETHER ADIPATE (UNII: T32481VTXW)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
KARUM SEED OIL (UNII: 62160PU6FJ)				
DUNALIELLA SALINA (UNII: F4O1DKI9A6)				
HAEMATOCOCCUS PLUVIALIS (UNII: 31TOFF0472)				
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
ETHYLHEXYL PALMITATE (UNII: 2865993309)				
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)				
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)				
DODECANE (UNII: 11A386X1QH)				
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)				
1,3,3,3-TETRAFLUOROPROPENE, (1E)- (UNII: 5I2481U008)				
QUATERNIUM-90 MONTMORILLONITE (UNII: 7BL4KVZ54U)				
QUATERNIUM-90 SEPIOLITE (UNII: J9ULC97SE5)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2082-05	142 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/29/2021	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/29/2021		

**Labeler** - Crown Laboratories (079035945)

**Registrant** - Crown Laboratories (079035945)