

MINERAL SUNSCREEN- zinc oxide emulsion

CA-Botana International

DS Mineral Sunscreen

Active Ingredient

Octinoxate 7.5%.....Sunscreen

Zinc Oxide 7.0%..... Sunscreen

Purpose

Sunscreen

Ask Doctor

Stop use and ask a doctor if rash occurs

Keep out of reach of children

Keep out of reach of children

Inactive Ingredients

Water (Aqua), Coco-Caprylate/Caprata, Ceteary Alcohol, Propanediol, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Butyrospermun parki (Shea butter), Cetearyl Oliviate, Sorbitan Oliviate, Caaprylhydroxamic acid. GlycerylCaprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail) extract, Rosmarinus officinalis (Rosemary) extract, Centella asiatica(Gotu-kola) extract, Aesculus hippocastanum (Horse chestnut) extract, Camellia sinensis(Green tea) extract, Olea europaea (Olive) extract, Tocopheryl Acetate, Potassium Acetate, Sodium Phytate, Citrus nobilis/Mandarinorange) Peel oil, Coconut oil, Helianthus annuus (Sunflower) Seed oil, Silica, Triethpxycapryylsilane, OXY CA (Rosmarinus officinalis (Leaf)CO2 Extract& Ascorbyl Palmitate & Caprylic/Capric Triglyceride & Ascorbic Acid & Tocopherol & Citric Acid)

Safety information

Protect this product from excessive heat and direct sun

Dosage & Administration

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply : at least 2 hours. Children under 6 months: Ask a doctor. Sun

protections measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and othe sun protection measures including: limit time in the sun, specially from 10 a.m.- 2 p.m Wear long-sleeveshirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun.

Warnings

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. If product is swallowed get medical help or contact a poison Control Center right away.

Indications & Usage

Apply liberally 15 minutes before exposure, use water resistant sunscreen, if swimming or sweating. reapply at least every 2 hours. Children under 6 months: ask a doctor

Mineral Sunscreen SPF 50

Photos - 6238 Mineral Sunscreen SPF 50 4 oz CMYK - Copy - Copy (002).jpg

File info

File name
6238 Mineral Sunscreen SPF 50 4 oz CMYK - Copy - Copy (002).jpg

Date taken
April 19 2021
11 41 AM

Size
1 MB

Dimensions
1523 x 1520

Shot
--

ISO
--

Device
--

Source
This PC

PMS 122C

DOCTOR D. SCHWAB®

MINERAL SUNSCREEN

**BROAD SPECTRUM
SPF 50
WATER RESISTANT (80 MINUTES)**

ENVIRONMENTAL PROTECTION
CRÈME SOLAIRE AUX MINÉRAUX
PROTECCIÓN SOLAR MINERAL

SUN

4 oz. / 113.4 g

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 21%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measured (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings • **For external use only**
When using this product keep out of eyes. Rinse with water to remove.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months: Ask a doctor • **Sun Protection Measures**
• Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses.

Inactive ingredients: Water (Aqua), Coco-Caprylate/Caprate, Cetearyl Alcohol, Propanediol, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Butyrospermum parkii (Shea) Butter, Cetearyl Olivato, Sorbitan Olivato, Caprylylascorbic Acid, Glyceryl Caprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail) Extract, Rosmarinus officinalis (Rosemary) Extract, Centella asiatica (Gotu Kola) Extract, Aesculus hippocastanum (Horse Chestnut) Extract, Camellia sinensis (Green Tea) Extract, Olea europaea (Olive) Extract, Tocopheryl Acetate, Potassium Sorbate, Sodium Phylate, Citrus nobilis (Mandarin Orange) Peel Oil, Cocos nucifera (Coconut) Oil, Helianthus annuus (Sunflower) Seed Oil, Silica, Triethoxycaprylylsilane, Oxy CA (Rosmarinus officinalis (Leaf) CO2 Extract and Ascorbyl Palmate and Caprylic/Capric Triglyceride and Ascorbic Acid and Tocopherol and Citric Acid).

NDC#: 35199-042-02
REF #6238

DOCTOR D. SCHWAB®
Manufactured by CA BOTANA
San Diego, CA 92121, USA
Made in USA
www.DoctorSchwabCA.com

08120666238

MINERAL SUNSCREEN

zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35192-042
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	23.814 g in 113.4 g

Inactive Ingredients

Ingredient Name	Strength
SORBITAN OLIVATE (UNII: MDL271E3GR)	
EQUISETUM ARVENSE WHOLE (UNII: 73DM367W4P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
DIMETHICONOL TRIETHOXYCAPRYLYLSILANE TETRAETHYL SILICATE CROSSPOLYMER (400000 MW) (UNII: 6CA31A9P15)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
ALLANTOIN (UNII: 344S277G0Z)	
ROSEMARY (UNII: IJ67X351P9)	
HEXASODIUM PHYTATE (UNII: ZBX50UG81V)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ETHYL FERULATE (UNII: 5B8915UELW)	
TOCOPHEROL (UNII: R0ZB2556P8)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
GLYCERYL CAPRATE (UNII: 197M6VFC1W)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
GREEN OLIVE (UNII: 6HD2W46UEG)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
ORANGE PEEL (UNII: TI9T76XD44)	
COCOS NUCIFERA WHOLE (UNII: 245J88W96L)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
MICA (UNII: V8A1AW0880)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
SHEA BUTTER (UNII: K49155WL9Y)	

Product Characteristics

Color	white (white yellowish)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35192-042-02	113.4 g in 1 TUBE; Type 0: Not a Combination Product	04/30/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/30/2021	

Labeler - CA-Botana International (106276728)

Establishment

Name	Address	ID/FEI	Business Operations
CA-Botana International		106276728	manufacture(35192-042)

Revised: 5/2024

CA-Botana International