

**CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID  
FOUNDATION SPF 25 ALMENDRA 230-N- zinc oxide,octinoxate emulsion  
CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID  
FOUNDATION SPF 25 CHAMPAGNE 170-N- zinc oxide,octinoxate emulsion  
CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID  
FOUNDATION SPF 25 LATTE 180-F- zinc oxide,octinoxate emulsion  
CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID  
FOUNDATION SPF 25 BEIGE 220-C- zinc oxide,octinoxate emulsion  
CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID  
FOUNDATION SPF 25 CAPUCCINO 310-C- zinc oxide,octinoxate emulsion  
Bel Star S.A. (Colombia)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**CONCENTRÉ TOTAL BASE SÉRUM BASE DE MAQUILLAJE ULTRA-FLUID  
FOUNDATION SPF 25**

Active Ingredients Purpose  
ZINC OXIDE 7.20 % Sunscreen  
OCTINOXATE 7.00 % Sunscreen

Uses  
Helps prevent sunburn.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** rash occurs.

***Warnings***

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

***Directions***

Apply liberally and evenly 15 minutes before sun exposure.

Reapply at least every 2 hours

Use a water resistant sunscreen if swimming or sweating.

Children under 6 months of age: Ask a doctor

***Other information***

Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:**

Water, Cyclohexasiloxane, Nylon-12, Isododecane, Glycerin, HDI/Trimethylol Hexyllactone Crosspolymer, PEG-10 Dimethicone Alcohol Denat., Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Albizia Julibrissin Bark Extract, Cyclopentasiloxane,

Phenoxyethanol, Silica, Polyglyceryl-4 Isostearate, Lecithin, Tocopheryl Acetate, Hexyl Laurate, Methylpropanediol, Disteardimonium Hectorite, Caprylyl Glycol, Chlorphenesin, Silanediol Salicylate, Tromethamine, Ceramide NP, Fragrance, Grifola Frondosa Fruiting Body Extract, Maltodextrin, Linalool, Alpha-Isomethyl Ionone. **May Contain:** Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane

## **170-N Champagne**

L'BEL

Concentre Total

Base Serum

base de maquillaje ultrafluida FPS 25

ultra-fluid foundation SPF 25

0.87 fl. oz. (26ml)

L'

L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

base de maquillage  
ultrafluida FPS 25

ultra-fluid  
foundation SPF 25



\*El empaque tiene fondo  
sin contenido de producto

0.87 fl.oz. e (26 ml)

www.lbel.com

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan,  
Puerto Rico 00926. Made in Colombia, U.S.A.: Dist. by  
Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126  
Made in Colombia.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 7.00 % ..... Sunscreen  
ZINC OXIDE 7.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOHEXASILOXANE, ▶

**Drug Facts**  
(continued)

NYLON-12, ISODODECANE, GLYCERIN, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, PEG-10 DIMETHICONE, ALCOHOL DENAT, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, ALBIZIA JULIBRISSIN BARK EXTRACT, CYCLOPENTASILOXANE, PHENOXYETHANOL, SILICA, POLYGLYCERYL-4 ISOSTEARATE, LECITHIN, TOCOPHERYL ACETATE, HEXYL LAURATE, METHYLPROPANEDIOL, DISTEARDIMONIUM HECTORITE, CAPRYLYL GLYCOL, CHLORPHENESIN, SILANEDIOL SALICYLATE, TROMETHAMINE, CERAMIDE NP, FRAGRANCE, GRIFOLA FRONDOSA FRUITING BODY EXTRACT, MALTODEXTRIN, LINALOOL, ALPHA-ISOMETHYL IONONE, MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

TONE: CHAMPAGNE 170-N

180-F Latte

L'BEL

Concentre Total

Base Serum

base de maquillaje ultrafluida FPS 25

ultra-fluid foundation SPF 25

0.87 fl. oz. (26ml)

L'

L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

base de maquillage  
ultrafluida FPS 25

ultra-fluid  
foundation SPF 25



\*El empaque tiene fondo  
sin contenido de producto

0.87 fl.oz. e (26 ml)

www.lbel.com

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan,  
Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by  
Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126  
Made in Colombia.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 7.00 % ..... Sunscreen  
ZINC OXIDE 7.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOHEXASILOXANE, ▶

**Drug Facts**  
(continued)

NYLON-12, ISODODECANE, GLYCERIN, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, PEG-10 DIMETHICONE, ALCOHOL DENAT, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, ALBIZIA JULIBRISSIN BARK EXTRACT, CYCLOPENTASILOXANE, PHENOXYETHANOL, SILICA, POLYGLYCERYL-4 ISOSTEARATE, LECITHIN, TOCOPHERYL ACETATE, HEXYL LAURATE, METHYLPROPANEDIOL, DISTEARDIMONIUM HECTORITE, CAPRYLYL GLYCOL, CHLORPHENESIN, SILANEDIOL SALICYLATE, TROMETHAMINE, CERAMIDE NP, FRAGRANCE, GRIFOLA FRONDOSA FRUITING BODY EXTRACT, MALTODEXTRIN, LINALOOL, ALPHA-ISOMETHYL IONONE. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

TONE: LATTE 180-F

220-C Beige

L'BEL

Concentre Total

Base Serum

base de maquillaje ultrafluida FPS 25

ultra-fluid foundation SPF 25

0.87 fl. oz. (26ml)

L'

L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

base de maquillage  
ultrafluida FPS 25

ultra-fluid  
foundation SPF 25



\*El empaque tiene fondo  
sin contenido de producto

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 7.00 % ..... Sunscreen  
ZINC OXIDE 7.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOHEXASILOXANE, ▶

**Drug Facts**

(continued)

NYLON-12, ISODODECANE, GLYCERIN, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, PEG-10 DIMETHICONE, ALCOHOL DENAT, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, ALBIZIA JULIBRISSIN BARK EXTRACT, CYCLOPENTASILOXANE, PHENOXYETHANOL, SILICA, POLYGLYCERYL-4 ISOSTEARATE, LECITHIN, TOCOPHERYL ACETATE, HEXYL LAURATE, METHYLPROPANEDIOL, DISTEARDIMONIUM HECTORITE, CAPRYLYL GLYCOL, CHLORPHENESIN, SILANEDIOL SALICYLATE, TROMETHAMINE, CERAMIDE NP, FRAGRANCE, GRIFOLA FRONDOSA FRUITING BODY EXTRACT, MALTODEXTRIN, LINALOOL, ALPHA-ISOMETHYL IONONE. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

0.87 fl.oz. e (26 ml)

TONE: BEIGE 220-C

230-N Almendra

L'BEL

Concentre Total

Base Serum

base de maquillaje ultrafluida FPS 25

ultra-fluid foundation SPF 25

0.87 fl. oz. (26ml)



L'

L'BEL

CONCENTRÉ  
TOTAL

BASE SÉRUM

base de maquillage  
ultrafluida FPS 25

ultra-fluid  
foundation SPF 25



\*El empaque tiene fondo  
sin contenido de producto

0.87 fl.oz. e (26 ml)

www.lbel.com

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan,  
Puerto Rico 00926. Made in Colombia, U.S.A.: Dist. by  
Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126  
Made in Colombia.

**Drug Facts**

**Active Ingredients Purpose**

OCTINOXATE 7.00 % ..... Sunscreen  
ZINC OXIDE 7.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOHEXASILOXANE, ▶

**Drug Facts**  
(continued)

NYLON-12, ISODODECANE, GLYCERIN, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, PEG-10 DIMETHICONE, ALCOHOL DENAT, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, ALBIZIA JULIBRISSIN BARK EXTRACT, CYCLOPENTASILOXANE, PHENOXYETHANOL, SILICA, POLYGLYCERYL-4 ISOSTEARATE, LECITHIN, TOCOPHERYL ACETATE, HEXYL LAURATE, METHYLPROPANEDIOL, DISTEARDIMONIUM HECTORITE, CAPRYLYL GLYCOL, CHLORPHENESIN, SILANEDIOL SALICYLATE, TROMETHAMINE, CERAMIDE NP, FRAGRANCE, GRIFOLA FRONDOSA FRUITING BODY EXTRACT, MALTODEXTRIN, LINALOOL, ALPHA-ISOMETHYL IONONE. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

TONE:ALMENDRA 230-N

310-C Capuccino

L'BEL

Concentre Total

Base Serum

base de maquillaje ultrafluida FPS 25

ultra-fluid foundation SPF 25

0.87 fl. oz. (26ml)



**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 7.00 % ..... Sunscreen  
 ZINC OXIDE 7.20 % ..... Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOHEXASILOXANE, ▶

**Drug Facts**  
(continued)

NYLON-12, ISODODECANE, GLYCERIN, HDI/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER, PEG-10 DIMETHICONE, ALCOHOL DENAT, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, ALBIZIA JULIBRISSIN BARK EXTRACT, CYCLOPENTASILOXANE, PHENOXYETHANOL, SILICA, POLYGLYCERYL-4 ISOSTEARATE, LECITHIN, TOCOPHERYL ACETATE, HEXYL LAURATE, METHYLPROPANEDIOL, DISTEARDIMONIUM HECTORITE, CAPRYLYL GLYCOL, CHLORPHENESIN, SILANEDIOL SALICYLATE, TROMETHAMINE, CERAMIDE NP, FRAGRANCE, GRIFOLA FRONDOSA FRUITING BODY EXTRACT, MALTODEXTRIN, LINALOOL, ALPHA-ISOMETHYL IONONE. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

L'BEL

CONCENTRÉ TOTAL

BASE SÉRUM

base de maquillaje ultrafluida FPS 25

ultra-fluid foundation SPF 25



\*El empaque tiene fondo sin contenido de producto

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

0.87 fl.oz. e (26 ml)

TONE: CAPUCCINO 310-C

**CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID FOUNDATION SPF 25 ALMENDRA 230-N**

zinc oxide, octinoxate emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-218
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.2 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>MAITAKE</b> (UNII: A1U5YJIOZ8)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-218-01	26 mL in 1 JAR; Type 0: Not a Combination Product	03/05/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/05/2021	

## CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID FOUNDATION SPF 25 CHAMPAGNE 170-N

zinc oxide,octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-215
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.2 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>MAITAKE</b> (UNII: A1U5YJ10Z8)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	

<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>CERAMIDE NP</b> (UNII: 4370DF050B)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-215-01	26 mL in 1 JAR; Type 0: Not a Combination Product	03/05/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/05/2021	

## CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID FOUNDATION SPF 25 LATTE 180-F

zinc oxide,octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-216
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.2 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>MAITAKE</b> (UNII: A1U5YJIOZ8)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-216-01	26 mL in 1 JAR; Type 0: Not a Combination Product	03/05/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/05/2021	

## CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID FOUNDATION SPF 25 BEIGE 220-C

zinc oxide,octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-217
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.2 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0W0S5G)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>MAITAKE</b> (UNII: A1U5YJ10Z 8)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	



<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-217-01	26 mL in 1 JAR; Type 0: Not a Combination Product	03/05/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/05/2021	

## CONCENTRE TOTAL BASE SERUM BASE DE MAQUILLAJE ULTRA-FLUID FOUNDATION SPF 25 CAPUCCINO 310-C

zinc oxide,octinoxate emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-219
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.2 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	

<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SILANEDIOL SALICYLATE</b> (UNII: C054DF30K0)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>MAITAKE</b> (UNII: A1U5YJIOZ8)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>CERAMIDE NP</b> (UNII: 4370DF050B)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-219-01	26 mL in 1 JAR; Type 0: Not a Combination Product	03/05/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/05/2021	

**Labeler** - Bel Star S.A. (Colombia) (880160197)

### Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A.		880160197	manufacture(14141-215, 14141-216, 14141-217, 14141-218, 14141-

Revised: 10/2022

Bel Star S.A. (Colombia)