

**CHILDRENS LORATADINE- loratadine tablet, chewable
TARGET CORPORATION**

CHILDREN'S LORATADINE

Drug Facts

Active ingredient (in each tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, carmine, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

Call **1-800-910-6874**

Distributed by Target Corporation
Minneapolis, MN 55403

PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 11673-997-30

Compare to active ingredient in Children's Claritin® Chewables*

children's
allergy

loratadine chewable tablets USP, 5 mg
antihistamine

up&up

non-drowsy**

indoor and outdoor allergies

24-hour relief of:

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose

**When taken as directed. See drug facts panel.

30 CHEWABLE TABLETS

THE CHEWABLE TABLETS ARE
TO BE CHEWED BEFORE SWALLOWING

BUBBLEGUM
FLAVOR

ACTUAL SIZE

30

CHEWABLE
TABLETS



children's allergy

loratadine chewable tablets USP, 5 mg antihistamine

NDC 11673-997-30

Compare to active ingredient in Children's Claritin® Chewables*

children's allergy

loratadine chewable tablets USP, 5 mg antihistamine



non-drowsy**
indoor and outdoor allergies
24-hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose

**When taken as directed. See drug facts panel.



30
CHEWABLE TABLETS

children's allergy
loratadine chewable tablets USP, 5 mg antihistamine



30 CHEWABLE TABLETS THE CHEWABLE TABLETS ARE TO BE CHEWED BEFORE SWALLOWING

Non Varnish Area

Batch No.

Expiration Date:

100% satisfaction guaranteed or your money back.

FD619

094 04 0035 R00 C-000974-01-004



3 11673 99930 1

Distributed by Target Corporation
Minneapolis, MN 55403
Product of India
TM & ©2019 Target Brands, Inc.

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin® Chewables.



how2recycle.info

Drug Facts

Active ingredient (in each tablet) Purpose
Loratadine USP, 5 mg Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

■ chew or crush tablets completely before swallowing.

adults and children 6 years and over chew 2 tablets daily; not more than 2 tablets in 24 hours

children 2 to under 6 years of age chew 1 tablet daily; not more than 1 tablet in 24 hours

children under 2 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

Other information

■ phenylketonurics: contains phenylalanine 1.25 mg per tablet.

■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

■ store between 20° to 25°C (68° to 77°F).


Inactive ingredients

aspartame, carmine, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid


Questions? Call 1-800-910-6874

Keep the carton. It contains important information. See end panel for expiration date.

GLUE - NO COATING



5200154



5200154

CHILDRENS LORATADINE

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-997
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
aspartame (UNII: Z0H242BBR1)	
cochineal (UNII: TZ8Z31B35M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
magnesium stearate (UNII: 70097M6I30)	
mannitol (UNII: 3OWL53L36A)	
microcrystalline cellulose (UNII: OPIR32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
stearic acid (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	pink (light to medium pink with a slightly speckled appearance)	Score	no score
Shape	ROUND (Flat face, beveled edge)	Size	10mm
Flavor	BUBBLE GUM	Imprint Code	754
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-997-30	3 in 1 CARTON	03/31/2019	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	03/31/2019	

Labeler - TARGET CORPORATION (006961700)

Registrant - Ohm Laboratories (051565745)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories		184769029	MANUFACTURE(11673-997)

Revised: 8/2019

TARGET CORPORATION