

TUSSIN ADULT MUCUS AND CHEST CONGESTION- guaifenesin liquid
P & L Development, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients
(in each 10 mL)

Guaifenesin 200 mg

Purposes

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.

- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adult and children 12 years and over: 10 to 20 mL every 4 hours
- children under 12 years: do not use

Other information

- **each 10 mL contains:** sodium 4 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, caramel, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Compare to the active ingredients in Robitussin® Mucus+Chest Congestion Original*
adult

tussin

mucus + chest congestion

guaifenesin 200mg

expectorant

relieves:

- mucus
- chest congestion

for ages 12 & over

non-drowsy

alcohol free

FL OZ (mL)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Mucus+ Chest Congestion original.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.

Manufactured by:

PL Developments

11865 S. Alameda St
Lynwood, CA 90262

Package Label



Compare to the active ingredient
in Robitussin® Mucus+Chest
Congestion Original*
NDC 49580-0389-5

adult
tussin
mucus & chest
congestion

relieves:
• mucus
• chest congestion

guaifenesin 200 mg
expectorant

for ages 12 years & over
non-drowsy
alcohol-free

4 fl oz (118 mL)

Drug Facts	
Active ingredient (in each 10 mL)	Purpose
Guaifenesin 200 mg.....	Expectorant
Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive	
Warnings Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema	
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Mucus+Chest Congestion Original.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Manufactured by:
PL Developments
11865 S. Alameda St
Lynwood, CA 90262



Drug Facts (continued under label) PEEL HERE →

Drug Facts (continued)
Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age ■ adults and children 12 years and over: 10 to 20 mL every 4 hours ■ children under 12 years: do not use
Other information ■ each 10 mL contains: sodium 4 mg ■ store between 20-25°C (68-77°F). Do not refrigerate.
Inactive ingredients caramel, citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

ReadyinCase Adult Tussin Mucus & Chest Congestion

TUSSIN ADULT MUCUS AND CHEST CONGESTION

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49580-0389
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
DEXTROSE (UNII: IY9XDZ35W2)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
CARMEL (UNII: T9D99G2B1R)	
MENTHOL (UNII: L7T10EIP3A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49580-0389-4	1 in 1 BOX	02/28/2015	12/31/2025
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:49580-0389-5	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/28/2015	12/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/28/2015	12/31/2025

Labeler - P & L Development, LLC (101896231)

Revised: 6/2023

P & L Development, LLC