

**COPPERTONE KIDS SUNSCREEN SPF 50- avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% spray
Beiersdorf Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coppertone Kids Sunscreen Spray SPF 50

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (73.8% v/v), neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

Questions

1-866-288-3330

Principal Display Panel

#1 Pediatrician Recommended Brand

Coppertone® Sunscreen Spray

kids®

Stays on Strong Even in Water 50

Free of oxybenzone, octinoxate, dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

Net Wt 5.5 oz (156 g)



The image shows the packaging for Coppertone Kids Sunscreen Spray. The top half is yellow with a sunburst graphic and the text "#1 PEDIATRICIAN RECOMMENDED BRAND". Below this is the "Coppertone" logo and "SUNSCREEN SPRAY". The middle section is green and features the "kids" logo in yellow and blue, with "50" in a blue circle. Text includes "Stays on Strong Even in Water", "FREE OF oxybenzone, octinoxate, dyes & PABA", and "WATER RESISTANT (80 MINUTES) BROAD SPECTRUM SPF 50". The bottom section is blue and shows a silhouette of a child surfing. A barcode is on the right side with the number 4 1100 00668 4. The bottom right corner contains copyright information for Beiersdorf, Inc. and the NDC number 20006410.

COPPERTONE KIDS SUNSCREEN SPF 50

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:66800-4352

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
ALCOHOL (UNII: 3K9958V90M)	
POLYESTER-7 (UNII: 0841698D2F)	
ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q3OS3)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	

Product Characteristics

Color	yellow ((Clear to Pale Yellow))	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4352-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
2	NDC:66800-4352-6	196 g in 1 CAN; Type 0: Not a Combination Product	01/04/2021	
3	NDC:66800-4352-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/02/2020	

Labeler - Beiersdorf Inc. (001177906)

