

SHISEIDO UV PROTECTIVE COMPACT (REFILL) FAIR IVORY- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) LIGHT BEIGE- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) LIGHT IVORY- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) LIGHT OCHRE- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) MEDIUM BEIGE- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) MEDIUM IVORY- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) MEDIUM OCHRE- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) DARK BEIGE- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO UV PROTECTIVE COMPACT (REFILL) DARK IVORY- octinoxate, octocrylene, and titanium dioxide powder  
SHISEIDO AMERICAS CORPORATION

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## SHISEIDO UV PROTECTIVE COMPACT (REFILL)

### *Drug Facts*

<b>ACTIVE INGREDIENTS:</b>	<b>Purpose</b>
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen
TITANIUM DIOXIDE 11.8%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### **Inactive Ingredients**

SYNTHETIC FLUORPHLOGOPITE, DIMETHICONE, SILICA, NYLON-12, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE  
 CROSSPOLYMER, PETROLATUM, METHICONE, TRIETHYLHEXANOIN, PEG/PPG-14/7  
 DIMETHYL ETHER, TOCOPHERYL ACETATE, SAXIFRAGA SARMENTOSA  
 EXTRACT, SODIUM HYALURONATE, SOPHORA ANGUSTIFOLIA ROOT  
 EXTRACT, SORBITAN SESQUIISOSTEARATE, HYDROGEN DIMETHICONE, ALUMINUM  
 HYDROXIDE, WATER, POLYSILICONE-2, ALCOHOL, SODIUM MAGNESIUM  
 SILICATE, HYDRATED SILICA, TRIETHOXYCAPRYLYLSILANE, ALUMINUM  
 DISTEARATE, BUTYLENE GLYCOL, GLYCERIN, TOCOPHEROL, BHT, DISTEARYLDIMONIUM  
 CHLORIDE, SYZYGIIUM JAMBOS LEAF EXTRACT, TIN  
 OXIDE, CHLORPHENESIN, FRAGRANCE, MICA, TITANIUM DIOXIDE, IRON OXIDES, ZINC  
 OXIDE,

### **Other information**

- protect this product in this container from excessive heat and direct sun.

### **Questions or comments?**

Call toll free 1-800-906-7503

### **PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Fair Ivory**

#### **SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
 Compact Foundation  
 (Refill)

BROAD SPECTRUM  
 SPF 36

SUNSCREEN

12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Fair Ivory  
(SP90)

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes  
before sun exposure
- use a water resistant  
sunscreen if swimming or  
sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun  
increases your risk of skin  
cancer and early skin aging.

To decrease this risk, regularly  
use a sunscreen with a broad  
spectrum SPF of 15 or higher  
and other sun protection  
measures including:

- limit time in the sun,  
especially from 10 a.m. – 2  
p.m.

- wear long-sleeve shirts,  
pants, hats, and sunglasses

- children under 6 months: Ask  
a doctor

SHISEIDO

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

12g NET WT. .42OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHOSPHATE • DIMETHICONE • SILICA • NYLON-12 • VINYL DIMETHICONE METHACRYLATE • SILSESQUOXANE CROSSPOLYMER • PETROLATUM • METHICONE • TRIETHYLHEXANOLIN • PEG/PPG-14/7 DIMETHYL ETHER • TOCOPHERYL ACETATE • SAXIFRAGA SAPRMENTOSA EXTRACT • SODIUM HYALURONATE • SOPHORA ANGUSTIFOLIA ROOT EXTRACT • SORBETAN SESQUISTEARATE • HYDROGEN DIMETHICONE • ALUMINUM HYDROXIDE • WATER • POLYSILOXANE-2 • ALCOHOL • SODIUM MAGNESIUM SILICATE • HYDRATED SILICA • TRIMETHOXYCAPRYLYLSILANE • ALUMINUM DISTEARATE • BUTYLENE GLYCOL • GLYCERIN • TOCOPHEROL • BHT • DISTEAROYL DIMONIUM CHLORIDE • SYZYGIUM JAMBOS LEAF EXTRACT • TIN OXIDE • CHLOROPHENESIN • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
- Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
- Provides a silky touch and a matte finish
- NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11180  
www.shiseido.com



7 30852 11180 6

11180-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Light Beige**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN  
12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Light Beige  
(SP20)

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

12g NET WT. .42 OZ.

SHISEIDO

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHOSPHATE • DIMETHICONE • SILICA • NYLON-12 • VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER • PETROLATUM • METHICONE • TRIMETHYLHEXANDIN • PEG/PPG-14/7 DIMETHYL ETHER • TOCOPHERYL ACETATE • SAXIFRAGA SAPRMENTOSA EXTRACT • SODIUM HYALURONATE • SOPHORA ANGUSTIFOLIA ROOT EXTRACT • SORBETAN SESQUISTEARATE • HYDROGEN DIMETHICONE • ALUMINUM HYDROXIDE • WATER • POLYSILOXANE-2 • ALCOHOL • SODIUM MAGNESIUM SILICATE • HYDRATED SILICA • TRIETHOXYCAPRYLYLSILANE • ALUMINUM DISTEARATE • BUTYLENE GLYCOL • GLYCERIN • TOCOPHEROL • BHT • DISTEAROYL DIMONIUM CHLORIDE • SYZYGIUM JAMBOS LEAF EXTRACT • TIN OXIDE • CHLORPHENESIN • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
  - Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish.
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11181  
[www.shiseido.com](http://www.shiseido.com)



7 30852 11181 3

11181-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Light Ivory**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN  
12g NET WT. .42 OZ.



UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Light Ivory

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

12g NET WT. .42 OZ.

SHISEIDO

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes  
before sun exposure
- use a water resistant  
sunscreen if swimming or  
sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun  
increases your risk of skin  
cancer and early skin aging.  
To decrease this risk, regularly  
use a sunscreen with a broad  
spectrum SPF of 15 or higher  
and other sun protection  
measures including:

- limit time in the sun,  
especially from 10 a.m. – 2  
p.m.
- wear long-sleeve shirts,  
pants, hats, and sunglasses

- children under 6 months: Ask  
a doctor

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHLOGOPITE • DIMETHICONE • SILICA • NYLON-12 • VINYL DIMETHACRYLAMIDE • DIMETHACRYLAMIDE • VINYL DIMETHACRYLAMIDE • DIMETHACRYLAMIDE • SILSESQUOXANE CROSSPOLYMER • PETROLATUM • METHICONE • TRIETHYLHEXANOLIN • PEG/PPG-14/7 DIMETHYL ETHER • TOCOPHERYL ACETATE • SAXIFRAGA SARMENTOSA EXTRACT • SODIUM HYALURONATE • SOPHORA ANGUSTIFOLIA ROOT EXTRACT • SORBETAN SESQUISULFATE • HYDROGEN DIMETHICONE • ALUMINUM HYDROXIDE • WATER • POLYSILOXANE-2 • ALCOHOL • SODIUM MAGNESIUM SILICATE • HYDRATED SILICA • TRIMETHOXYCAPRYLYLSILANE • ALUMINUM DISTEARATE • BUTYLENE GLYCOL • GLYCERIN • TOCOPHEROL • BHT • DISTEAROYL MONIUM CHLORIDE • SYZYGIUM JAMBOS LEAF EXTRACT • TIN OXIDE • CHLORPHENESIN • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
  - Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish.
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11182  
www.shiseido.com

7 30852 11182 0

11182-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Light Ochre**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

**BROAD SPECTRUM**

SPF 36

SUNSCREEN

12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Light Ochre  
(SP30)

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor ▶

SHISEIDO

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN

12g NET WT. .42 OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHOSPHATE - DIMETHICONE - SILICA - NYLON-12 - VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER - PETROLATUM - METHICONE - TRIMETHYLHEXANDIN - PEG/PPG-14/7 DIMETHYL ETHER - TOCOPHERYL ACETATE - SAXIFRAGA SAPRMENTOSA EXTRACT - SODIUM HYALURONATE - SOPHORA ANGUSTIFOLIA ROOT EXTRACT - SORBITAN SESQUISTEARATE - HYDROGEN DIMETHICONE - ALUMINUM HYDROXIDE - WATER - POLYSILICONE-2 - ALCOHOL - SODIUM MAGNESIUM SILICATE - HYDRATED SILICA - TRIETHOXYCAPRYLYLSILANE - ALUMINUM DISTEARATE - BUTYLENE GLYCOL - GLYCERIN - TOCOPHEROL - BHT - DISTEARYLDIMONIUM CHLORIDE - SYZYGIUM JAMBOS LEAF EXTRACT - TIN OXIDE - CHLORPHENESIN - FRAGRANCE - MICA - TITANIUM DIOXIDE - IRON OXIDES - ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
  - Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish.
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use on damaged or broken skin**

**When using this product keep out of eyes. Rinse with water to remove.**

**Stop use and ask a doctor if rash occurs** ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11183  
www.shiseido.com



7 30852 11183 7

11183-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Medium Beige**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN  
12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Medium Beige  
(SP60)

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

SHISEIDO

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

12g NET WT. .42 OZ.



**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHLOGOPITE - DIMETHICONE - SILICA - NYLON-12 - VINYL DIMETHICONE METHACRYLATE - SILSESQUOXANE CROSSPOLYMER - PETROLATUM - METHICONE - TRIETHYLHEXANOLIN - PEG/PPG-14/7 DIMETHYL ETHER - TOCOPHERYL ACETATE - SAXIFRAGA SARMENTOSA EXTRACT - SODIUM HYALURONATE - SOPHORA ANGUSTIFOLIA ROOT EXTRACT - SORBITAN SESQUISULFATE - HYDROGEN DIMETHICONE - ALUMINUM HYDROXIDE - WATER - POLYSILOXANE-2 - ALCOHOL - SODIUM MAGNESIUM SILICATE - HYDRATED SILICA - TRIETHOXYCAPRYLYLSILANE - ALUMINUM DISTEARATE - BUTYLENE GLYCOL - GLYCERIN - TOCOPHEROL - BHT - DISTEARYL MONIUM CHLORIDE - SYZYGIUM JAMBOS LEAF EXTRACT - TIN OXIDE - CHLORPHENESIN - FRAGRANCE - MICA - TITANIUM DIOXIDE - IRON OXIDES - ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
  - Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish.
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11184  
www.shiseido.com



7 30852 11184 4

11184-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Medium Ivory**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

**BROAD SPECTRUM**



SPF 36

SUNSCREEN

12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Medium Ivory  
(SP50)

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

SHISEIDO

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

12g NET WT. .42OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHOSPHATE • DIMETHICONE • SILICA • NYLON-12 • VINYL DIMETHICONE METHACRYLATE • SILSESQUOXANE CROSSPOLYMER • PETROLATUM • METHICONE • TRIETHYLHEXANDIN • PEG/PPG-14/7 DIMETHYL ETHER • TOCOPHERYL ACETATE • SAXIFRAGA SAPMENTOSA EXTRACT • SODIUM HYALURONATE • SOPHORA ANGUSTIFOLIA ROOT EXTRACT • SORBETAN BESSULFOSTEARATE • HYDROGEN DIMETHICONE • ALUMINUM HYDROXIDE • WATER • POLYSILOXANE-2 • ALCOHOL • SODIUM MAGNESIUM SILICATE • HYDRATED SILICA • TRIETHOXYCAPRYLYLSILANE • ALUMINUM DISTEARATE • BUTYLENE GLYCOL • GLYCERIN • TOCOPHEROL • BHT • DISTEARYLDIMONIUM CHLORIDE • SYZYGIUM JAMBOS LEAF EXTRACT • TIN OXIDE • CHLORPHENESIN • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
- Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
- Provides a silky touch and a matte finish.
- NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients** **Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs ▶

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11185  
www.shiseido.com



7 30852 11185 1

11185-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Medium Ochre**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN  
12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Medium Ochre  
(SP40)

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes  
before sun exposure
- use a water resistant  
sunscreen if swimming or  
sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**  
Spending time in the sun  
increases your risk of skin  
cancer and early skin aging.  
To decrease this risk, regularly  
use a sunscreen with a broad  
spectrum SPF of 15 or higher  
and other sun protection  
measures including:
  - limit time in the sun,  
especially from 10 a.m. – 2  
p.m.
  - wear long-sleeve shirts,  
pants, hats, and sunglasses
- children under 6 months: Ask  
a doctor

SHISEIDO

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN

12g NET WT. .42OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHOSPHATE • DIMETHICONE • SILICA • NYLON-12 • VINYL DIMETHACRYLAMIDE • SILSESQUOXANE CROSSPOLYMER • PETROLATUM • METHICONE • TRIETHYLHEXANDIOL • PEG/PPG-14/7 DIMETHYL ETHER • TOCOPHERYL ACETATE • SAMPANSA SAPRIMENTOSA EXTRACT • SODIUM HYALURONATE • SOPHORA ANGUSTIFOLIA ROOT EXTRACT • SORBITAN SESQUISULFATE • HYDROGEN DIMETHICONE • ALUMINUM HYDROXIDE • WATER • POLYSILOXANE-2 • ALCOHOL • SODIUM MAGNESIUM SILICATE • HYDRATED SILICA • TRIETHOXYCAPRYLYLSILANE • ALUMINUM DISTEARATE • BUTYLENE GLYCOL • GLYCERIN • TOCOPHEROL • BHT • DISTEAROYL DIMONIUM CHLORIDE • SYZYGIUM JAMBOS LEAF EXTRACT • TIN OXIDE • CHLORPHENESIN • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil UV 360™ technology.
  - Formulated with Profense CELL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish.
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 11186  
www.shiseido.com

7 30852 11186 8

11186-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Dark Beige**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN  
12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Dark Beige

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

12g NET WT. .42OZ.

SHISEIDO

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes  
before sun exposure
- use a water resistant  
sunscreen if swimming or  
sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**  
Spending time in the sun  
increases your risk of skin  
cancer and early skin aging.  
To decrease this risk, regularly  
use a sunscreen with a broad  
spectrum SPF of 15 or higher  
and other sun protection  
measures including:
  - limit time in the sun,  
especially from 10 a.m. – 2  
p.m.
  - wear long-sleeve shirts,  
pants, hats, and sunglasses
- children under 6 months: Ask  
a doctor ▶



**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHLOGOPITE - DIMETHICONE - SILICA - NYLON-12 - VINYL DIMETHICONE METHACRYLATE - SILSESQUOXANE COPOLYMER - PETROLATUM - METHICONE - TRIETHYLHEXANON - PEG/PPG-147 DIMETHYL ETHER - TOCOPHERYL ACETATE - SAXIFRAGA SARMENTOSA EXTRACT - SODIUM HYALURONATE - SOPHORA ANGUSTIFOLIA ROOT EXTRACT - SORBETAN SESQUISULFATE - HYDROGEN DIMETHICONE - ALUMINUM HYDROXIDE - WATER - POLYSILOXANE-2 - ALCOHOL - SODIUM MAGNESIUM SILICATE - HYDRATED SILICA - TRIETHOXYCAPRYLYLSILANE - ALUMINUM DISTEARATE - BUTYLENE GLYCOL - GLYCERIN - TOCOPHEROL - BHT - DISTEARYLDIMONIUM CHLORIDE - SYZYGIUM JAMBOS LEAF EXTRACT - TIN OXIDE - CHLORPHENESIN - FRAGRANCE - MICA - TITANIUM DIOXIDE - IRON OXIDES - ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**  
Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
  - Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish.
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% .....	Sunscreen
OCTOCRYLENE 5.0% .....	Sunscreen
TITANIUM DIOXIDE 11.8% .....	Sunscreen

**Uses**


- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs 

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11187  
www.shiseido.com

7 30852 11187 5

11187-41-5040

AAA

**PRINCIPAL DISPLAY PANEL - 12 g Tray Carton - Dark Ivory**

**SHI SEIDO**

Anti-Aging Foundation

**36**

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36  
SUNSCREEN  
12g NET WT. .42 OZ.

UV Protective Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

Dark Ivory  
(SP70)

**Drug Facts**  
(continued)

**Warnings**

Keep out of reach of children.  
If product is swallowed, get  
medical help or contact a Poison  
Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes  
before sun exposure
- use a water resistant  
sunscreen if swimming or  
sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun  
increases your risk of skin  
cancer and early skin aging.  
To decrease this risk, regularly  
use a sunscreen with a broad  
spectrum SPF of 15 or higher  
and other sun protection  
measures including:

- limit time in the sun,  
especially from 10 a.m. – 2  
p.m.
- wear long-sleeve shirts,  
pants, hats, and sunglasses

- children under 6 months: Ask  
a doctor

SHISEIDO

Anti-Aging Foundation



36

UV Protective  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 36

SUNSCREEN

12g NET WT. .42OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

SYNTHETIC FLUOROPHLOGOPITE • DIMETHICONE • SILICA • NYLON-12 • VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER • PETROLATUM • METHICONE • TRIETHYLHEXANOLIN • PEG/PPG-14/7 DIMETHYL ETHER • TOCOPHERYL ACETATE • SAMIFRAGA SAPRMENTOSA EXTRACT • SODIUM HYALURONATE • SOPHORA ANGUSTIFOLIA ROOT EXTRACT • SORBITAN SESQUISTEARATE • HYDROGEN DIMETHICONE • ALUMINUM HYDROXIDE • WATER • POLYSILOXANE-2 • ALCOHOL • SODIUM MAGNESIUM SILICATE • HYDRATED SILICA • TRIETHOXYCAPRYLYLSILANE • ALUMINUM DISTEARATE • BUTYLENE GLYCOL • GLYCERIN • TOCOPHEROL • BHT • DISTEAROYL DIMONIUM CHLORIDE • SYZYGIUM JAMBOS LEAF EXTRACT • TIN OXIDE • CHLORPHENESIN • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
UV PROTECTIVE COMPACT FOUNDATION (REFILL)  
BROAD SPECTRUM  
SPF 36

A foundation that protects skin from damage caused by external aggressors such as UV rays and dryness. Resistant to water and sebum, it provides a long lasting, natural-looking finish, while safeguarding skin's beauty for the future.

- Protects skin from UVA/UVB rays and helps reduce the risk of visible photo-aging, with exclusive SuperVeil-UV 360™ technology.
  - Formulated with Profense CEL™, a complex of ingredients that reduces enzyme activity,\* cell damage\* and DNA damage\* linked to the formation of wrinkles and dark spots.
  - Provides a silky touch and a matte finish
  - NON-COMEDOGENIC AND DERMATOLOGIST-TESTED
- \* in vitro test

**Drug Facts**

**Active ingredients**

**Purpose**

OCTINOXATE 7.4% ..... Sunscreen  
OCTOCRYLENE 5.0% ..... Sunscreen  
TITANIUM DIOXIDE 11.8% ..... Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 11188  
www.shiseido.com



7 30852 11188 2

11188-41-5040

AAA

**SHISEIDO UV PROTECTIVE COMPACT (REFILL) FAIR IVORY**

octinoxate, octocrylene, and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-121
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANO IN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-121-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) LIGHT BEIGE

octinoxate, octocrylene, and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-122
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSO FERRIC OXIDE (UNII: XM0M87F357)

ZINC OXIDE (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-122-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) LIGHT IVORY

octinoxate, octocrylene, and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-123
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

HYDRATED SILICA (UNII: Y6O7T4G8P9)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UD)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
STANNIC OXIDE (UNII: KM7N50LOS6)
CHLORPHENESIN (UNII: I670DAL4SZ)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ZINC OXIDE (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-123-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) LIGHT OCHRE

octinoxate, octocrylene, and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-124
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	



SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
NYLON-12 (UNII: 446U8J075B)
PETROLATUM (UNII: 4T6H12BN9U)
METHICONE (20 CST) (UNII: 6777U11MKT)
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
WATER (UNII: 059QF0K00R)
ALCOHOL (UNII: 3K9958V90M)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UJ)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
STANNIC OXIDE (UNII: KM7N50LOS6)
CHLORPHENESIN (UNII: I670DAL4SZ)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ZINC OXIDE (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-124-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) MEDIUM BEIGE

octinoxate, octocrylene, and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-125
--------------	----------------	--------------------	---------------

## Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

## Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANO IN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-125-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) MEDIUM IVORY

octinoxate, octocrylene, and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-126
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
STANNIC OXIDE (UNII: KM7N50LOS6)	

CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-126-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) MEDIUM OCHRE

octinoxate, octocrylene, and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-127
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	

ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)
WATER (UNII: 059QF0KO0R)
ALCOHOL (UNII: 3K9958V90M)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UT)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
STANNIC OXIDE (UNII: KM7N50LOS6)
CHLORPHENESIN (UNII: I670DAL4SZ)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ZINC OXIDE (UNII: SOI2LOH54Z)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-127-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) DARK BEIGE

octinoxate, octocrylene, and titanium dioxide powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-128
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

## Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
PETROLATUM (UNII: 4T6H12BN9U)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-128-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

## SHISEIDO UV PROTECTIVE COMPACT (REFILL) DARK IVORY

octinoxate, octocrylene, and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-129
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	888 mg in 12 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	600 mg in 12 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1416 mg in 12 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>TRIETHYLHEXANO IN</b> (UNII: 7K3W1BIU6K)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>SAXIFRAGA STOLONIFERA LEAF</b> (UNII: O3TMV4903H)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SOPHORA FLAVESCENS ROOT</b> (UNII: IYR6K8KQ5K)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ALUMINUM DISTEARATE</b> (UNII: 7P1HP1B9UI)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>SYZYGIUM JAMBOS LEAF</b> (UNII: 407Z4W5LFF)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:58411-129-30	1 in 1 CARTON	02/01/2014	
1		12 g in 1 TRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2014	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

## Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-121, 58411-122, 58411-123, 58411-124, 58411-125, 58411-126, 58411-127, 58411-128, 58411-129) , analysis(58411-121, 58411-122, 58411-123, 58411-124, 58411-125, 58411-126, 58411-127, 58411-128, 58411-129)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION