# SUAVEAR EARWAX REMOVAL AID- earwax removal aid solution/ drops NEILMED PHARMACEUTICALS INC

-----

#### **New Neilmed SuavEar Earwax Removal Aid**

### **Active Ingredient**

Carbamide Peroxide 6.5%

### **Purpose**

Earwax Removal Aid

#### Uses

For occasional use as an aid to soften, loosen and remove excessive earwax

### **Warnings**

Ask a doctor before use if you have

- Ear drainage or discharge
- Ear Pain
- Irritation or rash in the ear
- Dizziness
- An injury or perforation (hole) of the eardrum
- Recently had ear surgery

### When using this product

Avoid contact with the eyes

### Stop use and ask a doctor if

• You need to use for more than 3 days in a row

### Keep this and all drugs out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away

#### **Directions**

FOR USE IN THE EAR ONLY

### Adults and children 12 years of age:

- Tilt head sideways
- Place 5 to 10 drops into the ear, making sure that the tip of the applicator does not

enter the earcanal

- Keep drops in the ear for sevaral minutes, either by using teh included earplugs or keeping the head tilted to the side
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using the enclosed soft silicone bulb
- Use twice daily for upto four days, or as directed by a doctor

Children under 12 years: consult a doctor

#### Other Information

- Store bottle in the outer carton
- Product foams on contact with earwax due to release of oxygen. There may be associated "crackling" sound.
- Keep cap on bottle when not in use

### **Inactive Ingredients**

Glycerin

Oxyquinoline

Product label: SuavEar Earwax Removal Aid



### **SUAVEAR EARWAX REMOVAL AID**

earwax removal aid solution/ drops

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:13709-312

**Route of Administration** AURICULAR (OTIC)

### **Active Ingredient/Active Moiety**

reduce mg. careng, reduce i relecty				
Ingredient Name	Basis of Strength	Strength		
CARBAMIDE PEROXIDE (UNII: 31PZ 2VAU81) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL		

### **Inactive Ingredients**

mactive migrealenes			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6A3C0OX)			
OXYQUINOLINE (UNII: 5UTX5635HP)			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:13709- 312-01	1 in 1 KIT	04/22/2021		
1		15 mL in 1 BOTTLE, DROPPER; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M014	04/22/2021			

## Labeler - NEILMED PHARMACEUTICALS INC (799295915)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
NEILMED PHARMACEUTICALS INC		799295915	manufacture(13709-312)	

Revised: 1/2024 NEILMED PHARMACEUTICALS INC