

**COPPERTONE KIDS SPORT SUNSCREEN SPF 100- avobenzone 3%, homosalate 15%, octinoxate 2% octisalate 5%, octocrylene 10%, oxybenzone 6% spray
Beiersdorf Inc**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coppertone Kids Sport Spray SPF 100

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 15%, Octinoxate 2%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (53.2% v/v), acrylates/octylacrylamide copolymer, ethylhexyl methoxycrylene, isohexadecane, isododecane, glycerin, C13-15 alkane, PEG-2 cocamine, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance

Questions

1-866-288-3330

Principal Display Panel

#1 Pediatrician Recommended Brand

Coppertone® Sunscreen Spray

kids Sport

High Performance for Active Play 100

Free of PABA, parabens and dyes

Water Resistant (80 Minutes)

Broad Spectrum SPF 100

Net Wt 5.5 OZ (156 g)



#1 PEDIATRICIAN RECOMMENDED BRAND

Coppertone®

SUNSCREEN SPRAY

kids[®] SPORT

High Performance for Active Play **100**

FREE OF PABA, parabens and dyes

WATER RESISTANT (80 MINUTES)
BROAD SPECTRUM SPF 100

NET WT 5.5 OZ (156 g)

Coppertone Kids® Sport Continuous Spray is specially developed for active kids. The broad spectrum UVA/UVB protection spray provides quick, even coverage that stays on strong when you sweat. All from the #1 pediatrician recommended brand in a formula that is free of PABA, Parabens and Dyes.

Drug Facts

Active ingredients	Purpose
Avobenzone 3%, Homosalate 15%, Octinoxate 2%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area.
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (53.2% w/v), acrylates/octylacrylamide copolymer, ethylhexyl methoxycrylene, isohexadecane, isododecane, glycerin, C13-15 alkane, PEG-2 cocamine, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance

Questions? 1-866-288-3330

Beiersdorf

Beiersdorf Inc. Wilton, CT 06897
©=reg. TM. of Beiersdorf AG, Germany ©2020 20006412

DOT-2P M5655

0 41100 00714 8

COPPERTONE KIDS SPORT SUNSCREEN SPF 100

avobenzone 3%, homosalate 15%, octinoxate 2% octisalate 5%, octocrylene 10%, oxybenzone 6% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-2495
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X1OUF1E)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
PEG-3 COCAMINE (UNII: KTM00873VC)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q3OS3)	
OCTYL ACRYLATE (UNII: EJN94319DN)	

Product Characteristics			
Color	yellow ((Clear to Pale Yellow))	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-2495-5	156 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/08/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not		02/08/2021	

final	part 552	02/08/2021	
-------	----------	------------	--

Labeler - Beiersdorf Inc (001177906)

Establishment

Name	Address	ID/FEI	Business Operations
Formulated Solutions Cleveland, LLC		118876008	manufacture(66800-2495)

Revised: 2/2023

Beiersdorf Inc