

NOEVIR N5 - zinc oxide, octinoxate, titanium dioxide powder
NOEVIR USA INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Drug Facts

Drug Facts

Active Ingredients	Purpose
ZINC OXIDE 14.25%	Sunscreen
OCTINOXATE 7.5%	Sunscreen
TITANIUM DIOXIDE 2.07%	Sunscreen

Uses

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- Provides high protection against sunburn.

Warnings

For external use only.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply evenly before sun exposure.
- Children under 6 months of age ask a doctor.
- Reapply as needed or after towel drying, swimming or sweating.

Other Information

Sun Alert

Limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

PK-02

NOEVIR 5

**TREATMENT TWO-WAY FOUNDATION LX
SPF 20** NET WT. 0.42 OZ. – 12g

Active Ingredients: Zinc Oxide (0.144%),
Octinoxate (2%), Titanium Dioxide (13.8%).

Uses: helps prevent sunburn, higher SPF gives
more sunburn protection, provides moderate
protection against sunburn. **Warnings:** For

external use only. When using this product:
keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if: rash or irritation
develops and lasts. **Keep out of reach of
children.** If swallowed, get medical help or
contact a Poison Control Center right away.

Directions: Apply evenly before sun exposure
and as needed. Children under 6 months of
age: ask a doctor. Reapply as needed or after
towel drying, swimming or sweating.

**NOEVIR CO., LTD 6-13-1 PORT ISLAND,
KOBE, JAPAN MADE IN JAPAN**

■ NOEVIR 5 TREATMENT TWO-WAY FOUNDATION LX SPF20 PA++

89.0X13.0X117.0H

NOEVIR 5
TREATMENT TWO-WAY FOUNDATION LX SPF20

Drug Facts

Active Ingredients	Purpose
ZINC OXIDE 0.144%	Sunscreen
OCTINOXATE 2%	Sunscreen
TITANIUM DIOXIDE 13.8%	Sunscreen

Uses

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- Provides moderate protection against sunburn.

Warnings

- For external use only.**
- When using this product
- Keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if
- Rash or irritation develops and lasts.

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Using the sponge applicator, apply a thin, even layer.
Use dry sponge for medium coverage and a buffed finish.
Use wet sponge for full coverage and a matte finish.

Drug Facts (continued)

- Apply evenly before sun exposure and as needed.
- Children under 6 months of age: ask a doctor.
- Reapply as needed or after towel drying, swimming or sweating.

Inactive Ingredients

TALC, SYNTHETIC FLUOROPHLOGOPITE, DIMETHICONE, ISOCETYL MYRISTATE, NYLON-12, SILICA, ALUMINUM HYDROXIDE, ZINC MYRISTATE, POLYQUATERNIUM-41, TOCOPHEROL, MAGNESIUM PALMITOYL GLUTAMATE, SODIUM PALMITOYL SACCHARINATE, PALMITOYL PROLINE TRIFOLIUM PRATENSE (CLOVER) FLOWER EXTRACT, DIMETHICONE/VINYL DIMETHICONE CROSSLINKED COPOLYMER, DIMETHICONE/METHACRYLATE COPOLYMER, BUTYLENE GLYCOL, GLYCERIN, ALUMINUM DIMYRISTATE, STEARIC ACID, CEREBIOL, TRIMETHYLSILOXY SILICATE, PEG-100 DIMETHYL METHACRYLATE, PALMITIC ACID, HYDROXYFLUORIDE, METHICONE, LECITHIN, ALUMINUM CHLORIDE, WATER, METHYLPARABEN, FRAGRANCE, MICA, IRON OXIDES

MADE IN JAPAN
8-13-1 PORT ISLAND, KOBE, JAPAN
NOEVIR CO., LTD.

NET WT. 0.42 OZ. - 12g

NOEVIR
GINZA TOKYO

NOEVIR 5
TREATMENT TWO-WAY FOUNDATION LX
SPF20 PA++



NOEVIR 5
TREATMENT TWO-WAY FOUNDATION LX
SPF20 PA++

NOEVIR 5
TREATMENT TWO-WAY FOUNDATION LX
SPF20 PA++

NOEVIR N5

zinc oxide, octinoxate, titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62908-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	144 mg in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2000 mg in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	13800 mg in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62908-012-02	1 in 1 BOX		
1	NDC:62908-012-01	12 g in 1 TRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2010	

Labeler - NOEVIR USA INC (018593293)

Registrant - NOEVIR USA INC (018593293)

Establishment

Name	Address	ID/FEI	Business Operations
NOEVIR CO Ltd		690620521	manufacture