

**MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20  
MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 ALMENDRA 230-  
N- zinc oxide,octinoxate emulsion  
MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20  
MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 BEIGE 220-C- zinc  
oxide,octinoxate emulsion  
MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20  
MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 CHAMPAGNE 170-  
N- zinc oxide,octinoxate emulsion  
MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20  
MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 LATTE 180-F- zinc  
oxide,octinoxate emulsion  
MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20  
MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 CAPUCCINO 310-  
C- zinc oxide,octinoxate emulsion  
Ventura Corporation LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**MATTE PRO DEFENSE Base mate con multiproteccion de la piel FPS 20 Matte  
foundation with skin multiprotection SPF 20**

***Active Ingredients Purpose***

Octinoxate 5.00% Sunscreen

Zinc Oxide 4.20% Sunscreen

***Uses***

- Helps prevent sunburn.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** rash occurs.

***Warnings***

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

***Directions***

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: WATER, DIMETHICONE, ISODODECANE, PEG-10 DIMETHICONE, TRIMETHYLSILOXYSILICATE, PROPYLENE GLYCOL, MICA, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, PEG/PPG-18/18 DIMETHICONE, POLYSILICONE-11, GLYCERIN, LECITHIN, SODIUM CHLORIDE, PHENOXYETHANOL, SILICA, SILICA DIMETHYL Silylate, BACKHOUSIA CITRIODORA LEAF EXTRACT, MALTODEXTRIN, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, HYDROXYETHYL UREA, PEG-8 CAPRYLIC/CAPRIC GLYCERIDES, CHLORPHENESIN, TOCOPHERYL ACETATE, LACTOBACILLUS FERMENT, OCTYLDODECETH-25, PERFLUOROOCTYL TRIETHOXSILANE, SODIUM HYALURONATE, DECYLENE GLYCOL.

**MAY CONTAIN :**

TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

**170-N**

L'BEL

MATTE PRO DEFENSE

Base Mate con multiproteccion de la piel FPS 20

Matte foundation with skin multiprotection SPF 20

1.01 fl. oz. (30ml)

Tone CHAMPAGNE 170-N



**EN PROCESO**  
**NO REPRODUCIR**  
 Cristina Malla / MAQUILLAJE / NUEVO



**L'BEL**

**MATTE PRO  
 DÉFENSE**

Base mate con  
 multiprotección  
 de la piel  
 FPS 20

Matte foundation  
 with skin  
 multiprotection  
 SPF 20

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 5.00 % ..... Sunscreen  
 ZINC OXIDE 4.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating.

■ Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, DIMETHICONE, ISODODECANE, PEG-10 DIMETHICONE, TRIMETHYLSILOXYSILICATE, PROPYLENE GLYCOL, MICA, DIMETHICONE/VINYL DIMETHICONE

**Drug Facts**

(continued)

CROSSPOLYMER, PEG/PPG-18/18 DIMETHICONE, POLYSILICONE-11, GLYCERIN, LECITHIN, SODIUM CHLORIDE, PHENOXYETHANOL, SILICA, SILICA DIMETHYLSILYLATE, BACKHOUSIA CITRIDODORA LEAF EXTRACT, MALTODEXTRIN, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, HYDROXYETHYL UREA, PEG-8 CAPRYLIC/CAPRIC GLYCERIDES, CHLORPHENESIN, TOCOPHERYL ACETATE, LACTOBACILLUS FERMENT, OCTYLDODECETH-25, PERFLUOROOCYLTRIETHOXSILANE, SODIUM HYALURONATE, DECYLENE GLYCOL. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd., DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

■ TONE: CHAMPAGNE 170-N

Arte - Caja

|                     |   |                           |
|---------------------|---|---------------------------|
| Arte N°: CJ-57322-A | Nombre del Producto: BASE ANTIBACTERIAL Base Mate |                           |
| Plano: DS0460-C     | Fecha: 27/10/20                                   | Destino: PUERTO RICO, USA |

Metodo de Impresión 1: OFFSET

Metodo de Impresión 2: HOT STAMPING

Color de Fondo 1: BLANCO (COLOR DEL MATERIAL)

**180-F**

L'BEL

MATTE PRO DEFENSE

Base Mate con multiproteccion de la piel FPS 20

Matte foundation with skin multiprotection SPF 20

1.01 fl. oz. (30ml)

Tone LATTE 180-F



**EN PROCESO  
NO REPRODUCIR**  
Cristina Malla / MAQUILLAJE / NUEVO



L'BEL

MATTE PRO  
DÉFENSE

Base mate con  
multiprotección  
de la piel  
FPS 20

Matte foundation  
with skin  
multiprotection  
SPF 20

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
OCTINOXATE 5.00 % ..... Sunscreen  
ZINC OXIDE 4.20 % ..... Sunscreen

**Uses**  
■ Helps prevent sunburn.

**Warnings**  
**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**  
**Do not use on damaged or broken skin.**  
**When using this product keep out of eyes.** Rinse with water to remove.  
**Stop use and ask a doctor if rash occurs.**  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Apply liberally and evenly 15 minutes before sun exposure.  
■ Reapply at least every 2 hours  
■ Use a water resistant sunscreen if swimming or sweating.  
■ Children under 6 months of age: Ask a doctor

**Other information**  
■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**  
WATER, DIMETHICONE, ISODODECANE, PEG-10 DIMETHICONE, TRIMETHYLSILOXYSILICATE, PROPYLENE GLYCOL, MICA, DIMETHICONE/VINYL DIMETHICONE

**Drug Facts**  
(continued)

CROSSPOLYMER, PEG / PPG - 18 / 18 DIMETHICONE, POLYSILICONE-11, GLYCERIN, LECITHIN, SODIUM CHLORIDE, PHENOXYETHANOL, SILICA, SILICA DIMETHYL Silylate, BACKHOUSIA CITRIDODORA LEAF EXTRACT, MALTODEXTRIN, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, HYDROXYETHYL UREA, PEG-8 CAPRYLIC/CAPRIC GLYCERIDES, CHLORPHENESIN, TOCOPHERYL ACETATE, LACTOBACILLUS FERMENT, OCTYLDODECETH-25, PERFLUOROOCTYL TRIETHOXY SILANE, SODIUM HYALURONATE, DECYLENE GLYCOL.

**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd., 9584 Belcorp USA, Miami, FL 33126. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

TONE: LATTE 180-F

Arte - Caja

|                     |   |                           |
|---------------------|---|---------------------------|
| Arte N°: CJ-57322-A | Nombre del Producto: BASE ANTIBACTERIAL Base Mate |                           |
| Plano: DS0460-C     | Fecha: 27/10/20                                   | Destino: PUERTO RICO, USA |

Metodo de Impresión 1: OFFSET

Metodo de Impresión 2: HOT STAMPING

Color de Fondo 1: BLANCO (COLOR DEL MATERIAL)

**220-C**

L'BEL

MATTE PRO DEFENSE

Base Mate con multiproteccion de la piel FPS 20

Matte foundation with skin multiprotection SPF 20




Matte foundation with skin multiprotection SPF 20

1.01 fl. oz. (30ml)

Tone ALMENDRA 230-N



**EN PROCESO**  
**NO REPRODUCIR**  
 Cristina Malla / MAQUILLAJE / NUEVO



L'BEL

MATTE PRO  
 DÉFENSE

Base mate con  
 multiprotección  
 de la piel  
 FPS 20

Matte foundation  
 with skin  
 multiprotection  
 SPF 20

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 5.00 % ..... Sunscreen  
 ZINC OXIDE 4.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, DIMETHICONE, ISODODECANE, PEG-10 DIMETHICONE, TRIMETHYLSILOXYSILICATE, PROPYLENE GLYCOL, MICA, DIMETHICONE/VINYL DIMETHICONE

**Drug Facts**  
 (continued)

CROSSPOLYMER, PEG / PPG - 18 / 18 DIMETHICONE, POLYSILICONE-11, GLYCERIN, LECITHIN, SODIUM CHLORIDE, PHENOXYETHANOL, SILICA, SILICA DIMETHYL Silylate, BACKHOUSIA CITRIDODORA LEAF EXTRACT, MALTODEXTRIN, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, HYDROXYETHYL UREA, PEG-8 CAPRYLIC/ CAPRIC GLYCERIDES, CHLORPHENESIN, TOCOPHERYL ACETATE, LACTOBACILLUS FERMENT, OCTYLDODECETH-25, PERFLUOROOCTYL TRIETHOXY SILANE, SODIUM HYALURONATE, DECYLENE GLYCOL.  
 MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia.

www.lbel.com

TONE: ALMENDRA 230-N

Arte - Caja

|                     |   |                           |
|---------------------|---|---------------------------|
| Arte N°: CJ-57322-A | Nombre del Producto: BASE ANTIBACTERIAL Base Mate |                           |
| Plano: DS0460-C     | Fecha: 27/10/20                                   | Destino: PUERTO RICO, USA |

Metodo de Impresión 1: OFFSET

Metodo de Impresión 2: HOT STAMPING

Color de Fondo 1: BLANCO (COLOR DEL MATERIAL)

**310-C**

L'BEL

MATTE PRO DEFENSE

Base Mate con multiproteccion de la piel FPS 20


Matte foundation with skin multiprotection SPF 20

1.01 fl. oz. (30ml)

Tone: CAPUCCINO 310-C



**EN PROCESO**  
**NO REPRODUCIR**  
 Cristina Malla / MAQUILLAJE / NUEVO



L'BEL

MATTE PRO  
 DÉFENSE

Base mate con  
 multiprotección  
 de la piel  
 FPS 20

Matte foundation  
 with skin  
 multiprotection  
 SPF 20

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
 OCTINOXATE 5.00 % ..... Sunscreen  
 ZINC OXIDE 4.20 % ..... Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, DIMETHICONE, ISODODECANE, PEG-10 DIMETHICONE, TRIMETHYLSILOXYSILICATE, PROPYLENE GLYCOL, MICA, DIMETHICONE/VINYL DIMETHICONE

**Drug Facts**  
 (continued)

CROSSPOLYMER, PEG / PPG - 18 / 18 DIMETHICONE, POLYSILICONE-11, GLYCERIN, LECITHIN, SODIUM CHLORIDE, PHENOXYETHANOL, SILICA, SILICA DIMETHYL Silylate, BACKHOUSIA CITRIDODORA LEAF EXTRACT, MALTODEXTRIN, CAPRYLYL GLYCOL, DISTEARDIMONIUM HECTORITE, HYDROXYETHYL UREA, PEG-8 CAPRYLIC/ CAPRIC GLYCERIDES, CHLORPHENESIN, TOCOPHERYL ACETATE, LACTOBACILLUS FERMENT, OCTYLDODECETH-25, PERFLUOROOCTYL TRIETHOXY SILANE, SODIUM HYALURONATE, DECYLENE GLYCOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONER: CAPUCCINO 310-C

Arte - Caja

Arte N°: CJ-57322-A

Nombre del Producto: BASE ANTIBACTERIAL Base Mate

Plano: DS0460-C

Fecha: 27/10/20

Destino: PUERTO RICO, USA

Metodo de Impresión 1: OFFSET

Metodo de Impresión 2: HOT STAMPING

Color de Fondo 1: BLANCO (COLOR DEL MATERIAL)

**MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20 MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 ALMENDRA 230-N**

zinc oxide, octinoxate emulsion

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:43596-0211 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE               | 5 g in 100 mL   |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE               | 4.2 g in 100 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>   | <b>Strength</b> |
|--|-----------------|
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)                      |                 |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)                                  |                 |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO) |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |                 |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)   |                 |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |                 |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                    |                 |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |                 |
| <b>PEG-8 CAPRYLIC/CAPRIC GLYCERIDES</b> (UNII: 00BT03FSO2)                           |                 |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |                 |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |                 |
| <b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V15VM0)                               |                 |
| <b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)                                 |                 |
| <b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)  |                 |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)  |                 |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)   |                 |
| <b>MICA</b> (UNII: V8A1AW0880)   |                 |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |                 |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)  |                 |
| <b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)                                   |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)  |                 |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |                 |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |                 |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                  |                 |
| <b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)                                    |                 |
| <b>DECYLENE GLYCOL</b> (UNII: S57M60MI88)  |                 |
| <b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)  |                 |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)  |                 |
| <b>OCTYLDODECETH-25</b> (UNII: F8934HEL3M)   |                 |
| <b>PERFLUOROCTYL TRIETHOXYLSILANE</b> (UNII: 814P46684U)                             |                 |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                 |                 |



## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:43596-0211-1 | 30 mL in 1 JAR; Type 0: Not a Combination Product | 04/14/2021           |                    |

## Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352                                  | 04/14/2021           |                    |

## MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20 MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 BEIGE 220-C

zinc oxide,octinoxate emulsion

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:43596-0210 |
| Route of Administration | TOPICAL        |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength        |
|---|-------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE        | 5 g in 100 mL   |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE        | 4.2 g in 100 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)                      |          |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)                                  |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                    |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>PEG-8 CAPRYLIC/CAPRIC GLYCERIDES</b> (UNII: 00BT03FSO2)                           |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)                               |          |
| <b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)                                 |          |
| <b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |

|  |
|--|
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)  |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)   |
| <b>MICA</b> (UNII: V8A1AW0880)   |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)  |
| <b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)                                   |
| <b>WATER</b> (UNII: 059QF0K00R)  |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                  |
| <b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)                                    |
| <b>DECYLENE GLYCOL</b> (UNII: S57M60MI88)  |
| <b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)  |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)  |
| <b>OCTYLDODECETH-25</b> (UNII: F8934HEL3M)   |
| <b>PERFLUOROCTYL TRIETHOXYSILANE</b> (UNII: 814P46684U)                              |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                 |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:43596-0210-1 | 30 mL in 1 JAR; Type 0: Not a Combination Product | 04/14/2021           |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352                                  | 04/14/2021           |                    |

## MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20 MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 CHAMPAGNE 170-N

zinc oxide,octinoxate emulsion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:43596-0208 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength        |
|---|-------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE        | 5 g in 100 mL   |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE        | 4.2 g in 100 mL |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)                      |          |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)                                  |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                    |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>PEG-8 CAPRYLIC/CAPRIC GLYCERIDES</b> (UNII: 00BT03FSO2)                           |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)                               |          |
| <b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)                                 |          |
| <b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |          |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)  |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)   |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |          |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)  |          |
| <b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)                                   |          |
| <b>WATER</b> (UNII: 059QF0K00R)  |          |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                  |          |
| <b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)                                    |          |
| <b>DECYLENE GLYCOL</b> (UNII: S57M60MI88)  |          |
| <b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)  |          |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)  |          |
| <b>OCTYLDODECETH-25</b> (UNII: F8934HEL3M)   |          |
| <b>PERFLUOROCTYL TRIETHOXSILANE</b> (UNII: 814P46684U)                               |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                 |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:43596-0208-1 | 30 mL in 1 JAR; Type 0: Not a Combination Product | 04/14/2021           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

# MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20 MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 LATTE 180-F

zinc oxide, octinoxate emulsion

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:43596-0209 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength        |
|---|-------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE        | 5 g in 100 mL   |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE        | 4.2 g in 100 mL |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)                      |          |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)                                  |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                    |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>PEG-8 CAPRYLIC/CAPRIC GLYCERIDES</b> (UNII: 00BT03FSO2)                           |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V15VM0)                               |          |
| <b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)                                 |          |
| <b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |          |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)  |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)   |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |          |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)  |          |
| <b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)                                   |          |
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                  |          |

|   |
|---|
| <b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)       |
| <b>DECYLENE GLYCOL</b> (UNII: S57M60MI88)               |
| <b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)             |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)                 |
| <b>OCTYLDODECETH-25</b> (UNII: F8934HEL3M)              |
| <b>PERFLUOROCTYL TRIETHOXYSILANE</b> (UNII: 814P46684U) |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)    |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:43596-0209-1 | 30 mL in 1 JAR; Type 0: Not a Combination Product | 04/14/2021           |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352                                  | 04/14/2021           |                    |

## MATTE PRO DEFENSE BASE MATE CON MULTIPROTECCION DE LA PIEL FPS 20 MATTE FOUNDATION WITH SKIN MULTIPROTECTION SPF 20 CAPUCCINO 310-C

zinc oxide,octinoxate emulsion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:43596-0212 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength        |
|---|-------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE        | 5 g in 100 mL   |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE        | 4.2 g in 100 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)                      |          |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)                                  |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |          |

|  |
|--|
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                    |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |
| <b>PEG-8 CAPRYLIC/CAPRIC GLYCERIDES</b> (UNII: 00BT03FSO2)                           |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |
| <b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)                               |
| <b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)                                 |
| <b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)  |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)   |
| <b>MICA</b> (UNII: V8A1AW0880)   |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)  |
| <b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)                                   |
| <b>WATER</b> (UNII: 059QF0KO0R)  |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                  |
| <b>LACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)                                    |
| <b>DECYLENE GLYCOL</b> (UNII: S57M60MI88)  |
| <b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)  |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)  |
| <b>OCTYLDODECETH-25</b> (UNII: F8934HEL3M)   |
| <b>PERFLUOROCTYL TRIETHOXYLSILANE</b> (UNII: 814P46684U)                             |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                 |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:43596-0212-1 | 30 mL in 1 JAR; Type 0: Not a Combination Product | 04/14/2021           |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352                                  | 04/14/2021           |                    |

**Labeler** - Ventura Corporation LTD (602751344)

### Establishment

| Name                        | Address | ID/FEI    | Business Operations   |
|-----------------------------|---------|-----------|---|
| Bel Star S.A.<br>(Colombia) |         | 880160197 | manufacture(43596-0208, 43596-0209, 43596-0210, 43596-0211, 43596-0212) |

