ASTRI IO-CON- iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

DIRECTIONS:

ASTRI IO-CON IS INTENDED TO BE USED WITH LELY ROBOTIC MILKING SYSTEMS ASTRI IO-CON MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Astri IO-Con by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Astri IO-Con by volume.

IMPORTANT: Do not mix Astri IO-Con or diluted Astri IO-Con with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Astri IO-Con. If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Astri IO-Con Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Astri IO-Con. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Astri IO-Con. Allow to air dry. Do not wipe. Always use fresh, diluted Astri IO-Con. Do not turn cows out in freezing weather until diluted Astri IO-Con is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Astri IO-Con is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Astri IO-Con within six (6) months of blended date.

Principal Display Panel and Representative Label

Astri IO-Con

Iodine Teat Spra Concentrate

6302126

ACTIVE INGREDIENT:

Titratable iodine......3.6%

INERT INGREDIENTS:96.4%

(contains glycerin, propylene glycol)

TOTAL:......100.0%

Does not contain Nonylphenol ethoxylate (NPE)

Teat Spray

www.lely.com

Produced by Ecolab Astri IO-Con

FOR COMMERCIAL USE ONLY

An aid in reducing the spread of organisms which may cause mastitis

56.8 L (15 US GAL)

Ecolab · 1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392

© 2017 Ecolab USA Inc. · All rights reserved

Made in U.S.A.

770343/5300/0417

DIRECTIONS

DIRECTIONS:

ASTRI IO-CON IS INTENDED TO BE USED WITH LELY ROBOTIC MILKING SYSTEMS ASTRI IO-CON MUST BE DILUTED BEFORE USE DO NOT MIX WITH ANTYHING BUT COOL, POTABLE WATER FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB Dilution Parameter A dilute solution of a 0.5% iodine lead dip will consist of 87.5% potable water and 2.5% Astri IO-Con by volume. A dilute solution of a 1% coined heat dip will consist of 75% potable water and 2.5% Astri IO-Con by volume. A dilute solution of a 1% coined heat dip will consist of 75% potable water and 25% Astri IO-Con or diluted Astri IO-Con with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Astri IO-Con. If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking "Wash leats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service lowed. Sue proper procedures for udder washing or pre-dipping.

solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service lowels. Use proper procedures for udder washing or pre-dipping. Application of Diuted Astri 10-Con. Directions for Teat Spraying Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Astri 10-Con. Wipe teats after spraying using single-service lowels to avoid contamination of milk. Post-Milk Spraying: immediately after each milking, spray entrite teat with diluted Astri 10-Con. Allow to air dry, Do not wipe. Always use fresh, diluted Astri 10-Con. Do not turn cows out in freezing weather until diluted Astri 10-Con to completely dry. Expanded Usage: When Instellening cows, begin dipping teats twice daily for about 10 days before calving.

before calving.

PRECAUTION: Astri IO-Con is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitivanimals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Astri IO-Con within six (6) months of blended date.

INSTRUCCIONES:

ASTRI IO-CON DEBE SER USADO CON LOS SISTEMAS ROBOTICOS DE ORDEÑADO MARCA LELY

ASTRI 10-CON DEBE SER USADO CON LOS SISTEMAS ROBOTICOS DE ORDERADO MARCA LEU?

ASTRI 10-CON DILUT ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA
USAR ØINICAMENTE EN UN SISTEMA DE DOSFICACIÓN RECOMENDADO POR ECOLAB
PARIMENTO de Iducisões iuto solución diudida de ballo antiségitico para pezones con iodo al
0,9% contendrá 07,5% de agua potable y 2.5% de ASTI 10-Con por volumen. Una solución
diudida de ballo mitégitico para pezones con iodo al 1% contendrá 75% de agua potable y
MORTANTE. No mezcle Astri 10-Con o Astri 10-Con diluido con otros productos a menos que
indique en las instrucciones de uso del producto. Se il producto fesse ternaferirá de desde
este envase a cualquier otro, asegúrese de que ses otro envase haya sido integramente
prelavado y que contenga el eliquidamiento del envase de Astri 10-Con. Sel producto en el
recipiente para realizar el ballo está visiblemente sucio, deseche el contenido y reliene el
recipiente por producto diluido y tito para usar, ho vuelva a utilizar el mismo producto, ni
vuelva a colocar el producto sin usar dentro del envase original.
Antes de Otrefaeri. Lavel los pezones completamente justo antes de ordeñar con una solución
de lavado apropidad para utures o baño antiséptico para pezones previo al ordefaç o rocíe el
procepto para venitar la contaminación de la lecha. Postoriormente, los pezones se deben secar
con bollas de servició cinco d'escartables. Utilice el procedimiento adecuado para el lavado

**Latentifica de del Morta de la contaminación con descartables. Utilice el procedimiento adecuado para el lavado

**Latentifica de del Morta de la contaminación de la contaminación de la contaminación con descartables. Utilice el procedimiento adecuado para el lavado

**Latentifica del Morta del Contamina del Cont

pezut ja a artiar la columination tara inchar Postent in melle, los pezones a obesin secundo el probalhad ambispirto de las ubres.

Aplicación de dilución Astrí 10-Con Balaco Pezones

Rociado previo al a ordefle Antes de ordeflar cada vaca, rocíe toda la superficie del pezón con Astrí 10-Con diludo. Seque los pezones después de roclarios utilizando toalisa de un solo exvicio para evidar la contaminación con la lecha.

Rociado posterior al ordefle: Inmediatamente después de ordeflar cada vaca, rocíe toda la superficie del pezón con Astrí 10-Con diludo. Seque los pezones después de ordeflar cada vaca, rocíe toda la superficie del pezón con Astrí 10-Con diludo. Del pezone a al aira. No utilico paños. Siempre utilica Astrí 10-Con fresco y diludo. No dej elas vacas en un clima helado antes de que Astrí 10-Con fludos de pezón con Astrí 10-Con diludos Deje secar al aira. No utilico paños. Siempre utilica Astrí 10-Con fresco y diludo. No dej elas vacas en un clima helado antes de que Astrí 10-Con fludos o completo.

Vas Expandido: Al refrescar a las vacas comience con un beño antiséptico de sus pezones os veces por dia por a proximadamente 10 días antes de parir.

PRECAUCIÓN: Astrí 10-Con ne está diseñado para curar o a yuder con la cicatrización de los pezones agrielados o irritados. Como cualquier o tro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga asumiam dichas afecciones, y de sen necesario, hagalas tratar o un velerinario.

AVISO: Utilice Astrí 10-Con mezclado dentro de los seis (6) meses a partir de la fecha de mezclado.

Ecolab ·1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392 © 2017 Ecolab USA Inc. · All rights reserved | Todos los derechos reservados Made in U.S.A. | Hecho en EE.UU. 770343/5300/0417

Astri 10-Con

Iodine Teat Spray Concentrate Spray antiséptico concentrado para pezones con iodo

6302126

ACTIVE INGREDIENT:3.6% ...<u>96.4%</u> INFRT INGREDIENTS: (contains glycerin, propylene glycol) 100.0%

Does not contain Nonviphenol ethoxylate (NPE) No contiene Etoxilatos de nonifenol

EAT SPRAY

www.lelv.com

Astri 10-Con ECOLAB

FOR COMMERCIAL USE ONLY

PARA USO COMERCIAL SOLAMENTE

An aid in reducing the spread of organisms which may cause mastitis

Ayuda a evitar la proliferación de organismos que pueden causar mastitis

56.8 L (15 US GAL)

KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell. READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS NO ES PARA USO HUMANO

Atención

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación

Consultar a un médico si la persona se encuentra mal

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1651 222 5352 (número en los EE.UU.).

Preparation Date:_____ Lot Code:

ASTRI IO-CON

iodine solution

Product	Information

OTC ANIMAL DRUG NDC:47593-583 Product Type Item Code (Source)

TOPICAL. Route of Administration

Active Ingredient/Active Moiety

Ingredient Name **Basis of Strength** Strength **IODINE** (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) **IODINE** 36 mg in 1 mL

Inactive Ingredients

Ingredient Name Strength GLYCERIN (UNII: PDC6A3C0OX) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) WATER (UNII: 059QF0KO0R)

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:47593-583-21	208000 mL in 1 DRUM				
2	NDC:47593-583-17	56800 mL in 1 DRUM				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		0 4/2 1/20 17				

Labeler - Ecolab Inc. (006154611)

Revised: 4/2017 Ecolab Inc.