

SUN SHIELD MINERAL BROAD SPECTRUM SPF 50 SUNSCREEN- titanium dioxide and zinc oxide lotion

Obagi Cosmeceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**SUN SHIELD MINERAL BROAD SPECTRUM SPF 50
SUNSCREEN LOTION**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium dioxide 6.2%	Sunscreen
Zinc oxide 15.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients

Water (Aqua), Caprylic/Capric Triglyceride, Dicaprylyl Carbonate, Pentylene Glycol, Steareth-2, Glycerin, Silica, Polyhydroxystearic Acid, Steareth-21, Cetearyl Alcohol, Propanediol, Alumina, Stearic Acid, Sodium Stearoyl Glutamate, Caprylyl Glycol, Triethoxycaprylylsilane, Cetearyl Glucoside, Xanthan Gum, Dipotassium Glycyrrhizate, Trisodium Ethylenediamine Disuccinate, Caprylhydroxamic Acid, Tropaeolum Majus Flower/Leaf/Stem Extract

Other information

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

Questions or comments?**1.800.636.7546**


Monday–Friday 9 a.m.–4 p.m. Pacific Time

Distributed by Obagi Cosmeceuticals LLC

Long Beach, CA 90806

PRINCIPAL DISPLAY PANEL - 85 g Tube CartonOBAGI™
MEDICALSun Shield
MINERALBroad
Spectrum
SPF 50Sunscreen
LotionPA++++
Non-comedogenic
Dermatologist Tested

Net wt. 3 oz. (85 g)



Drug Facts (continued)

Inactive ingredients

Water (Aqua), Caprylic/Capric Triglyceride, Dicaprylyl Carbonate, Pentylene Glycol, Steareth-2, Glycerin, Silica, Polyhydroxystearic Acid, Steareth-21, Cetearyl Alcohol, Propanediol, Alumina, Stearic Acid, Sodium Stearoyl Glutamate, Caprylyl Glycol, Triethoxycaprylylsilane, Cetearyl Glucoside, Xanthan Gum, Dipotassium Glycyrrhizate, Trisodium Ethylenediamine Disuccinate, Caprylhydroxamic Acid, Tropaeolum Majus Flower/Leaf/Stem Extract

Other information

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

Questions or comments?

1.800.636.7546
Monday–Friday 9 a.m.–4 p.m. Pacific Time



Sun Shield
Broad Spectrum
SPF 50



Sunscreen
Lotion

MINERAL

PA++++
Non-comedogenic
Dermatologist Tested

Net wt. 3 oz. (85 g)

**Sun Shield Mineral
Broad Spectrum SPF 50**

An elegant daily sunscreen that protects from UVA and UVB rays with a 100% mineral blend of zinc oxide and titanium dioxide, and provides a lightweight satin finish. This high protection physical sunscreen is also formulated with Nasturtium flower extract to help defend against blue and visible light.

Formulated for all skin types, including sensitive skin.

Drug Facts

Active ingredients	Purpose
Titanium dioxide 6.2%Sunscreen
Zinc oxide 15.6%Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses



Distributed by Obagi Cosmeceuticals LLC
Long Beach, CA 90806

All products/brand names, whether designated by notice or not (®/TM), are trademarks of Obagi Cosmeceuticals LLC and/or its affiliates

©2020 Obagi Cosmeceuticals LLC.

All rights reserved. www.obagi.com

Made in USA with U.S. and Imported components
9457601



3 62032 81003 4



SUN SHIELD MINERAL BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62032-811
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	6.2 g in 100 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	15.6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LM26O6933)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
TROPAEOLUM MAJUS FLOWERING TOP (UNII: RGT30824HY)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-811-09	1 in 1 CARTON	12/01/2019	
1		85 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2019	

Labeler - Obagi Cosmeceuticals LLC (790553353)

Establishment

Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	MANUFACTURE(62032-811)

Revised: 2/2021

Obagi Cosmeceuticals LLC