BETTER LIVING BRANDS CHILDRENS FEVER AND PAIN RELIVERacetaminophen suspension BETTER LIVING BRANDS LLC

Better Living Brands Children's Fever + Pain Reliever

Active ingredient (per 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/Fever reducer

Uses

Temporarily:

- reduces fever
- relieves minor aches and pains which may be associated with the common cold, flu, headache, sore throat or toothache.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, or is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if the child is

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- new symptoms occur
- pain gets worse or lasts more than 3 days
- fever gets worse or lasts more than 5 days
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose(overdose) can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- This product does not contain directions or complete warnings for adult use
- Do not give more than directed (see overdose warning).
- Shake well before using
- Find right dose on chart below. (If possible, use weight to determine dosing; otherwise, use age.)
- Pour liquid into dosing cup to the appropriate amount for your child's weight and/or age.
- Only use with enclosed dosing cup.
- If needed, repeat dose every 4 hours while symptoms last.
- Do not give more than 5 times in any 24-hour period (see overdose warning).
- Do not give more than 5 days unless directed by a doctor.
- Replace cap tightly to maintain child resistance.

Weight (lbs)	Age (yrs)	Dose
under 24	under 2	Ask a doctor
24-35	2- under 4	5 mL
36-47	4- under 6	7.5 mL

48-59	6- under 9	10 mL
60-71	9- under 11	12.5 mL
72-95	11- under 12	15 mL

Other information

- Store at room temperature
- · Check expiration date on bottle or box before using
- DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Inactive ingredients

citric acid, glycerin, natural flavor, potassium sorbate, povidone, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Principal Display Panel

NDC 21130-746-04

Compare to the active ingredient in Little Remedies® Children's Fever + Pain Reliever*

Children's Fever + Pain Reliever

ACETAMINOPHEN 160 mg/ 5mL

PAIN RELIEVER AND FEVER REDUCER

- PARABEN FREE
- DYE FREE
- NO ARTIFICIAL COLOR
- NO ASPIRIN OR LBUPROFEN
- NO HIGH FRUCTOSE CORN SYRUP

For Age 2-11

NATURAL GRAPE FLAVOR

4 FL. OZ. (118 mL)

DISTRIBUTED BY:

LUCERNE NORTH AMERICA LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

1-866-578-4935

Keep this carton for future reference on full labeling.

*This product is not manufactured or distributed by Prestige Consumer trademark Little

Remedies® Children's Fever + Pain Reliever.



BETTER LIVING BRANDS CHILDRENS FEVER AND PAIN RELIVER

acetaminophen suspension

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-746	
Route of Administration	ORAL			

Active Ingredient/Active Moiety

Inare	dient	Name
-------	-------	------

Basis of Strength

Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN

160 mg in 5 mL

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
GLYCERIN (UNII: PDC6A3C0OX)			
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)			
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics				
Color		Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				

Packaging					
# Item Co	ode Package	Description	Marketing Start Date	Marketing End Date	
1 NDC:21130	0-746- 1 in 1 CARTON		04/02/2019		
1	118 mL in 1 BOTTLE; T Product	ype 0: Not a Combination			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/02/2019	

Labeler - BETTER LIVING BRANDS LLC (009137209)

BETTER LIVING BRANDS LLC Revised: 10/2023