

BISACODYL - bisacodyl suppository

Major Pharmaceuticals

Major Bisacodyl Suppositories

Active ingredient (in each suppository)

Bisacodyl USP, 10mg

Purpose

Stimulant Laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 15 minutes to 1 hour

Warnings

For rectal use only

Do not use

- more than once per day
- for a period longer than one week unless directed by a doctor
- laxative products when abdominal pain, nausea, or vomiting are present unless directed a doctor

Ask a Doctor before using any laxative if you have

- notice a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- may cause stomach discomfort, faintness, rectal burning and mild cramps

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after using a laxative. These may indicate a serious condition.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and over - One suppository once daily

Children 6 to under 12 years of age - 1/2 suppository once daily

Children under 6 - Ask a doctor

- Detach one suppository from the strip and remove the foil
- Carefully insert one suppository well into the rectum, pointed end first
- Do not use more than once per day
- Retain about 15 to 20 minutes

Other information

- Storage temperature not to exceed 30°C (86°F)
- Individually sealed for your protection. Do not use if foil is torn or open.

Inactive ingredients

hydrogenated vegetable oil

Questions or comments?

(800) 616-2471

Major Bisacodyl Suppositories

MAJOR **Bisacodyl**
10 mg
 Stimulant Laxative Suppository

Gentle, Predictable, Fast Relief

MAJOR
Bisacodyl
10 mg
 Stimulant Laxative Suppository

NDC 0904-7142-12¹


Compare to the active ingredient in Dulcolax[®]

Gentle, Predictable, Fast Relief

12
 Comfort Shaped

Medicated Laxative Suppositories

Do Not Swallow



MAJOR **Bisacodyl**
10 mg
 Stimulant Laxative Suppository

Gentle, Predictable, Fast Relief

Drug Facts

Active ingredient (in each suppository) **Purpose**
 Bisacodyl USP, 10 mg Stimulant Laxative

Uses ■ For temporary relief of occasional constipation and irregularity ■ This product generally produces bowel movement in 15 minutes to 1 hour

Warnings

For rectal use only.

Do not use ■ more than once per day ■ for a period of longer than one week unless directed by doctor ■ laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask a doctor before use if you have ■ noticed a sudden change in bowel habits that persists over a period of two weeks

When using this product ■ May cause abdominal discomfort, faintness, rectal burning, and mild cramps

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after using a laxative. These may indicate a serious condition.

Drug Facts (continued)

Warnings

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older	Children 6 to under 12 years	Children under 6
One suppository once daily	½ suppository once daily	Ask a doctor

■ Detach one suppository from the strip and remove from foil
 ■ Carefully insert one suppository well into the rectum, pointed end first ■ Do not use more than once per day ■ Retain about 15 to 20 minutes

Other information

■ Storage temperature: not to exceed 30° C (86° F)
 ■ Individually sealed for your protection. Do not use if foil is torn or open.

Inactive ingredient hydrogenated vegetable oil

Questions or comments? (800) 616-2471

* This product is not manufactured or distributed by Boehringer Ingelheim Consumer Health Care, owner of the registered trademark Dulcolax[®].

MAJOR Bisacodyl 10 mg Stimulant Laxative Suppository

Lot No. / Exp.

Major_Bisacodyl_12.jpg

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Bisacodyl Suppositories 12ct

Distributed by

Major Pharmaceuticals

Livonia, MI 48152

BISACODYL

bisacodyl suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7142
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	10 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED PALM KERNEL OIL (UNII: FM8D1RE2VP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7142-12	2 in 1 CARTON	05/05/2021	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0904-7142-60	100 in 1 CARTON	05/05/2021	10/31/2023
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/05/2021	

Labeler - Major Pharmaceuticals (191427277)

Registrant - DSC Laboratories, Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(0904-7142)