

**THE ENRICHED CREME BROAD SPECTRUM SPF 15- zinc oxide emulsion**  
**Rationale Group Pty Ltd**

-----  
**The Enriched Crème Broad Spectrum SPF 15**

***Drug Facts***

***Active Ingredient***

Zinc Oxide 12%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures ( ), decreases the risk of skin cancer and early skin ageing caused by the sun. see ***Directions***

***Warnings***

**For external use only.**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- Rash occurs.

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before sun exposure.
- Reapply
- At least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures.**

- Limit time in the sun, especially from 10 a.m -2p.m.
- Wear long sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

### ***Other Information***

- Protect the product in this container from excessive heat and direct sun.

### ***Inactive ingredients***

Aqua (Water), Dimethicone , Glycerin, Pentylene Glycol, PEG-10 Dimethicone, Tribehenin PEG-20 Esters, Ethylhexyl Methoxycrylene, Coco-Caprylate, Polyhydroxystearic Acid, Propanediol, Argania Spinosa Kernel Oil, Dimethicone Crosspolymer, Polyurethane-62, Tocopheryl Acetate, CI 77891 (Titanium Dioxide), Polyacrylamide, 1,2-Hexanediol, Silica, C13-14 Isoparaffin, Maltodextrin, Mica, Sodium Potassium Aluminum Silicate, Tocopherol, Butylene Glycol, Limonene, Tocotrienols, Laureth-7, Caprylhydroxamic Acid, Disodium EDTA, Hydrolyzed Keratin, Santalum Spicatum (Sandalwood) Seed Oil, Trideceth-10, Voandzeia Subterranea Seed Extract, Behenyl Alcohol, Bisabolol, Polyglyceryl-10 Pentastearate, Helianthus Annuus (Sunflower) Seed Oil, Citrus Aurantium Dulcis (Orange) Oil, Anigozanthos Flavids Flower Extract, Davidsonia Jerseyana Fruit Extract, Syzygium Luehmannii Fruit Extract, Tin Oxide, Citric Acid, Cetareth-25, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Grandis (Grapefruit) Peel Oil, Citrus Limon (Lemon) Peel Oil, Fructose, Litsea Cubeba Fruit Oil, Sodium Hydroxide, Urea, Citral, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Sodium Stearyl Lactylate, CI 77491 (Iron Oxides), Ceramide NP, 7-Dehydrocholesterol, Cetyl Alcohol, Elaeis Guineensis (Palm) Oil, Melanin, Allantoin, Maltose, Sodium Chloride, Sodium Lactate, Sodium PCA, Trehalose, Magnesium Aspartate, Zinc Gluconate, Linalool, Behenic Acid, Ceramide AP, Cholesterol, Ceramide NG, Phytosphingosine, Ceramide NS Sodium Hyaluronate, Glycine, Acetyl Tetrapeptide-22, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Serine, Glutamic Acid, Ceramide EOP, Ceramide EOS, Copper Gluconate, Glucose, Aspartic Acid, Leucine, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Ethylhexylglycerin, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.

### **Package Labeling:**

# RATIONALE

## RATIONALE

The Enriched Crème  
Broad Spectrum SPF15



50mL / 1.7oz e

Feet @  
base

### Drug Facts (Continued)

in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2p.m.
- Wear long sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

### Other Information

● Protect the product in this container from excessive heat and direct sun.

### Inactive ingredients

Aqua (Water), Dimethicone, Glycerin, Pentylene Glycol, PEG-10 Dimethicone, Triphenyl PEG-20 Esters, Ethylhexyl Methoxycrylene, Coco-Caprylate, Polyhydroxystearic Acid, Propylalcohol, Argania Spinosa Kernel Oil, Dimethicone Crosspolymer, Polyurethane-62, Tocopheryl Acetate, CI 77891 (Titanium Dioxide), Polyacrylamide, 1,2-Hexanediol, Silica, C13-14 Isoparaffin, Maltodextrin, Mica, Sodium Potassium Aluminum Silicate, Tocopherol, Butylene Glycol, Limonene, Tocotrienols, Laureth-7, Caprylylhydroxamic Acid, Disodium EDTA, Hydrolyzed Keratin, Santalum Spicatum (Sandalwood) Seed Oil, Trideceth-10, Vainozaesia Subterranea Seed Extract, Behenyl Alcohol.

### Drug Facts (Continued)

Bisabolol, Polyglyceryl-10 Pentastearate, Helianthus Annuus (Sunflower) Seed Oil, Citrus Aurantium Dulcis (Orange) Oil, Ansozanthos Flavidos Flower Extract, Davidsonia Jereyeria Fruit Extract, Strygium Luehmanni Fruit Extract, Tin Oxide, Citric Acid, Catechol-2,6, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Grandis (Grapefruit) Peel Oil, Citrus Limon (Lemon) Peel Oil, Fructose, Ulmas Cubaeta Fruit Oil, Sodium Hydroxide, Urea, Citral, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Juniperus Mediana Oil, Polargonium Graveolens Oil, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Sodium Stearoyl Lactylate, CI 77491 (Iron Oxides), Ceramide NP, 7-Dehydrocholesterol, Cetyl Alcohol, Elaeis Guineensis (Palm) Oil, Melamin, Maltose, Sodium Chloride, Sodium Lactate, Sodium PCA, Trehalose, Magnesium Aspartate, Zinc Gluconate, Linoleol, Behenic Acid, Ceramide AP, Cholesterol, Ceramide NS, Phytosphingosine, Ceramide NS, Sodium Hyaluronate, Glycine, Acetyl Tetrapeptide-22, Phenoxylethanol, Potassium Sorbate, Sodium Benzoate, Serine, Glutamic Acid, Ceramide EOP, Ceramide EOS, Copper Gluconate, Glucose, Aspartic Acid, Leucine, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Ethylhexylglycerin, Arginine, Threonine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.

RATIONALE 175-187 High St. Kyneton VIC Australia 3444. Distributed by: RATIONALE USA LLC 333 SE 2nd Ave, Suite 2000, Miami, FL 33131, USA

RATIONALE.com  
Made in Australia

### Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

**Uses** ● Helps prevent sunburn. ● If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin ageing caused by the sun.

### Warnings

For external use only. Do not use ● On damaged or broken skin. When using this product ● Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ● Rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● Sun Protection Measures. Spending time



## Package Labeling:3ml

RATIONALE  
175-187 High St, Kyneton  
VIC Australia 3444

Distributed by:  
RATIONALE USA LLC  
333 SE 2nd Ave, Suite 2000,  
Miami, FL 33131, USA

RATIONALE.com  
Made in Australia

RATIONALE  
The Brilliance Collection



### #3 The Enriched Crème SPF15 Broad Spectrum

This elegant crème provides enduring nourishment combined with sophisticated solar and environmental protection. An innovative fusion of bio supportive Zinc and Iron Oxides visibly calm and strengthen, promoting a radiant complexion.



3mL / 0.1fl.oz e  
5mL / 0.2fl.oz e

Drug Facts	
<b>Active Ingredient</b> Zinc Oxide 12%	<b>Purpose</b> Sunscreen
<b>Uses</b> ● Helps prevent sunburn ● If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin ageing caused by the sun.	
<b>Warnings</b> <b>For external use only. Do not use</b> ● On damaged or broken skin. <b>When using this product</b> ● Keep out of eyes. Rinse with water to remove. <b>Stop use and ask a doctor if</b> ● Rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ● Limit time in the sun, especially from 10 a.m. - 2p.m. →	

Drug Facts (Continued)	
● Wear long sleeved shirts, pants, hats and sunglasses. ● Children under 6 months of age: Ask a doctor.	
<b>Other Information</b> ● Protect the product in this container from excessive heat and direct sun.	
<b>Inactive ingredients</b> Aqua (Water), Dimethicone, Glycerin, Pentylene Glycol, PEG-10 Dimethicone, Tribehenin PEG-20 Esters, Ethylhexyl Methoxycrylene, Coco-Caprylate, Polyhydroxystearic Acid, Propanediol, Argania Spinosa Kernel Oil, Dimethicone Crosspolymer, Polyurethane-62, Tocopheryl Acetate, CI 77891 (Titanium Dioxide), Polyacrylamide, 1,2-Hexanediol, Silica, C13-14 Isoparaffin, Maltodextrin, Mica, Sodium Potassium Aluminum Silicate, Tocopherol, Butylene Glycol, Limonene, Tocotrienols, Laureth-7, Caprylhydroxamic Acid, Disodium EDTA, Hydrolyzed Keratin, Santalum Spicatum (Sandalwood) Seed Oil, Trideceth-10, Voandzeia Subterranea Seed Extract, Behenyl Alcohol, Bisabolol, Polyglyceryl-10 Pentastearate, Helianthus Annuus (Sunflower) Seed Oil, Citrus Aurantium Dulcis (Orange) Oil, Anigozanthos Flavidus Flower Extract, Davidsonia Jerseyana Fruit Extract, Syzygium Luehmannii Fruit Extract, Tin Oxide, Citric Acid, Ceteareth-25, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Grandis (Grapefruit) Peel Oil, Citrus Limon (Lemon) Peel Oil, Fructose, Litsea Cubeba Fruit Oil, Sodium Hydroxide, Urea, Citral, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Sodium Stearoyl Lactylate, CI 77491 (Iron Oxides), Ceramide NP, 7-Dehydrocholesterol, Cetyl Alcohol, Elaeis Guineensis (Palm) Oil, Melanin, Allantoin, Maltose, Sodium Chloride, Sodium Lactate, Sodium PCA, Trehalose, Magnesium Aspartate, Zinc Gluconate, Linalool, Behenic Acid, Ceramide AP, Cholesterol, Ceramide NG, Phytosphingosine, Ceramide NS, Sodium Hyaluronate, Glycine, Acetyl Tetrapeptide-22, Phenoxethanol, Potassium Sorbate, Sodium Benzoate, Serine, Glutamic Acid, Ceramide EOP, Ceramide EOS, Copper Gluconate, Glucose, Aspartic Acid, Leucine, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Ethylhexylglycerin, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.	

GL3ECS1A / GL3ECS1A



Package Labeling: 5ml

RATIONALE  
175-187 High St, Kyneton  
VIC Australia 3444

Distributed by:  
RATIONALE USA LLC  
333 SE 2nd Ave, Suite 2000,  
Miami, FL 33131, USA

RATIONALE.com  
Made in Australia

# RATIONALE

## The Brilliance Collection



### #3 The Enriched Crème SPF15 Broad Spectrum

This elegant crème provides enduring nourishment combined with sophisticated solar and environmental protection. An innovative fusion of bio supportive Zinc and Iron Oxides visibly calm and strengthen, promoting a radiant complexion.




3mL / 0.1fl.oz e  
5mL / 0.2fl.oz e

<b>Drug Facts</b>	
<b>Active Ingredient</b> Zinc Oxide 12%	<b>Purpose</b> Sunscreen
<b>Uses</b> ● Helps prevent sunburn ● If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin ageing caused by the sun.	
<b>Warnings</b> <b>For external use only. Do not use</b> ● On damaged or broken skin. <b>When using this product</b> ● Keep out of eyes. Rinse with water to remove. <b>Stop use and ask a doctor if</b> ● Rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ● Apply liberally 15 minutes before sun exposure. ● Reapply ● At least every 2 hours ● Use a water resistant sunscreen if swimming or sweating. ● <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ● Limit time in the sun, especially from 10 a.m.- 2p.m. →	

<b>Drug Facts (Continued)</b>	
● Wear long sleeved shirts, pants, hats and sunglasses. ● Children under 6 months of age: Ask a doctor.	
<b>Other Information</b> ● Protect the product in this container from excessive heat and direct sun.	
<b>Inactive ingredients</b> Aqua (Water), Dimethicone, Glycerin, Pentylene Glycol, PEG-10 Dimethicone, Tribehenin PEG-20 Esters, Ethylhexyl Methoxycrylene, Coco-Caprylate, Polyhydroxystearic Acid, Propanediol, Argania Spinosa Kernel Oil, Dimethicone Crosspolymer, Polyurethane-62, Tocopheryl Acetate, CI 77891 (Titanium Dioxide), Polyacrylamide, 1,2-Hexanediol, Silica, C13-14 Isoparaffin, Maltodextrin, Mica, Sodium Potassium Aluminum Silicate, Tocopherol, Butylene Glycol, Limonene, Tocotrienols, Laureth-7, Caprylhydroxamic Acid, Disodium EDTA, Hydrolyzed Keratin, Santalum Spicatum (Sandalwood) Seed Oil, Trideceth-10, Voandzeia Subterranea Seed Extract, Behenyl Alcohol, Bisabolol, Polyglyceryl-10 Pentastearate, Helianthus Annuus (Sunflower) Seed Oil, Citrus Aurantium Dulcis (Orange) Oil, Anigozanthos Flavidus Flower Extract, Davidsonia Jerseyana Fruit Extract, Syzygium Luehmannii Fruit Extract, Tin Oxide, Citric Acid, Ceteareth-25, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Grandis (Grapefruit) Peel Oil, Citrus Limon (Lemon) Peel Oil, Fructose, Litsea Cubeba Fruit Oil, Sodium Hydroxide, Urea, Citral, Citrus Aurantium Bergamia (Bergamot) Leaf Oil, Juniperus Mexicana Oil, Pelargonium Graveolens Oil, Citrus Aurantium Amara (Bitter Orange) Flower Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Sodium Stearoyl Lactylate, CI 77491 (Iron Oxides), Ceramide NP, 7-Dehydrocholesterol, Cetyl Alcohol, Elaeis Guineensis (Palm) Oil, Melanin, Allantoin, Maltose, Sodium Chloride, Sodium Lactate, Sodium PCA, Trehalose, Magnesium Aspartate, Zinc Gluconate, Linalool, Behenic Acid, Ceramide AP, Cholesterol, Ceramide NG, Phytosphingosine, Ceramide NS, Sodium Hyaluronate, Glycine, Acetyl Tetrapeptide-22, Phenoxethanol, Potassium Sorbate, Sodium Benzoate, Serine, Glutamic Acid, Ceramide EOP, Ceramide EOS, Copper Gluconate, Glucose, Aspartic Acid, Leucine, Caprooyl Phytosphingosine, Caprooyl Sphingosine, Alanine, Lysine, Ethylhexylglycerin, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Valine, Isoleucine, Histidine.	

GL3CSIA / GL3CSIA



## THE ENRICHED CREME BROAD SPECTRUM SPF 15

zinc oxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83108-000
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	120 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>TRIBEHENIN PEG-20 ESTERS</b> (UNII: 84K9EH29Y9)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	

<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>POLYURETHANE-62</b> (UNII: TBK645J3J8)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TOCOTRIENOLS</b> (UNII: KP2MW85SSQ)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SANDALWOOD</b> (UNII: 3641YW25N2)	
<b>TRIDECETH-10</b> (UNII: G624N6MSBA)	
<b>BAMBARA GROUNDNUT</b> (UNII: 4T235SD5XE)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>POLYGLYCERYL-10 PENTASTEARATE</b> (UNII: PMX5872701)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ORANGE OIL, COLD PRESSED</b> (UNII: AKN3KSD11B)	
<b>ANIGOZANTHOS FLAVIDUS FLOWERING TOP</b> (UNII: RP2O43NDZC)	
<b>SYZYGIUM LUEHMANNII FRUIT</b> (UNII: 47QSB3L4KG)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>CITRUS MAXIMA FRUIT RIND OIL</b> (UNII: 8U3877WD44)	
<b>LEMON OIL, COLD PRESSED</b> (UNII: I9GRO824LL)	
<b>FRUCTOSE</b> (UNII: 6YSS42VSEV)	
<b>LITSEA OIL</b> (UNII: 2XIW34BN6O)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>CITRAL</b> (UNII: T7EU009VPP)	
<b>CITRUS BERGAMIA LEAF OIL</b> (UNII: ZVY8741I1V)	
<b>JUNIPERUS DEPPEANA WOOD OIL</b> (UNII: 4739QA5686)	
<b>GERANIUM OIL, ALGERIAN TYPE</b> (UNII: 5Q1I94P4WG)	
<b>CITRUS AURANTIUM FLOWER OIL</b> (UNII: D4BGE91OXH)	
<b>CLOVE LEAF OIL</b> (UNII: VCA5491KVF)	
<b>SODIUM STEAROYL LACTYLATE</b> (UNII: IN99IT31LN)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>7-DEHYDROCHOLESTEROL</b> (UNII: BK1IU07GKF)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>PALM OIL</b> (UNII: 5QUO05548Z)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	

<b>MALTOSE</b> (UNII: XJ6S9RV06F)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>MAGNESIUM ASPARTATE</b> (UNII: R17X820ROL)
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>CERAMIDE AP</b> (UNII: F1X8L2B00J)
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)
<b>CERAMIDE NG</b> (UNII: C04977SRJ5)
<b>PHYTOSPHINGOSINE</b> (UNII: GIN46U9Q2Q)
<b>GLYCINE</b> (UNII: TE7660XO1C)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SERINE</b> (UNII: 452VLY9402)
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)
<b>CERAMIDE EOS</b> (UNII: CROJ8RN66K)
<b>COPPER GLUCONATE</b> (UNII: RV823G6G67)
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R00K)
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)
<b>LEUCINE</b> (UNII: GMW67QNF9C)
<b>CAPROOYL PHYTOSPHINGOSINE</b> (UNII: 2FD4Y5XL2L)
<b>N-HEXANOYLSPHINGOSINE</b> (UNII: 038753E78J)
<b>ALANINE</b> (UNII: OF5P57N2ZX)
<b>LYSINE</b> (UNII: K3Z4F929H6)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>ARGININE</b> (UNII: 94ZLA3W45F)
<b>TYROSINE</b> (UNII: 42HK56048U)
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)
<b>THREONINE</b> (UNII: 2ZD004190S)
<b>VALINE</b> (UNII: HG18B9YRS7)
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)
<b>HISTIDINE</b> (UNII: 4QD397987E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83108-000-00	1 in 1 BOX	11/25/2022	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:83108-000-03	3 mL in 1 JAR; Type 0: Not a Combination Product	12/08/2022	
3	NDC:83108-000-05	5 mL in 1 JAR; Type 0: Not a Combination Product	12/08/2022	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/25/2022	

**Labeler** - Rationale Group Pty Ltd (756927393)

Revised: 11/2023

Rationale Group Pty Ltd