

DRY IDEA A.DRY ANTIPERSPIRANT SOLID UNSCENTED - aluminum zirconium pentachlorohydrate gly stick
The Dial Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dry Idea AdvancedDry Clinical Wetness Protection Antiperspirant & Deodorant Invisible Solid Unscented

Aluminum Zirconium Pentachlorohydrate Gly 20.0%.....Antiperspirant

Reduces underarm perspiration - Extra effective

For external use only. Do not use on broken skin.

Stop use and ask a doctor if rash or irritation occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a poison control center right away.

Ask a doctor before use if you have kidney disease.

Directions: Apply to underarms only.


Cyclomethicone, Stearyl Alcohol, PPG-14 Butyl Ether, Hydrogenated Castor Oil, Myristyl Myristate, Silica Dimethyl Silylate, C20-40 Pareth-10, Potassium Alum, Talc, Tocopheryl Acetate (Vitamin E Acetate), Silica.

Protects 48 Hrs from odor, 24 Hours from wetness.

Questions? 1-800-258-DIAL

2011 Distributed by The Dial Corporation A Henkel Company, Scottsdale, AZ 85255.

The distinctive design and elements of this package are proprietary and owned by The Dial Corporation, A Henkel Company. **U.S.Pat.No:5,417,964.**



Dry Idea® AdvancedDry™ Hypo-allergenic antiperspirant provides clinical level wetness protection, and goes on dry. This high performance formula gives 48 hour odor protection, while being non-irritating and fragrance free.

Drug Facts www.DryIdea.com

Active Ingredient	Purpose
Aluminum Zirconium Pentachlorohydrate GLY 20.0%	Antiperspirant
Use • Reduces underarm perspiration • Extra effective	
Warnings For external use only. Do not use on broken skin. Stop use and ask a doctor if rash or irritation occurs. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. Ask a doctor before use if you have kidney disease.	
Directions Apply to underarms only.	
Inactive Ingredients	
Cyclomethicone, Stearyl Alcohol, PPG-14 Butyl Ether, Hydrogenated Castor Oil, Myristyl Myristate, Silica Dimethyl Silylate, C20-40 Pareth-10, Potassium Alum, Talc, Tocopheryl Acetate (Vitamin E Acetate), Silica.	
* Protects 48 Hrs from odor, 24 hours from wetness.	
☎ Questions? 1-800-258-DIAL	
©2011 Distributed By The Dial Corporation A(Henkel)Company, Scottsdale, AZ 85255	
The distinctive design and elements of this package are proprietary and owned by The Dial Corporation, A Henkel Company.	
U.S.Pat.No.: 5,417,964 DI-5-99697-01	



DRY IDEA A.DRY ANTIPERSPIRANT SOLID UNSCENTED

aluminum zirconium pentachlorohydrate gly stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54340-969
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aluminum Zirconium Pentachlorohydrate gly (UNII: 94703016SM) (Aluminum Zirconium Pentachlorohydrate Gly - UNII:94703016SM)	Aluminum Zirconium Pentachlorohydrate Gly	14.6 g in 73 g

Inactive Ingredients

Ingredient Name	Strength
Stearyl Alcohol (UNII: 2KR89I4HIY)	11.68 g in 73 g
PPG-14 Butyl Ether (UNII: R199TJT95T)	7.30 g in 73 g
Hydrogenated Castor Oil (UNII: ZF94AP8MEY)	2.080 g in 73 g
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	2.065 g in 73 g
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	1.460 g in 73 g
Talc (UNII: 7SEV7J4R1U)	0.730 g in 73 g
Potassium Alum (UNII: 1L24V9R23S)	0.0730 g in 73 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54340-969-01	73 g in 1 CANISTER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	02/11/2011	

Labeler - The Dial Corporation (070252531)

Establishment

Name	Address	ID/FEI	Business Operations
Les Emballages Knowlton Inc.		248704645	manufacture, analysis

Revised: 2/2011

The Dial Corporation