BLUE LIZARD SHEER SPF 50 SUNSCREEN- titanium dioxide, zinc oxide lotion Crown Laboratories

Blue Lizard Sheer Lotion SPF 50 Sunscreen

Active Ingredients

Titanium Dioxide 9% Zinc Oxide 6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- When using this product
- Keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if
- · Rash or irritation occurs
- Do not use
- On damaged or broken skin
- If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

Directions

- Shake well prior to use
- Apply liberally to dry skin 15 minutes before sun exposure
- For topical use only
- Keep out of reach of children
- Children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Reapply to dry skin:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Keep out of reach of children

Other Information

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

Inactive Ingredients

Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Extract, Crithmum Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Gamma-Nonalactone, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Hydrogenated Vegetable Oil, Isostearyl Alcohol, Isostearyl Isostearate, Phenoxyethanol, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Potassium Sorbate, Purified Water, Ricinus Communis (Castor) Seed Oil, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birrea (Marula) Seed Oil, Sea Water, Sodium Benzoate, Sodium Chloride, Sorbitan Isostearate, Squalane, Tocopheryl Acetate (Vitamin E), Triethyl Citrate, and Xanthan Gum

Ouestions?

Visit www.bluelizardsunscreen.com or call 800.877.8869

Crown Laboratories, Inc., Johnson City, TN 37604

Blue Lizard Sheer Lotion - 3oz Tube Label

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50 +

Sheer Lotion

mineral sunscreen

UVA/UVB PROTECTION


BROAD SPECTRUM

SPF 50+

WATER RESISTANT (80 MINUTES)

P11899.00

BLUE LIZARD® AUSTRALIAN SUNSCREEN



Drug Facts	Made in USA
Active Ingredients	Purpose
Titanium Dioxide 9%	Sunscreen
Zinc Oxide 6%	Sunscreen

Uses • Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

P11899.00

 When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center

Directions • Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. Reapply to dry skin: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Other Information • Protect the product in this container from excessive heat and direct sun • May stain some fabrics

Inactive Ingredients: Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carcia Papaya (Papaya) Fruit Extract, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Extract, Crithmum Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Gamma-Nonalactone, Gingko Biloba (Ginkgo) Leaf Extract, Glycerin, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Hydrogenated Vegetable Oil, Isostearyl Alcohol, Isostearyl Isostearate, Phenoxyethanol, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Potassium Sorbate, Purified Water, Ricinus Communis (Castor) Seed Oil, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birrea (Marula) Seed Oil, Sea Water, Sodium Benzoate, Sodium Chloride, Sorbitan Isostearate, Squalane, Tocopheryl Acetate (Vitamin E), Triethyl Citrate, and Xanthan Gum

Questions? Visit www.bluelizardsunscreen.com or call 800.877.8869



CROWN

Crown Laboratories, Inc. Johnson City, TN 37604

Blue Lizard Sheer Lotion - 3oz Carton

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50 +

Sheer Lotion

body

mineral sunscreen

UVA/UVB PROTECTION

BROAD SPECTRUM

SPF 50+


WATER RESISTANT (80 MINUTES)

BLUE LIZARD AUSTRALIAN SUNSCREEN

SHEER LOTION body

MINERAL SUNSCREEN THAT GOES ON SMOOTH AND DRIES CLEAR FOR A NATURAL FINISH

Mineral sunscreens form an invisible barrier on your skin's surface, which reflects and scatters UV rays away from your body.



with consciously-selected ingredients to be healthier for 20 years.

P11902,01



Drug Facts Made in USA

Active Ingredients Titanium Dicide 9% Zinc Oxide 6%

Purpose Sunscreen

 Helps prevent surburn and photodamage caused by UNA-UVB exposure • Higher SPF gives more surburn protection • If used as directed with other sun protection measures (see Directions). decreases the fisk of skin cancer and early skin aging caused by the sun

Warnings

• When using this product • Keep out of eyes.

Fines with water to mmove • Stop use and sak a doctor if • Read or initiation socurs • Do not use • On damaged or braken site. • If allergic to any ingradient • If seallowed, get medical help or contact a Poison Control Center

 Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • Sun Protection Measures: Sponding time in the sun increases your risk of sish concer and warly skin aging. To decrease this risk, regularly use a sunscreen with a Brand Sporthum SFF value of 15 or higher of other sup protein measures including: - Unit time in the sun, especially from 10 a.m. - 2 p.m. - View long-deeved shirts, parts, hats, and sunglasses. Reapply to dry skin: - shirt 80 minutes of seminancy or sweating - immediately what has led rich = a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts have divine - a listed serry - Southern shirts - a listed serry - Southern - shirts Measures: Spending time in the sun increases after towel drying + at least every 2 hours.

Other Information

. Protect the amount in this container from

excessive heat and direct sun • May stain some fabrics

Inactive Ingredients
Also Barbolensis Led Juice, Alumina, Aluminum
Steanta, Buthrospermum Parki (Sheel Buther, CT-15: Mer) Berosto, Carpicio Capric-Triglyceride, Carica Papaya Papayal Freit Estract, Oline Acid, Chrus Ausrahum Dubin Dannay Person Estract, Crithmum Markhum Estract, Cournis Sativas Courniber Freit Estract, Discoppayal Schowden, Transistopio Analysis. Sebarate, Dimethosydiphenylailane /Triefhoxycaprylylailane Crosspolymer, Ethylhexylglycern, Fucus Vesiculosus Ethybarylgiyorin, Fuzus Wesuchous Bladderwanic Fatter, Camma-Nornalactone, Girligo Blabe Girligo I aud Extract, Chyceft, Hamanele Virginiane Mitch Hazell Lauf Ethact, Hydrogenated Viegetable OI, Isostanyi Alcohol, Isostanyi Isosterate, Phenosyethanol. Polyglopari Ja Polymonieste, Polymonya Marylanol Andi, Potassium Sorbate, Parified Illany, Florinos Communis Cauchi Seed OII, Rosa Canina (Rosship) Frait OII, Sciencoray Birme Manula Seed OII, Said Mitter Soften Benorals, Sorbino Seed Oil, See Water, Sodium Benzoste, Sodium Chloride, Sorbitan Isosteratia, Squalane, Tocopheryl Acetate (Vitamin E), Triethyl Citrale, and Xanthan Gum

Visit www.bluefizart or call 800.877,8869

HEW **BLUE LIZARD** AUSTRALIAN SUNSCREEN



MINERAL SUNSCREEN

UVA / UVB PROTECTION BROAD SPECTRUM SPF 50+

WATER RESISTANT (80 MINUTES)

3 fl oz (89 ml)



Protects your skin by acting like thousands of tiny shields that reflect UV rays

Reduces Risk of Skin Aging

Prevents signs of aging caused by UV rays and fights free radicals with cucumber and papaya extracts

Nourishes Skin

Contains a super blend of shea butter, antioxidants, and vitamin E



Reduces the chance of skin irritation



To help protect delicate coral reefs, this sunscreen is free from Oxybenzone and Octinoxate



BLUE LIZARD SHEER SPF 50 SUNSCREEN

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-2064
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	66.6 mg in 1 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	99.9 mg in 1 mL	

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
HAMAMELIS VIRGINIANA LEAF (UNII: T07U1161SV)	
GINKGO (UNII: 19FUJ2C58T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PAPAYA (UNII: KU94FIY6JB)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ORANGE PEEL (UNII: TI9T76XD44)	
CRITHMUM MARITIMUM WHOLE (UNII: J7IHY79BKY)	
CUCUMBER (UNII: YY7C30VXJT)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
DIMETHOXYDIPHENYLSILANE (UNII: 02QB6788GC)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FUCUS VESICULOSUS (UNII: 535G2ABX9M)	
.GAMMANONALACTONE (UNII: 11XGH66S8P)	
HYDROGENATED PALM OIL (UNII: 257THB963H)	
HYDROGENATED RAPESEED OIL (UNII: K168T6Y0YU)	
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	
CASTOR OIL (UNII: D5340Y2I9G)	
SCLEROCARYA BIRREA SEED OIL (UNII: WDO4TLS35F)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SQUALANE (UNII: GW89575KF9)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5D0T4)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)		
S	ODIUM RENZOATE (UNII: OI245FF5FU)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2064- 30	1 in 1 CARTON	05/06/2021	
1		89 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/06/2021	

Labeler - Crown Laboratories (079035945)

Registrant - Crown Laboratories (079035945)

Establishment				
Name	Address	ID/FEI	Business Operations	
Crown Laboratories		079035945	manufacture(0316-2064)	

Revised: 12/2023 Crown Laboratories