

## **UP AND UP HEMORRHOIDAL- glycerin, phenylephrine hcl, pramoxine hcl, white petrolatum cream**

**Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Target Corporation Hemorrhoidal Cream Drug Facts**

#### **Active ingredients**

Glycerin 14.4%

Phenylephrine HCl 0.25%

Pramoxine HCl 1%

White petrolatum 15%

#### **Purpose**

Protectant

Vasoconstrictor

Local anesthetic

#### **Uses**

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

#### **Warnings**

For external use only

#### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

#### **Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug for high blood pressure or depression

#### **When using this product**

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

### **Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, puncture foil seal with top end of cap
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.
- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

aloe barbadensis leaf extract, butylated hydroxyanisole, carboxymethylcellulose sodium, cetyl alcohol, citric acid, edetate disodium, glyceryl monostearate, laureth-23, methylparaben, mineral oil, panthenol, propyl gallate, propylparaben, purified water, sodium benzoate, steareth-2, steareth-20, stearyl alcohol, vitamin E, xanthan gum

### **Questions or comments?**

**1-888-547-7400**

### **Principal Display Panel**

Compare to active ingredients in Preparation H® Cream

maximum strength hemorrhoidal cream  
helps shrink swollen hemorrhoidal tissues  
soothes itching, burning and discomfort  
NET WT 1.8 OZ (51 g)



NDC 11673-944-24

Compare to active ingredients in Preparation H® Cream\*

# maximum strength hemorrhoidal cream

helps shrink swollen hemorrhoidal tissues  
soothes itching, burning and discomfort



NET WT 1.8 OZ (51 g)

94424 UW C3

### Drug Facts (continued)

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression

When using this product ■ do not exceed the recommended daily dosage unless directed by a doctor ■ do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if ■ bleeding occurs ■ condition worsens or does not improve within 7 days ■ an allergic reaction develops ■ the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

**Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, puncture foil seal with top end of cap
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap pathway into the anus. Thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

**Other Information** ■ store at 20°-25°C (68°-77°F)

### Drug Facts (continued)

**Inactive ingredients** aloe barbadensis leaf extract, butylated hydroxyanisole, carbomythylcellulose sodium, cetyl alcohol, citric acid, edetate disodium, glyceryl monostearate, laurath-23, methylparaben, mineral oil, parabens, propyl gallate, propylparaben, purified water, sodium benzoate, steareth-2, steareth-20, stearyl alcohol, vitamin E, xanthan gum

**Questions or comments?** 1-888-547-7400

\*This product is not manufactured or distributed by Pfizer, marketer of Preparation H® Cream.

Distributed by Target Corporation  
Minneapolis, MN 55403  
©2020 Target Brands, Inc.  
Shop Target.com

### Drug Facts

DO NOT USE IF TUBE SEAL UNDER CAP IS BROKEN OR MISSING

#### Active Ingredients

Glycerin 14.4%.....Protectant  
Phenylephrine HCl 0.25%.....Vasoconstrictor  
Pramoxine HCl 1%.....Local anesthetic  
White petrolatum 15%.....Protectant

#### Purpose

**Uses** ■ for temporary relief of pain, soreness and burning  
■ helps relieve the local itching and discomfort associated with hemorrhoids


### Drug Facts (continued)

temporarily shrinks hemorrhoidal tissue  
temporarily provides a coating for relief of anorectal discomforts  
temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

#### Warnings

For external use only

Ask a doctor before use if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland



## UP AND UP HEMORRHOIDAL

glycerin, phenylephrine hcl, pramoxine hcl, white petrolatum cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-944
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	14.4 g in 100 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g
<b>PRAMO XINE HYDRO CHLORIDE</b> (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056)	PRAMO XINE HYDROCHLORIDE	1 g in 100 g
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	15 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>LAURETH-23</b> (UNII: N72LMW566G)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PANTHENOL</b> (UNII: WV9CM0O67Z)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	

STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-944-24	1 in 1 CARTON	06/04/2014	
1		51 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11673-944-01	1 in 1 CARTON	02/07/2017	
2		26 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	06/04/2014	

**Labeler** - Target Corporation (006961700)