

SENOKOT-S- standardized senna concentrate and docusate sodium tablet
Atlantis Consumer Healthcare, Inc.

Senokot-S
(standardized senna concentrate and docusate sodium)

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50mg
Sennosides 8.6mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop using and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center rightaway.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: **calcium 7 mg, sodium 4 mg VERYLOW SODIUM**
- store at 25°C (77°F); excursions permitted between 15°-30°C(59°-86°F)

Inactive ingredients

Inactive ingredients croscarmellose sodium, dicalcium phosphate, FD&C Yellow #5 Lake*, FD&C Yellow #6 Lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethyleneglycol, sodium benzoate, sodium lauryl sulfate, starch, stearic acid, talc, titanium dioxide, triacetin

©2020

Avrio Health L.P.

A1023

Senokot-S 60 Tablets Label

NDC: 67618-310-60



Senokot-S 60 Tablets Leaflet
NDC: 67618-310-60

Do not use if seal under cap is missing or damaged.

Drug Facts

Active Ingredients (in each tablet)	Purpose
Docusate sodium 50 mg	Stool softener
Sennosides 8.6 mg	Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6–12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain ■ nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: calcium 7 mg, sodium 4 mg VERY LOW SODIUM ■ store at 25°C (77°F); excursions permitted between 15°–30°C (59°–86°F)

Senokot-S 60 Tablets Carton
NDC: 67618-310-60



Senokot-S 10 Tablets Carton
 NDC: 67618-310-01

Drug Facts (continued)

Directions
 ■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information
 ■ each tablet contains: calcium 7 mg, sodium 4 mg VERY LOW SODIUM
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

Inactive ingredients croscarmellose sodium, dicalcium phosphate, FD&C Yellow #5 Lake*, FD&C Yellow #6 Lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, sodium benzoate, sodium lauryl sulfate, starch, stearic acid, talc, titanium dioxide, triacetin
 *contains FD&C Yellow #5 Lake (tartrazine) as a color additive

Senokot and the Comfort Promise Seal are registered trademarks of Atlantis Consumer Healthcare Inc.

The Senokot-S® Laxative Comfort Promise®

For your comfort, the active ingredient in Senokot-S laxative tablets is always purified senna, manufactured to high quality standards.



Dist. by: Atlantis Consumer Healthcare Inc.
 Bridgewater, NJ 08807 USA
 Questions or comments?
 1-833-288-2684
 www.senokot.com
 ©2023 Atlantis Consumer Healthcare Inc.



Senokot-S®
 Standardized Senna Concentrate
 Docusate Sodium

Dual Action

Senokot-S®
 Standardized Senna Concentrate, 8.6mg
 Docusate Sodium, 50mg

Dual Action

Natural vegetable laxative ingredient + stool softener

Gentle & effective
 Dependable overnight constipation relief

60 Tablets



Do not use if seal under cap is missing or damaged.

Drug Facts

Active ingredient Purpose (in each tablet)
 Docusate sodiumStool softener 50 mg
 Sennosides 8.6 mg.....Laxative

Uses
 ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use
 ■ if you are now taking mineral oil, unless directed by a doctor
 ■ laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ noticed a sudden change in bowel movements that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

A1023

R52526



Senokot-S Effective, comfortable overnight constipation relief
Standardized Senna Concentrate
Docusate Sodium

Drug Facts

Active ingredient (in each tablet)	Purpose
Docusate sodium 50 mg	Stool softener
Sennosides 8.6 mg	Laxative

Uses • relieves occasional constipation (irregularity) • generally produces a bowel movement in 6 to 12 hours.

Warnings
Do not use • if you are now taking mineral oil, unless directed by a doctor
• laxative products for longer than 1 week unless directed by a doctor
Ask a doctor before use if you have
• stomach pain • nausea • vomiting • noticed a sudden change in bowel habits that continues over a period of 2 weeks
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
• take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information
• each tablet contains: calcium 7 mg, sodium 4 mg VERY LOW SODIUM
• store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Drug Facts (continued)

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate, FD&C Yellow #5 Lake[®], FD&C Yellow #6 Lake, hypromellose, magnesium stearate, malto-dextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, sodium benzoate, sodium lauryl sulfate, starch, stearic acid, talc, titanium dioxide, tribofos

SEKOKOT-S

standardized senna concentrate and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67618-310
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67618-310-01	1 in 1 CARTON	10/01/1974	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination		

1		Product		
2	NDC:67618-310-30	1 in 1 CARTON	10/01/1974	
2		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:67618-310-60	1 in 1 CARTON	10/01/1974	
3		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/01/1974	

Labeler - Atlantis Consumer Healthcare, Inc. (118983925)

Registrant - Atlantis Consumer Healthcare, Inc. (118983925)

Revised: 12/2024

Atlantis Consumer Healthcare, Inc.