

**MOTION SICKNESS RELIEF- dimenhydrinate tablet**  
**Wal-Mart Stores Inc**

-----  
**Equate 44-198**

***Active ingredient (in each tablet)***

Dimenhydrinate 50 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

***Warnings***

**Do not use**

for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	1/2 to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	1/2 tablet every 6-8 hours; do not exceed 1 1/2 tablets in 24 hours, or as directed by a doctor

**Other information**

- **each tablet contains:** calcium 35 mg
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from moisture
- use by expiration date on package

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Questions?**

**1-888-287-1915**

**Principal Display Panel**

NDC 49035-981-12

**equate™**

**Compare to  
Dramamine®  
Original Formula  
active  
ingredient\***

**Motion  
Sickness Relief**

Dimenhydrinate 50 mg  
Antiemetic

- Prevents nausea, vomiting & dizziness

**100  
TABLETS**

Actual Size

**TAMPER EVIDENT: DO NOT USE IF  
IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**

PRODUCT OF CHINA

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula. 50844 REV0518C19812

**equate™** NDC 49035-981-12  
Compare to Dramamine® Original Formula active ingredient

**Motion Sickness Relief**  
Dimenhydrinate 50 mg  
Antiemetic

• Prevents nausea, vomiting & dizziness  
Actual Size

**100 TABLETS**

6 81131 06574 0  
729665

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716  
PRODUCT OF CHINA  
\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula. 50844 REV0518C19812

**TAMPER EVIDENT: DO NOT USE IF  
IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**

**Drug Facts**

<b>Active ingredient</b> (in each tablet) Dimenhydrinate 50 mg	<b>Purpose</b> Antiemetic
----------------------------------------------------------------------	------------------------------

**Uses** for prevention and treatment of these symptoms associated with motion sickness:  
■ nausea ■ vomiting ■ dizziness

**Warnings**  
Do not use for children under 2 years of age unless directed by a doctor.

**Ask a doctor before use if you have**  
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma  
■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**  
■ marked drowsiness may occur  
■ avoid alcoholic beverages

**STOP PEELING**

**Other information**  
■ each tablet contains: calcium 35 mg  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ protect from moisture  
■ use by expiration date on package

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate diphosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Questions? 1-888-287-1915**

**Directions**  
■ to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	½ to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	¼ tablet every 6-8 hours; do not exceed 1½ tablets in 24 hours; or as directed by a doctor

**Drug Facts (continued)**  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**PEEL HERE FOR MORE DRUG FACTS**

**Equate 44-198**

## MOTION SICKNESS RELIEF

dimenhydrinate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-981
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M, 8-CHLOROTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;198
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-981-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/1992	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	12/01/1992	

**Labeler** - Wal-Mart Stores Inc (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(49035-981)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-981) , pack(49035-981)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-981)

Revised: 2/2024

Wal-Mart Stores Inc