

**EXTRA STRENGTH NITETIME PAIN RELIEF- acetaminophen 500 mg, diphenhydramine hydrochloride 25 mg tablet tablet  
WALGREENS**

-----  
**430R Walgreens Acetaminophen Diphenhydramine 500 mg/25 mg Caplets-24 counts**

**DRUG FACTS**

***Active ingredients  
(in each caplet)***

Acetaminophen 500 mg  
Diphenhydramine HCl 25 mg

***Purpose***

Pain reliever  
Nighttime sleep aid

***Uses*** temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

**adults and children 12 years and over:**

- take 2 caplets at bedtime
- do not take more than 2 caplets of this product in 24 hours.

**children under 12 years:**

- do not use

**Other information**

- store between 20-25°C (68-77°F)

**Inactive ingredients** carnauba wax, colloidal silicon dioxide, FD&C blue #1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate\*\*, stearic acid, talc, titanium dioxide  
\*\*may contain this ingredient

**Questions or comments?** call **1-877-290-4008**

**Walgreens**

# Pain Reliever PM

ACETAMINOPHEN 500 mg /  
PAIN RELIEVER  
DIPHENHYDRAMINE HCl 25 mg /  
NIGHTTIME SLEEP AID

**24** CAPLETS\*\*  
(\*\*capsule-shaped tablets)

NDC 0363-0714-42

### RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

**Uses** ■ temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness  
**Warnings (See carton for complete warnings)**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use. Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** ■ do not take more than directed (see overdose warning) ■ adults and children 12 years and over:  
■ take 2 caplets at bedtime  
■ do not take more than 2 caplets of this product in 24 hours.

**Other information** ■ children under 12 years: ■ do not use

**Other information** ■ store between 20-25°C (68-77°F)  
**Product if the imprinted foil seal over the mouth of the bottle is cut, torn, broken or missing**

■ do not take more than 2 caplets of this product in 24 hours.

■ children under 12 years: ■ do not use

**Questions or comments?** call 1-877-290-4008  
Walgreens Pharmacist Recommended.  
Our pharmacists brand.

We invite you to compare to national brands.  
DISTRIBUTED BY: WALGREEN CO.,  
200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED  
walgreens.com © 2021 Walgreen Co.  
ITEM 823581 W00000-0000-0 43UR 1021 W3ORG0122-F



Varnish Omit Area

Lot No.:  
Exp. Date:

Coating/Print Omit Area



LOT No.:  
BP. NTE

### RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

#### Drug Facts

**Active ingredients** **Purpose**  
(in each caplet)

Acetaminophen 500 mg ..... Pain reliever  
Diphenhydramine HCl 25 mg ..... Nighttime sleep aid

**Uses** temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ with any other product containing diphenhydramine, even one used on skin  
■ in children under 12 years of age

#### Drug Facts (continued)

■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
■ liver disease  
■ a breathing problem such as emphysema or chronic bronchitis  
■ trouble urinating due to an enlarged prostate gland  
■ glaucoma

**Ask a doctor or pharmacist before use if you are**  
■ taking the blood thinning drug warfarin  
■ taking sedatives or tranquilizers

**When using this product**  
■ drowsiness will occur  
■ avoid alcoholic drinks  
■ do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**  
■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ redness or swelling is present  
■ new symptoms occur

These could be signs of a serious condition.  
**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.**

#### Drug Facts (continued)

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

■ do not take more than directed (see overdose warning)  
■ adults and children 12 years and over:  
■ take 2 caplets at bedtime  
■ do not take more than 2 caplets of this product in 24 hours.  
■ children under 12 years:  
■ do not use

#### Other information

■ store between 20-25°C (68-77°F)

#### Inactive ingredients

carnauba wax, colloidal silicon dioxide, FD&C blue #1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate\*\*, stearic acid, talc, titanium dioxide

\*\* may contain this ingredient

#### Questions or comments?

call 1-877-290-4008



Coating Omit

REV-0322  
W3ORG0122-F

NDC 0363-0714-42



## Pain Reliever PM

ACETAMINOPHEN 500 mg / PAIN RELIEVER  
DIPHENHYDRAMINE HCl 25 mg / NIGHTTIME SLEEP AID

Nighttime Extra Strength

**24** CAPLETS\*\*  
(\*\*capsule-shaped tablets)

ACTUAL SIZE

E826R1 Coating/Print Omit Area

Coating Omit

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0714
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL430
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0714-42	1 in 1 CARTON	10/12/2021	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/12/2021	

**Labeler** - WALGREENS (008965063)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(0363-0714)

Revised: 1/2025

WALGREENS