

EXTRA STRENGTH NITE-TIME PAIN RELIEF- 430r walgreens acetaminophen 500 mg,diphenhydramine hcl 25 mg tablet tablet WALGREENS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

430R Walgreens 0363-0715 Acetaminophen 500mg Diphenhydramine HCl 25 mg 100ct

DRUG FACTS

***Active ingredients
(in each caplet)***

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over:

- take 2 caplets at bedtime
- do not take more than 2 caplets of this product in 24 hours.

children under 12 years:

- do not use

OTHER INFORMATION

Other information

- store between 20-25°C (68-77°F)

Inactive ingredients carnauba wax, colloidal silicon dioxide, FD&C blue #1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate**, stearic acid, talc, titanium dioxide
**may contain this ingredient

Questions or comments? call **1-877-290-4008**

NDC 0363-0715-01

Walgreens

Pain Reliever PM

ACETAMINOPHEN 500 mg / PAIN RELIEVER
DIPHENHYDRAMINE HCl 25 mg /
NIGHTTIME SLEEP AID

100 CAPLETS**

(**capsule-shaped tablets)

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Uses ■ Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings (See carton for complete warnings)
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ with any other product containing diphenhydramine, even one used on skin ■ in children under 12 years of age ■ if you have ever had an allergic reaction to this product or any of its ingredients

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ do not take more than directed (see overdose warning) ■ adults and children 12 years and over: ■ take 2 caplets at bedtime ■ do not take more than 2 caplets of this product in 24 hours.

■ children under 12 years: ■ do not use

Other information ■ TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING ■ store between 20-25°C (68-77°F)

Questions or comments? call 1-877-290-4008

Walgreens Pharmacist Recommended.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

ITEM 823754 W00000-0000-0 430R 1021 W3ORG0122-F

Discard Seal, Recycle Cap
PAPER BOX PLASTIC BOTTLE
how2recycle.info

Varnish Omit Area

LOT No.:
EXP. DATE:

Coating/Print Omit Area



ITEM 823754 W00000-0000-0
walgreens.com ©2021 Walgreen Co.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
DISTRIBUTED BY: WALGREEN CO.

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg, Pain reliever	
Diphenhydramine HCl 25 mg, Nighttime sleep aid	

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ with any other product containing diphenhydramine, even one used on skin
■ in children under 12 years of age
■ if you have ever had an allergic reaction to this product or any of its ingredients

Drug Facts (continued)

Ask a doctor before use if you have
■ liver disease
■ a breathing problem such as emphysema or chronic bronchitis
■ trouble urinating due to an enlarged prostate gland
■ glaucoma

Ask a doctor or pharmacist before use if you are
■ taking the blood thinning drug warfarin
■ taking sedatives or tranquilizers

When using this product
■ drowsiness will occur
■ avoid alcoholic drinks
■ do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if
■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
■ redness or swelling is present
■ new symptoms occur
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions
■ do not take more than directed (see overdose warning)
■ adults and children 12 years and over:
■ take 2 caplets at bedtime
■ do not take more than 2 caplets of this product in 24 hours.
■ children under 12 years:
■ do not use

Other information
■ store between 20-25°C (68-77°F)

Inactive ingredients carnauba wax, colloidal silicon dioxide, FD&C blue #1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, sodium starch glycolate**, stearic acid, talc, titanium dioxide
** may contain this ingredient

Questions or comments? call 1-877-290-4008

¹Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
[†]This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Tylenol PM[®].

430R 1021

NDC 0363-0715-01

ACTUAL SIZE

Coating Omit

WALGREENS
Compare to the active ingredients in Extra Strength Tylenol PM[®]

Pain Reliever PM
ACETAMINOPHEN 500 mg / PAIN RELIEVER
DIPHENHYDRAMINE HCl 25 mg / NIGHTTIME SLEEP AID

Nighttime Extra Strength

100 CAPLETS**
(**capsule-shaped tablets)

Coating/Print Omit Area

C6011AR3

Walgreens

Pain Reliever PM
ACETAMINOPHEN 500 mg / PAIN RELIEVER
DIPHENHYDRAMINE HCl 25 mg / NIGHTTIME SLEEP AID



Coating Omit

EXTRA STRENGTH NITE-TIME PAIN RELIEF
430r walgreens acetaminophen 500 mg,diphenhydramine hcl 25 mg tablet tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0715
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	TCL430
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0715-01	1 in 1 CARTON	10/12/2021	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	10/12/2021	

Labeler - WALGREENS (008965063)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(0363-0715)

Revised: 7/2022

WALGREENS