EQUATE SUNBURN RELIEF WITH ALOE AFTER SUN- lidocaine gelWal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate Sunburn Relief with Aloe After Sun Gel

Active ingredient

Lidocaine 0.8% (as Lidocaine HCI)

Purpose

External Analgesic

Uses

For the temporary relief of pain and itching associated with sunburn, minor burns, minor cuts, scrapes, insect bites, and minor skin irritations

Warnings

For External Use Only

Do not use

in large quantities, particularly over raw surfaces or blistered areas

When using this product

avoid contact with eyes. If contact occurs, rinse with water to remove.

Stop use and ask a doctor if

• condition worsens • symptoms persist for more than 7 days • symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, seek medical help or contact a Poison Control Center immediately.

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily
- Children under 2 years of age: Ask a doctor.

Inactive ingredients

water, aloe barbadensis leaf juice, alcohol denat., propylene glycol, laureth-23, glycerin, polysorbate 20, allantoin, carbomer, triethanolamine, menthyl lactate, disodium EDTA, menthol, aleurites moluccanus seed extract, carica papaya (papaya) fruit extract, colocasia antiquorum root extract, mangifera indica (mango) fruit extract, passiflora incarnata flower extract, plumeria acutifolia flower extract, psidium guajava fruit extract, tocopheryl acetate, tocopherol, phenoxyethanol, benzyl alcohol, fragrance, blue 1.

NDC 49035-788-20 eauate™ Sunburn relief Gel **NET WT 20 OZ (567 g)**



Sunburn Relief Gel with Aloe helps relieve the pain of irritated, sunburned skin, Medicated sunburn relief moisturizes skin on contact to help support skin's natural moisture balance, Lidocaine helps bring fast relief to different skin irritations like sunburn, minor burns, minor cuts, scrapes, insect bites and windburn,

Drug Facts

Active ingredient Lidocaine 0.8% (as Lidocaine HCI).

External Analgesic

Uses For the temporary relief of pain and itching associated with sunburn, minor burns, minor cuts, scrapes, insect bites, and minor skin irritations,

For External Use Only

Do not use in large quantities, particularly over raw surfaces or bistered areas

When using this product avoid contact with eyes. If contact occurs, rinse with water

Stop use and ask a doctor if * condition worsens * symptoms persist for more than 7 days * symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center immediately.

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily
- Children under 2 years of age: Ask a doctor.

Inactive ingredients: water, also barbadens is leaf juice, alcohol denat, propylene alycol, laureth-22, glycerin, pdysorbate 20, allantoin, carboner, triethanolamine, menthyl lactate, disodium EDTA, menthol, alsurites moluccanus seed extract, carica papaya (papaya) fruit extract, colocasia antiquorum root extract, mangillera indica (mango) fruit extract, passiflora incarnata flower extract, plumeria acutifolia flower extract, psidium guajava fruit extract, tocopheryl acetate,tocopherol, phenoxyethanol, benzyl alcohol, fragrance, blue 1,

Satisfaction guaranteed -For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Wall-Mart Stores, Inc. Bentonville, AR 72716

Blended and Filled in the U.S.A. with Imported and Domestic Ingredients

*No parabens separately added to preserve this product





EQUATE SUNBURN RELIEF WITH ALOE AFTER SUN

TOPICAL

lidocaine gel

Product Information

Route of Administration

HUMAN OTC DRUG Product Type

Item Code (Source)

NDC:49035-788

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	8 mg in 1 g			

Inactive Ingredients	
Ingredient Name	Strength
MANGO (UNII: 162913NR86)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LAURETH-23 (UNII: N72LMW566G)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
ALLANTOIN (UNII: 344S277G0Z)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
TROLAMINE (UNII: 903K93S3TK)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LEVOMENTHOL (UNII: BZ1R15MTK7)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
PAPAYA (UNII: KU94FIY6JB)	
COLOCASIA ESCULENTA ROOT (UNII: H7B71Q0G0D)	
PASSIFLORA INCARNATA FLOWER (UNII: K8F3G29S6Z)	
GUAVA (UNII: 74070D6VG0)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
PLUMERIA ALBA FLOWER OIL (UNII: T69Z2432CU)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:49035-788- 20	567 g in 1 BOTTLE; Type 0: Not a Combination Product	11/08/2017		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	11/08/2017		

Revised: 1/2022 Wal-Mart Stores Inc