

MUCINEX DM- guaifenesin and dextromethorphan hydrobromide tablet, extended release
Lil' Drug Store Products, Inc.

Mucinex®DM

Drug Facts

| Active ingredients (in each extended-release bi-layer tablet) | Purpose |
|--|-------------------|
| Dextromethorphan HBr 30 mg | Cough suppressant |
| Guaifenesin 600 mg | Expectorant |

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water

- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Product manufactured by:

Reckitt Benckiser, Parsippany, NJ 07054-0224

Repackaged and distributed with permission of manufacturer by:

Lil' Drug Store Products, Inc., 1201 Continental Place NE, Cedar Rapids, IA 52402

PRINCIPAL DISPLAY PANEL - 2 Tablet Pouch Carton

Mucinex®DM

**600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets**

EXPECTORANT & COUGH SUPPRESSANT

**12
HOUR**

- **Controls Cough**
- **Thins And Loosens Mucus**

**2 extended-release
bi-layer tablets**

**Lil'
Drug Store®**

Mucinex[®]DM

600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT



- ✓ Controls Cough
- ✓ Thins And Loosens Mucus

2 extended-release
bi-layer tablets



2 extended-release
bi-layer tablets

Mucinex[®]DM

PARENTS:
Learn more and see what's new!
www.SuppliesforMeds.com

Tamper Evident: do not use if carton is open or if pouch is broken or torn

Drug Facts

| Active Ingredients (In each extended-release bi-layer tablet) | Purposes |
|--|-------------------|
| Dextromethorphan HBr 30 mg..... | Cough suppressant |
| Guaifenesin 600 mg..... | Expectorant |

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

LIFT PANEL FOR CONTINUED DRUG FACTS

Mucinex[®]DM 2 extended-release bi-layer tablets

Drug Facts (continued)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other Information

- store between 20-25°C (68-77°F)

Inactive Ingredients carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)
You may also report side effects to this phone number.

Product manufactured by:
Reckitt Benckiser, Parsippany, NJ 07054-0224

Repackaged and distributed by Lil' Drug Store Products, Inc.
Cedar Rapids, IA 52402 97241C-US-01-16

Made in England ©2016 RB

Mucinex[®]DM 2 extended-release bi-layer tablets



MUCINEX DM

guaifenesin and dextromethorphan hydrobromide tablet, extended release

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66715-9724(NDC:63824-056) |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|----------|
| Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ) | Guaifenesin | 600 mg |
| Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS) | Dextromethorphan Hydrobromide | 30 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| carbomer homopolymer type B (allyl pentaerythritol crosslinked) (UNII: HHT01ZNK31) | |
| D&C yellow no. 10 (UNII: 35SW5USQ3G) | |
| aluminum oxide (UNII: LMI26O6933) | |
| hypromellose, unspecified (UNII: 3NXW29V3WO) | |
| magnesium stearate (UNII: 70097M6I30) | |
| microcrystalline cellulose (UNII: OP1R32D61U) | |
| sodium starch glycolate type A potato (UNII: 5856J3G2A2) | |

Product Characteristics

| | | | |
|-----------------|--------------------------|---------------------|-------------|
| Color | WHITE (Yellow and white) | Score | no score |
| Shape | OVAL | Size | 16mm |
| Flavor | | Imprint Code | MucineX;600 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66715-9724-1 | 1 in 1 CARTON | 05/10/2010 | |
| 1 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA021620 | 05/10/2010 | |

Labeler - Lil' Drug Store Products, Inc. (093103646)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------|---------|-----------|--|
| CCB Packaging Inc. | | 362374464 | REPACK(66715-9724) , RELABEL(66715-9724) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---------|-----------|-------------------------|
| Reckitt Benckiser Pharmaceuticals, Inc. | | 832277599 | MANUFACTURE(66715-9724) |

Revised: 3/2017

Lil' Drug Store Products, Inc.