

**ASTRI-UC - hydrogen peroxide, lactic acid solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**Attention**

For External Use Only

Wash hands thoroughly after handling.

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Get medical advice/ attention if you feel unwell.

**DIRECTIONS:**

**IMPORTANT:** Do not mix Astri-UC with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Astri-UC.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, spray entire teat with Astri-UC. Wipe teats after spraying using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Immediately after each milking, use Astri-UC at full- strength. Spray entire teat with Astri-UC. Allow to air dry. Do not wipe. Always use fresh, full-strength Astri-UC. Do not turn cows out in freezing weather until Astri-UC is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Astri-UC is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

**PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL**

**ASTRI-UC**

**LELY**

innovations in agriculture

Peroxide-based teat spray that provides

fast broad spectrum germicidal activity

6301918

**ACTIVE INGREDIENTS:**

Hydrogen Peroxide..... 0.5%

Lactic Acid..... 1.7%

**INERT INGREDIENTS:**.....97.8%

(Contains glycerin, sorbitol)

**TOTAL:**.....100.0%

**TEAT SPRAY**

**208 L (55 US GAL)**

Ecolab · 1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392

© 2016 Ecolab USA Inc. · All rights reserved | Todos los derechos reservados

Made in U.S.A. | Hecho en EE.UU.

767455/5300/1116

**DIRECTIONS:**

**IMPORTANT:** Do not mix Astri-UC with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Astri-UC. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, spray entire teat with Astri-UC. Wipe teats after spraying using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Immediately after each milking, use Astri-UC at full-strength. Spray entire teat with Astri-UC. Allow to air dry. Do not wipe. Always use fresh, full-strength Astri-UC. Do not turn cows out in freezing weather until Astri-UC is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Astri-UC is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**INSTRUCCIONES:**

**IMPORTANTE:** No mezcle Astri-UC con agua, con ningún baño antiséptico para pezones, ni con ningún otro producto a menos que los mismos hayan sido especificados en las instrucciones de uso del producto.

Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido íntegramente prelavado y que contenga el etiquetamiento del envase de Astri-UC. Si el producto del porta baño antiséptico se tornara visiblemente sucio, deseche su contenido y vuelva a reponerlo con el producto no diluido. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original.

**Antes de ordeñar:** Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rocíe el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebañado antiséptico de las ubres.

**Instrucciones para el Rociado de los Pezones:**

**Rociado Pre-Ordeño:** Antes de ordeñar cada vaca, rocíe todo el pezón con Astri-UC. Seque los pezones después de rociarlos utilizando toallas de un solo servicio para evitar la contaminación con la leche.

**Rociado Post Ordeño:** Inmediatamente después de cada ordeño, use Astri-UC en su máxima potencia. Rocíe todo el pezón con Astri-UC. Deje que se sequen al aire. No secar con toallas. Siempre utilice Astri-UC reciente, con su máxima potencia. Hasta que Astri-UC no se haya secado completamente, no saque las vacas al exterior en climas gélidos.

**Uso Expandido:** Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

**PRECAUCIÓN:** Astri-UC no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.

Ecolab · 1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392  
© 2016 Ecolab USA Inc. · All rights reserved | Todos los derechos reservados  
Made in U.S.A. | Hecho en EE.UU.  
767455/5300/1116



Peroxide-based teat spray that provides fast broad spectrum germicidal activity **6301918**

<b>ACTIVE INGREDIENTS:</b>	<b>INGREDIENTES ACTIVOS:</b>
Hydrogen peroxide.....0.5%	Peróxido de Hidrógeno.....0.5%
Lactic acid.....1.7%	Ácido Láctico.....1.7%
<b>INERT INGREDIENTS:</b> .....97.8%	<b>INGREDIENTES INERTES:</b> .....97.8%
(contains glycerin, sorbitol)	(contiene glicerina, sorbitol)
<b>TOTAL:</b> .....100.0%	<b>TOTAL:</b> .....100.0%



www.lely.com



**FOR COMMERCIAL USE ONLY  
NOT FOR HUMAN USE  
PARA USO COMERCIAL SOLAMENTE  
NO DEBE USARSE HUMANO**

**208 L (55 US GAL)**

**KEEP OUT OF REACH OF CHILDREN  
NOT FOR HUMAN USE**

**Attention**

For External Use Only

Wash hands thoroughly after handling.

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Get medical advice/ attention if you feel unwell.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS  
NO ES PARA USO HUMANO**

**Atención**

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación.

No mezclar con lavandina u otros productos clorados - puede liberar cloro gaseoso.

Consultar a un médico si la persona se encuentra mal.

**LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO**  
**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

**ASTRI-UC**

hydrogen peroxide, lactic acid solution

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:47593-456
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Hydrogen Peroxide</b> (UNII: BBX060AN9V) (Hydrogen Peroxide - UNII:BBX060AN9V)	Hydrogen Peroxide	5 mg in 1 mL
<b>Lactic Acid</b> (UNII: 33X04XA5AT) (Lactic Acid - UNII:33X04XA5AT)	Lactic Acid	17 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Sorbitol</b> (UNII: 506T60A25R)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:47593-456-21	208200 mL in 1 DRUM		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/16/2010	

**Labeler** - Ecolab Inc. (006154611)

Revised: 6/2019

Ecolab Inc.