WESCAP-C-DHA- ascorbic acid, thiamine mononitrate, riboflavin, niacin, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium pantothenate, ferrous fumarate, iron, magnesium sulfate, zinc sulfate, cupric sulfate, doconexent, and icosapent capsule, gelatin coated Westminster Pharmaceuticals. LLC

-----

### WesCap-C-DHA

Supplement Facts Serving Size: 1 Softgel		
	% Daily Value for	r Pregnant
Amount Per Serving	and Lactati	_
Vitamin C*	25 mg	21%
<b>Thiamin</b> (thiamine mononitrate)	2 mg	143%
Riboflavin	3 mg	188%
Niacin	1.8 mg	10%
Vitamin B6 (pyridoxine HCl)	25 mg	1250%
Folate	1700 mcg DFE (1 mg Folic Acid)	283%
Vitamin B12 (cyanocobalamin)	12.5 mcg	446%
Biotin	300 mcg	857%
Pantothenic Acid (d-calcium pantothenate)	5 mg	71%
Iron		
Ferrous Fumarate (anhydrous) (Equivalent to about 17.5 mg of Elemental Iron)	53.5 mg <sup>†</sup>	
Polysaccharide Iron Complex		
(Equivalent to about 17.5 mg of Elemental Iron)	38 mg <sup>†</sup>	<sup>‡</sup> 339%
<b>Magnesium</b> (as magnesium sulfate)	5 mg	1%
<b>Zinc</b> (as zinc sulfate)	10 mg	77%
Copper (as copper sulfate)	2 mg	154%
Omega-3 Fatty Acids§	200 mg	¶
Docosahexaenoic Acid (DHA)	156 mg	¶
Eicosapentaenoic Acid (EPA)	39 mg	9

<sup>\*</sup> Also containing Ascorbic Acid Precursors as (1) Acid Metabolites including niacinamide ascorbate, calcium ascorbate, magnesium ascorbate, potassium ascorbate and sodium ascorbate; (2) Basic Amino Acids including lysine acetate; (3) Flavonoids including hesperidin; and (4) Glutathione.

<sup>†</sup> Minimum Iron Salt content.

<sup>‡</sup> Total Iron: Ferrous Fumarate + Polysaccharide Iron Complex

<sup>§</sup> At least 200 mg Omega-3 Fatty Acids derived from 310 mg fish oil.

<sup>¶</sup> Daily Value not established

Other ingredients: Gelatin, Soybean Oil, Glycerin, Purified Water, Carob in glycerin, Yellow Beeswax, Soy Lecithin, Natural Creamy Orange Flavor.

Contains: fish and soy

### **DESCRIPTION**

WesCap-C DHA is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

#### DOSAGE AND ADMINISTRATION

1 softgel daily, in between meals, or as prescribed by a licensed medical practitioner regardless of lactation status.

### **CAUTION**

Ingestion of more than 3 grams per day of omega-3 fatty acids (ALA, EPA, and DHA) may have potential antithrombotic activities, or effects, and may increase bleeding times. Administration of omega-3 fatty acids, including DHA, should be avoided in patients with inherited or acquired bleeding diathesis, including those taking anticoagulants. Exercise caution to ensure that the prescribed dosage of DHA does not exceed 1 gram (1000 mg) per day.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

#### CAUTION

High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that that can cause nerve damage.

Store at controlled room temperature 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). Protect from light and moisture. Dispense in a tight, light-resistant container.

Call your licensed medical practitioner about side effects. You may report side effects by calling Westminster Pharmaceuticals, LLC at 1-844-221-7294 or FDA at 1-800-FDA-1088.

#### **HOW SUPPLIED**

Supplied as oblong, black color softgel imprinted with "315" dispensed in 30 count bottles.

#### Manufactured for:

Westminster Pharmaceuticals, LLC

Nashville, TN 37217

Rev. 09/21

Made in Canada

## PRINCIPAL DISPLAY PANEL - 30 Softgel Bottle Label

69367-315-30

Rx


WesCap-C DHA

PRENATAL/POSTNATAL

Prescription Folic Acid-Containing **Dietary Supplement** with Omega-3 Fatty Acids

30 Softgels

Westminster **Pharmaceuticals** 



CAUTION: High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that that can cause nerve

Store at controlled room temperajure 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). Protect from light and moisture. Dispense in a tight, light-resistant

## **WESCAP-C-DHA**

ascorbic acid, thiamine mononitrate, riboflavin, niacin, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium pantothenate, ferrous fumarate, iron, magnesium sulfate, zinc sulfate, cupric sulfate, doconexent, and icosapent capsule, gelatin coated

<b>Product Information</b>	Product Information				
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:69367-315		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	25 mg		
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	2 mg		
RIBOFLAVIN (UNII: TLM29760FR) (RIBOFLAVIN - UNII:TLM29760FR)	RIBOFLAVIN	3 mg		
<b>NIACIN</b> (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	1.8 mg		
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z)	PYRIDOXINE	25 mg		
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg		
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII: P6YC3EG204)	CYANOCOBALAMIN	12.5 ug		
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	300 ug		
CALCIUM PANTOTHENATE (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	5 mg		
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	53.5 mg		
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	38 mg		
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE, UNSPECIFIED FORM	5 mg		
ZINC SULFATE, UNSPECIFIED FORM (UNII: 89DS0H96TB) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	10 mg		
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	2 mg		
DOCONEXENT (UNII: ZAD9OKH9JC) (DOCONEXENT - UNII:ZAD9OKH9JC)	DOCONEXENT	156 mg		
ICOSAPENT (UNII: AAN7QOV9EA) (ICOSAPENT - UNII:AAN7QOV9EA)	ICOSAPENT	39 mg		

Inactive Ingredients				
Ingredient Name	Strength			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)				
SOYBEAN OIL (UNII: 241ATL177A)				
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
YELLOW WAX (UNII: 2ZA36H0S2V)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				

# **Packaging**

#	Item Code	Package Description	Marketing	Start Date	Marketing	End Date
1	NHRIC:69367-315-30	30 in 1 BOTTLE, PLASTIC				
Marketing Information						
M	larketing Info	ormation				
M	larketing Info Marketing Category	ormation Application Number or Mo Citation	nograph	Marketing S Date	tart Mar	keting End Date
	Marketing	Application Number or Mo	nograph		tart Mar	

Supplement Facts			
Serving Size :		Serving per Container :	
	<b>Amount Per Serving</b>	% Daily Value	
color			
scoring	1		
shape			
size (solid drugs)	14 mm		
imprint			

**Labeler -** Westminster Pharmaceuticals, LLC (079516651)

Revised: 12/2021 Westminster Pharmaceuticals, LLC