

DR. NUMB- lidocaine cream
Shinpharma Inc

Drug Facts

Active ingredient

Lidocaine 5% w/w

Purpose

Anorectal (Hemorrhoidal)

Uses

For temporary relief of local discomfort, itching, pain, soreness or burning in the perianal area associated with anorectal disorders.

Warnings

For external use only

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicators

Stop the use and consult doctor if

- allergic reaction occurs
- rectal bleeding occurs
- redness, irritation, swelling, pain or other symptoms begin or increase
- condition worsens or does not improve within 7 days

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away

Directions

Adults and Children 12 years and older: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Apply to the affected area up to 6 times a day.

Children under 2 years: Consult a doctor

Other Information

- always keep the tube tightly closed
- Store at temperatures not exceeding 15° C-30°C (59° F-86° F)
- Protect from freezing

Inactive Ingredients

Benzyl Alcohol, Carbopol, Lecithin, Propylene Glycol, Tocopheryl Acetate, Water.

Questions or Comments

Contact our dedicated Customer Care at +1(877) 786 2001 or email us at support@shinpharma.com

Principal Display Panel

NDC 69903-004-10

Dr. Numb®


Lidocaine Cream

RAPID ABSORPTION!

Maximum Strength Pain Reliever

10g

NDC 69903-004-10



Dr. Numb®
Lidocaine Cream

Maximum Strength Pain Reliever

For External Use Only

10g

<p>Drug Facts</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Active ingredient</td> <td style="width: 50%;">Purpose</td> </tr> <tr> <td>Lidocaine 5%</td> <td>Anorectal (Hemorrhoid)</td> </tr> </table> <p>Uses For temporary relief of local discomfort, itching, pain, soreness or burning in the perianal area associated with anorectal disorders</p> <p>Warnings For external use only</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ do not exceed the recommended daily dosage unless directed by a doctor ■ do not put into the rectum by using fingers or any mechanical device or applicator <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ allergic reaction occurs ■ rectal bleeding occurs ■ redness, irritation, swelling, pain or other symptoms begin or increase ■ condition worsens or does not improve within 7 days <p>KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away. ▶</p>	Active ingredient	Purpose	Lidocaine 5%	Anorectal (Hemorrhoid)	<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> ■ Adults and Children 12 years and older: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product. Apply to the affected area up to 6 times a day. <p>Children under 12 years: Consult a doctor</p> <p>Other Information</p> <ul style="list-style-type: none"> ■ always keep the tube tightly closed ■ store at temperatures not exceeding 15°C – 30°C (59°F - 86°F) ■ protect from freezing <p>Inactive Ingredients Benzyl Alcohol, Carbopol, Lecithin, Propylene Glycol, Tocopheryl Acetate, Water</p> <p>Questions or comments? Contact our dedicated Customer Care at +1(877) 786 2001 or email us at support@shinpharma.com</p> <p>Imported/Distributed by: Shinpharma Inc. 1124 Fir Avenue, Blaine, Washington, USA 98230</p>
Active ingredient	Purpose				
Lidocaine 5%	Anorectal (Hemorrhoid)				

DR. NUMB

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69903-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 10 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69903-004-10	1 in 1 CARTON	05/29/2019	
1		10 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	05/29/2019	

Labeler - Shinpharma Inc (248552403)**Registrant** - Shinpharma Inc (248552403)